# DARLEY CHAMPION™ GEAR NOMEX®/KEVLAR®

TO A HIGHER LEVEL OF PROTECTION,

THE REAL PROPERTY.

nev







- Tough Nomex®/Kevlar® outer shell for increased durability and heat tolerance
- Stedair® 3000 on E89 moisture barrier
- Athletic cut back and elbow
- Zipper with Velcro® outer closure
- 3" NYC triple trim
- Combination handwarmer/bellows pockets
- Black Arashield cuffs for added wear resistance
- Radio pocket with flap
- Flashlight holder
- Mic clip

#### **Pant Features:**

- Rear bib for added protection
- Zipper with Velcro® outer closure
- Two take up straps
- Reinforced cuffs
- Arashield reinforced cuffs
- Padded reinforced arashield knees
- Athletic knee design
- Two bellows pockets
- Free H back suspenders



**OVERLAPPING** COLLAR



ZIPPER W/VELCRO® **OUTER CLOSURE** 



DRAG RESCUE DEVICE

Accessories

not included



HIGH BACK PANTS W/SUSPENDERS



ACTION BACK. KNEES & ELBOWS



RADIO POCKET WITH FLAP



ARASHIELD PANT **CUFFS & KNEES** 



THUMB STRAPS



Customize your gear with your choice of 2" (up to 12) or 3" (up to 8) letters.

SPECIFY MATERIAL

STREET, SQUARE, SALES

THE RESERVE TO

Custom Name Panel AS51901

AS51902 Letters

SPECIFY COAT AND PANT SIZE: For detailed measuring instructions and sizing, refer to www.edarley.com SPECIFY COLOR: Black, Gold or Yellow

BL458 Darley Champion™ Gear Kevlar®/Nomex® Coat BL459 Darley Champion™ Gear Kevlar®/Nomex® Pants

# DARLEY CHAMPION™ GEAR

Inside every firefighter beats the heart of a Champion.

Those with the passion to rise to the occasion.

HEAD-TO-TOE GEAR PACKAGE

Darley now offers a head-to-toe solution for your turnout gear needs at a special package price. Package includes Nomex® turnout gear coat and pants, Fire-Dex® 911™ helmet, Darley gold gauntlet gloves, Nomex® hood, Hellfire™ structural and hazmat firefighting boots, and Fire Fighter gear bag with carrying strap.

Our Champion™ gear is built to hold up in the toughest of conditions and is loaded with all the features you expect including plenty of large pockets and clips for your tools and communication equipment, reinforced knees, double-stitched seams and comfortable overlapping collar. Your safety is most important so we've included bright, reflective 3M™ Scotchlite™ triple trim, a fire resistant Nomex® IIIA outer shell and Drag Rescue Device per the latest NFPA safety standard.



NOMEX® HOOD





HELLFIRE™ STRUCTURAL AND HAZMAT FF BOOTS



FIRE-DEX® 911™ HELMET

Accessories not included



GALINTI ET GLOVES

DARLEY GOLD

BK407 & BK408 SPECIFY SIZE: For detailed measuring instructions and sizing, refer to www.edarley.com

### DARLEY CHAMPION™ GEAR PACKAGE INCLUDES:

Cat#	Description	Size	Color
BK407	Darley Champion™ Gear Coat - Nomex®	Refer to www.edarley.com	Yellow, Black, Tan, Red or Navy
BK408	Darley Champion™ Gear Pants - Nomex®	Refer to www.edarley.com	Yellow, Black, Tan, Red or Navy
BB009	Hellfire™ Structural and Hazmat Felt-Lined FF Boots	Size: 7-14, 15 Width: M, W, XW	Black
BH127	Darley Gold Gauntlet Gloves	S-XL, Jumbo	Gold
AM003	Fire-Dex® 911™ Helmet	N/A	Red, Black, Yellow or White
AK020	Nomex® Hood	One Size Fits All	White
AS037	Jumbo Gear Bag	N/A	Red with Black Trim

# PACKED WITH FEATURES

# FIT FOR A CHAMPION

- **OVERLAPPING COLLAR** Throat protector with Velcro® closure
- **COAT LINER** Nomex® Q8 with Stedair® 3000 viral barrier







- MIC CLIPS Left and right chest Nomex® mic clips
- **SUSPENDERS** Adjustable, black







- **RADIO POCKET** 9"x3"x2" with double notch flap
- 32" COAT Nomex® IIIA outer shell





- **EMBROIDERED PATCH** Durable stitching
- COAT CLOSURE Velcro® and easy-slide zipper





- REFLECTIVE TRIM 3" 3M™ Scotchlite™ lime/silver triple trim on coat and pants
- REMOVABLE DRD Drag Rescue Device

- PANT LINER Nomex® Q8 with Stedair® 3000 viral barrier

**PANTS** 

PANT CLOSURE Inner hook and loop outer hook and dee



TAKE-UP STRAPS Fabric with postman slides





## Innotex Turnout Gear

#### **Features:**

- Moisture Barrier: GORE® RT7100 moisture barrier Type 3D, 4.6 oz.
- ► Arashield® reinforcement on cuffs and knees (gray)
- Thermal Barrier: XLT-Lite™ Chambray, 7.75 oz.
- ▶ BL526 & BL527: Outer shell: Nomex® IIIA, Yellow, 7.5 oz.
- BL649 & BL650: Outer shell: Kevlar® / Nomex® IIIA, Khaki, 7.2 oz.

#### **Coat Features:**

- Unique patented BR-1<sup>™</sup> 6-layer collar (3")
- 32" style coat
- Hook and loop 2"x2" throat flap
- Zip and hook and loop attachment
- RHL™ rounded hook & loop (U.S patent D627,950)
- Radio pocket 8"x4"x2" with mic loop on left chest
- 2 Semi bellow 8"x10" pockets
- Inside left pocket with hook & loop
- NFPA style 3" triple trim (lime/yellow with silver center)
- Nomex® wristlets with thumb hole
- BL649: Flashlight holder (clip with adjustable hook & loop fastener on right chest)

#### **Pant Features:**

- Regular waist
- Hook and D-ring + hook & loop fastener closure
- Double Fly Protection: 6 layers
- 2 Semi bellow 10"x10" pockets
- Extra padding in the knee (layer of 14 oz. Nomex® felt)
- BL527: Waist adjustment straps in black webbing
- BL527: Deluxe heavy duty removable cotton "H" style suspenders
- BL650: Waist adjustments with FR plastic buckles
- ▶ BL650: Heavy duty quick adjust and removable "H" style deluxe cotton suspenders with padding



Accessories not included

## SPECIFY SIZE: S-XXXL Refer to sizing on www.edarley.com

BL526	Nomex® Yellow Turnout Coat
BL527	Nomex® Yellow Turnout Pants
BL649	Nomex®/Kevlar® Khaki Turnout Coat
BL650	Nomex®/Kevlar® Khaki Turnout Pants

## Ranger Combat Ready Gear

Fire Fighting is stressful enough without having to fight your gear too. That's why we used our experience making Morning Pride brand turnouts that allow the gear to move with the firefighter's body, not against it. Mobility, comfort, toughness. Ranger Combat Ready Bunker Gear has it all.

#### **Coat Features:**

- ► Tails™ style coat
- Kevlar®/Nomex® outer shell
- Aralite®/Nomex® thermal liner facecloth
- Stedair® moisture barrier
- Comfort chinstrap
- Coat cuffs
- Velcro® zipper closure
- Nomex® tabbed long wristlets
- Articulating rapid rescue strap with new coat
- Lime 2-tone Scotchlite™ reflective triple trim
- Radio chest pocket
- Half high bellow pockets
- Mic Tab

#### **Pant Features:**

- Kevlar®/Nomex® outer shell
- Aralite®/Nomex® thermal liner facecloth
- Stedair® moisture barrier
- 1" narrow Velcro® fly
- Lime 2-tone Scotchlite™ 3" cuff trim
- Kevlar®/Nomex® bellows pockets
- Reinforced knees Arashield gold
- Dyna-Fit Suspenders



SPECIFY COAT and PANT SIZE: For detailed measuring instructions and sizing, refer to www.edarley.com

Ranger Coat (Kevlar®/Nomex® OS Gold) BK207 BK208 Ranger Pants (Kevlar®/Nomex® OS Gold)



## **Aluminized Cover Helmet**

The Aluminized Cover Helmet provides all of the improved fit, ride, components and tough "FYR-Glass" shell. "Lite Force Plus Proximity" is certified to meet these new requirements. *Ship. wt. 5 lbs.* 

#### **Features:**

- Standard "Prox" configuration with adjustable throat protector
- Shroud/earflaps have breathable W.L. Gore moisture barrier and are lined with a "Protective Comfort" quilted FR cotton facecloth thermal liner

#### **Includes:**

- Gold-coated, 6" faceshield
- Helmet cover

AS306

Aluminized Cover Helmet

## **Aluminized Attack Gear**

With occupational hazards becoming more complex, you can be confident that the Aluminized Attack Gear offers superior protection. When you have to face high temperatures or high risk situations, this gear provides the ultimate protection.

#### **Coat Features:**

- Aluminized 7 oz. PBI outer shell
- 35" coat length, 3 body-panel design
- Reinforced hardware with die-cut leather
- Liner attaches to jacket with snaps and Velcro®
- Hanger loop on rear collar
- Extra layer of thermal liner in shoulders
- Underarm gusset
- Leather cuff reinforcements
- 2 layer neoprene/cotton poly sleeve wells
- ▶ 4" Nomex® knit wristers
- ➤ Zipper/Velcro® closure standard
- New high temp Delrin® plastic zipper
- ▶ 4" wide storm flap
- Black Nomex® front facings
- Large 9"x9" patch pockets
- Velcro® closure on pockets.
- "Easy Grip" DRD
- NFPA Style Triple Trim is double stitched to garment for increased protection against wear
- Jacket liner inspection port

#### **Pant Features:**

- ► Aluminized 7 oz. PBI outer shell
- ▶ 4 panel design high-back bib pants
- Low-rise waist
- 2" independent Nomex® waistband with snap fasteners to attach pant liner system
- Pant liner inspection port
- Streamlined fly flap with Velcro®, hook and dee/snap fastener
- 2 Nomex® twill take-up straps
- Diamond crotch gussets
- Two 10"x10"x2" bellows thigh pockets with Velcro® flap closure and drain holes, lined with Kevlar® twill
- Arashield® reinforced knees
- Double layer of Q8® thermal liner padded knees
- NFPA Style Triple Trim is double stitched to garment
- Double stitched grey leather cuffs
- 6-Point H-Back suspenders



#### SPECIFY SIZE: S-XL

BK262	35" 7 oz. Aluminized PBI Attack Coat
BK263	Optional 8"x3.5"x2" Radio Pocket
BK264	7 oz. Aluminized PBI Attack Pants

## **Aluminized Complete Approach Suit**

Designed for personnel engaged in maintenance, repair and operational tasks in areas of low ambient temperature up to 200°, or high radiant heat up to 2000°. The aluminized glass suit comes with 32" coat, hood with gold reflective faceshield, pants, gloves and boots. Not for fire entry. *Ship. wt. 25 lbs.* 









# Ready Rack™ Storage Systems

The open air design of Red Rack™, along with our Dry Kwik accessories, provides for free air circulation and helps dry PPE much faster. As a result, mold and mildew will not prematurely destroy the fibers of your gear and it will last longer. Red Rack™ components are coated with a durable red powder coat finish.

#### **Standard Features:**

- ▶ 20" and 24" wide sections
- ▶ 20"Dx72"H compartments
- Adjustable helmet shelf
- Adjustable boot shelf
- Adjustable apparel hooks
- 2 Utility hooks
- Heavy-duty powder coat finish
- Label holder for nameplate
- Dry Kwik coat hanger
- Horizontal hanger rod



## A. Wall Mounted Red Rack<sup>TM</sup> Turnout Gear Storage System

- 20"Wx20"Dx72"H (Per Opening)
- 24"Wx20"Dx72"H (Per Opening)

Call your Darley representative for information on more openings.

## B. Single-Sided Mobile Red Rack™

- Three 20" Sections 64"Lx20"Dx79"H
- ► Three 24" Sections 76"Lx20"Dx79"H

#### BD095

Units are supplied with four swivel caster - two with foot-operated brakes.

## C. Double-Sided Mobile Red Rack™

- Six 20" Sections 64"Lx20"Dx79"H
- Six 24" Sections 76"Lx20"Dx79"H

#### BD096

Units are supplied with four swivel casters - two with foot-operated brakes.







## **Darley Gold Gloves**

#### **Now With Gore Protection**

- Offers unmatched comfort, protection and performance in an NFPA fire glove
- Gore RT7100 waterproof, breathable barrier system is the same proven technology used by many of the leading turnout gear manufacturers
- Every liner is sewn, seam sealed and 100% dunk tested
- Best in class technology means better dexterity, no liner pull-outs and performance even after exposures in hot structural environments
- Heavy weight Koala tanned outershell will remain soft after repeated soakings
- Made in USA



SPECIFY SIZE: S-XL, Jumbo

Darley Gold Gauntlet Gloves

## **Eversoft Gloves**

Our new Eversoft glove is made for fire departments seeking strong, durable hand protection at an unbeatable price. Gloves exceed all requirements of NFPA 1971.

- Cowhide, black Eversoft split leather ensures long wearing toughness, but with a softer, more comfortable feel
- SEF liner Self-Extinguishing Fleece provides a durable yet soft thermal layer
- ▶ PRO-TECT™ moisture barrier glove insert is waterproof and wind resistant
- Kevlar® thread for high-strength, high-temp security
- Proudly Manufactured in the USA



#### SPECIFY SIZE: S-XXL

BL433	Wristlet Eversoft Gloves
BL434	Gauntlet Eversoft Gloves

## TRU-3D™ Gloves

Made of cowhide, elk and kangaroo. The only TRU-3D™ gloves in the fire service. Your hand isn't flat. Your glove shouldn't be either. Designed by firefighters. Gloves meet or exceed the minimum requirements of NFPA 1971.



#### SPECIFY SIZE: S-XL

BL646	Gauntlet TRU-3D™ Gloves
BL672	Wristlet TRU-3D™ Gloves

## Fire-Dex® Direct Grip Fire Gloves

- Two-ply Nomex® knitwrist
- Fully lined
- Made with double-chromed, tanned, heat-resistant leather
- Fully lock-stitched with Kevlar® thread
- Elastic backside hugger for comfort
- Leather hanger loop for drying
- Full size leather pull tab
- Ship. wt. 1 lb.













## Eclipse Elk Skin Gloves

- Superior overall fit
- Swing Thumb™ style and innovative wrap around index finger for excellent dexterity
- Unique convertible cuff can be worn as knitwrist or gauntlet style
- Leather retaining band acts as 360° pull tab
- 1" longer than others
- Reduced hand fatigue and improved grip
- SEF® Modacrylic® lining and moisture barrier
- Meets NFPA, OSHA and CAL-OSHA standards
- Ship. wt. 2 lbs.

SPECIFY SIZE: S-XXL

AM060 Eclipse Elk Skin Gloves

## Pigskin Firewall® Gloves

Wash & Wear Pigskin Firewall® Gloves last 4x longer than others. Outer shell stays soft and supple even after repeated soakings. Gloves come with a sewn-in, breathable, liquid-proof barrier for bacteria and chemicals. Meets the highest requirements in terms of durability and abrasion resistance. AC542 and BA003 meet NFPA 1971-2013 Edition. Made in USA. Ship. wt. 1 lb.

- Nomex® knitwrist
- Vapor barrier (NFPA only)
- Gunn cut seamless palm
- Thermal lining
- OSHA and NFPA styles available



#### SPECIFY SIZE: S-XL

AC542	Pigskin Firewall® Gloves, NFPA Wristlet
BA003	Pigskin Firewall® Gloves, NFPA Gauntlet
AC543	Pigskin Firewall® Gloves, OSHA Wristlet

## Koala Gloves

- Shelby® Koala tanned, split cowhide
- Gore™ glove barrier fabric
- Fire retardant
- Wing thumb
- Nomex® wristlet

- Breathable barrier
- Sewn in liner/ barrier systems
- NFPA/CE compliant
- Ship. wt. 1 lb.

#### SPECIFY SIZE: S-XL

AW122	Koala Gloves Knitwrist
BA002	Koala Gloves Gauntlet

## FIREWALL® ARFF Gloves

- Crosstech® Direct Grip® glove liner
- ► Aluminized PBI®/Kevlar® knit
- Breathable

- NFPA 1976/1971, 2007 compliant
- 2-Ply Nomex® wristlet

SPECIFY SIZE: M-XL

AW114 Firewall® ARFF Gloves

## Waterproof Side Zip Composite Safety Toe Boots

- 8" convenient side zip
- Dual density rubber outsole with integrated EVA impact pads
- Non-marking rubber, mini-lug outsole
- Safety toe, blood borne pathogen resistant, waterproof and slip resistant

SPECIFY WIDTH and SIZE: (Uni-Sex) MENS: Medium and Wide 7-12, 13, 14 WOMENS: Medium and Wide 7-10, 11, 12

BB134 Waterproof Side Zip Boots

## DON'T MISS

More boots in Wildland (p72-80) Rescue Tools (p81-125)





## Fire-Dex® Footwear **Protection for the Heat of the Battle**

- Pull-on loops are reinforced with extra layer of leather and Kevlar® thread to guarantee them for the life of the boot under normal wearing conditions
- 3M silver industrial wash flame resistant fabric reflective trim (8935) enhances visibility
- ▶ Vibram® FIRE&ICE™ heel guard Promotes longevity, creates and maintains shape of ergonomically designed heel cup
- Vibram® FIRE&ICE™ toe guard Provides additional grip where you need it and promotes longevity of toe cap
- 2.2 mm silicone tanned FR full grain, heavy weight leather
- Rugged diamond plated ladder shank area increases traction
- Molded cement outsole with articulating louvers provides additional traction to the medial side of the foot
- Red no skid pattern helps reduce slippage in wet conditions and releases. water from being trapped beneath the outsole

SPECIFY SIZE: 8-11, 12, 13, 14 SPECIFY WIDTH: M, W or XW

BK159

Fire-Dex® Footwear







## Fire-Dex® Leather Boots

- Lightest boot in its class
- Vibram® Fire & Ice sole provides superior slip resistance and flexibility in extreme cold or heat
- Steel protective package includes spacious steel toe and ribbed steel shank for support and comfort on ladders and uneven surfaces
- PS5 ES puncture resistant fabric protects foot from nails and other puncture hazards
- Dual density SMART™ foam insert absorbs and disperses impact energy
- Padded shin guard for protection and comfort on ladders and while crawling
- Integrated pull on loops are reinforced for superior durability
- Antibacterial inner liner
- Waterproof moisture barrier provides blood borne pathogen protection
- NFPA 1971, 2013 and CSA compliant

COLOR: Black with Gray Band

SPECIFY SIZE: 7-12, 13, 14, 15, 16 SPECIFY WIDTH: M, W or XW

BL502 Fire-Dex® Leather Boots





## Hellfire™ Insulated Boots

Hellfire<sup>TM</sup> series provides superior protection for structural and hazmat fire fighting. *Ship. wt. 6 lbs.* 

- ▶ Upper: Flame-resisting, heat-resisting rubber
- Construction: Vulcanized rubber, shoe fit engineered
- Lining: 3.5 mm polyester needled felt with heel reinforcement
- Insole: Removable superknit covered polyurethane footbed
- Midsole: Stainless steel, puncture-resisting bottom plate
- Shank: Steel triple ladder shank
- Outsole: Flame-resisting, heat-resisting white traction lug
- Double reinforced pull loops and cushioned shin guard
- Light-reflecting instep and heel patches
- Abrasion-resisting rubber T-Toe
- Blood-borne pathogen compliant
- Meets NFPA 1971 & 1992
- ASTM F2413-11 M I/75/C/75 oversized steel toe
- ▶ UL certified, EH rated

SPECIFY WIDTH: M, W, XW SPECIFY SIZE: 7-14, 15

BB009	Felt-Lined Hellfire™ White Lug Sole
AZ248	Light Insulated Hellfire™ Calendared Sole
AZ250	Insulated Hellfire™ Lug Sole





## Premium Ranger™ Air Boots

Premium, top of the line model, offers complete protection and lightweight comfort.

- Lightweight and rugged with one layer of natural rubber and one layer of butyl rubber
- Only rubber boot on the market utilizing self insulating Neoprene liner combined to spacer mesh material is buoyant, waterproof and comfortable
- Removable Breath-o-Prene® insert for topnotch arch support
- Steel bottom plate, toe and shank
- Rounded leather straps and top line protects against leg rub and pant abrasion
- Height: 15", Weight: 6.3 lbs.
- Chemical agent protection to Mustard HD (Protocol TOP-8-2-501 Swatch Test) 24hrs.

SPECIFY WIDTH: N, M, or W SPECIFY SIZE: 7-151/2, 16

BL104 Premium Ranger™ Air Model 1000 Boots

## Kevlar®/Nomex® Lined Boots

Insulated and non-insulated lightweight models feature Kevlar®/Nomex® lining and are equipped with a shinguard for additional ladder-rung shin protection. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection.

SPECIFY WIDTH: N, M, or W SPECIFY SIZE: 7-15<sup>1</sup>/<sub>2</sub>, 16

JI LCII I VV	715 TT. TV, TVI, OT VV 31 ECH T 312E. 7-1372, TO
BL105	Insulated Kevlar®/Nomex® Lined Model 1500 Boots
BL106	Non-Insulated Kevlar®/Nomex® Lined Model 2500 Boots

## **Proximity/Bunker Boots**

- Athletically designed for unencumbered performance and agility
- Specially designed profiled boot to accommodate the largest legs fitting comfortably under proximity pants
- High performance fire resistant and waterproof leather has been independently tested to withstand the harsh environment of JP8 commonly found in ARFF environments
- Improved heel pocket and comfortable molded insert defend against heel slippage
- ➤ Vibram® lug soles with Fire & Ice compound are cemented and security stitched for the greatest protection possible in extreme radiant heat conditions
- Steel bottom plate and shank for complete protection
- Double radiant layers and aluminized shield keep heat transfer away from your feet in high heat conditions
- Full height bootie with 7.5 oz. of Virgin Kevlar® felt quilted to Cambrelle® and laminated to Crosstech®

SPECIFY WIDTH: D, E, EEE SPECIFY SIZE: 7-13, 14, 15, 16

BK254 Proximity/Bunker Boots

## A. Fire Fighter Gear Bag

- One of the biggest gear bags in the industry
- Now available with wheels
- Overall Bag Size: 29"x17"x16"
- Main Compartment: 18"x17"x16"
- 4 additional pockets including an extra large helmet pocket
- Reflective trim along straps and on bottom
- Vented main compartment with Velcro® front closure



BK200	Fire Fighter Gear Bag with Carrying Strap
BK201	Fire Fighter Gear Bag with Wheels

## B. Jumbo Gear Bag

There is plenty of room in this one. It has four pockets along with the main storage area. The end pocket on the left is 8"Wx15"D x17"H, the right pocket is 3"Wx15"Dx17"H, along with two slot pockets. The overall measurements are 33"Lx15"Dx17"H. ID window, handle wrap, and Maltese Cross. Nylon. Red with Maltese Cross. Ship. wt. 3 lbs.

AS037 Jumbo Gear Bag

## C. Wide Mouth Darley® Gear Bag

Features a zipper top, making it the fastest opening bag on the market. Loading and unloading your gear has never been easier. Made of Cordura® nylon with 11/2" straps held together with Velcro® closures. Gear bag measures 24"Lx17"Hx14"W. Red with Maltese Cross. Ship. wt. 2 lbs.





BK186 Wide Mouth Darley® Gear Bag

## D. X-Large Turnout Bag

- Multiple pockets and compartments
- Padded shoulder strap
- Reflective stitching
- Heavy-duty zippers
- 600 denier polyester outer shell fabric
- Grab-n-go pull strap with grabber
- Overall Dimensions: 16"x25"x15"
- Side Pockets: 16"x2"x15"
- Total Capacity: 7,280 cu. in.

SPECIFY COLOR: Black or Red
BL429 X-Large Turnout Bag















## A. Alpha Gear Bag

Designed to hold turn out coat, pants, helmet, boots, and miscellaneous equipment. A 1½" web handle supports the weight of the bag's contents. This bag is 25% larger than the average gear bag on the market. The extra large size measures 13½"x16"x24". Made of heavy Cordura®nylon with a urethane coated back. Has a #10 YKK® self-repairing nylon coil zipper. Logo: Fire Fighter wording only, in gold print. 5,200 cu. in. Ship. wt. 1 lb.

COLOR: Red with Black Trim BK188 Alpha Gear Bag

## **B. Darley Turnout Gear Bag**

Available in two sizes, this bag is designed to hold your turnout coat, helmet, boots and other miscellaneous equipment. Bag features a front outside zippered pocket to carry smaller items. Standard bag measures 13<sup>1</sup>/<sub>2</sub>"Lx13"Hx24"W. The extra-large gear bag has 25% more room measuring 131/2"Lx16"Hx24"W. Available in choice of plain red, red with Maltese Cross or Royal Blue with Star of Life.

Ship. wt. 3 lbs.



Blue Red

SPECIFY COLOR: Plain Red, Red with Maltese Cross or Royal Blue with Star of Life

AJ093 Standard Turnout Gear Bag AJ027 Extra-Large Turnout Gear Bag

## C. Boot Style Turnout Gear Bag

- 2" wide nylon webbing
- 550 cubic feet larger
- Maltese Cross
- Lime triple trim
- Reinforced bottom
- Nylon strap grabber
- ID window
- Dimensions: 17"x18"x20.5"

BI 414 Boot Style Turnout Gear Bag

## D. Walk-Away Gear Bag

Oversized and loaded with features. Reflective trim, Maltese Cross, handle wrap, optional shoulder strap, vinyl bottom, ID window, zippered side pocket for gloves and personal items. Mesh vents on each side under the storm flaps allow the bag to vent while the flap protects the contents from extreme weather. The three-sided heavy-duty zipper allows you to open the bag and step into your bunker gear and walk away. Measures 16"Wx19"Dx18"H. Nylon. Red with Maltese Cross. Ship. wt. 3 lbs.

AS035

Walk-Away Gear Bag

## Fire-Dex® 911™ Helmet

The 911® helmet provides solid, dependable, comfortable protection in a multitude of environments and still allows for a wide range of vision and long-use. Helmet shell is made of the lightest fiberglass composite offering superior protection against high temperature and chemical hazards. Its unique foam impact insert assembly provides even more top and side protection. Long lasting, easy-to-clean, high-gloss, flame-retardant finish resists scratches and UV rays. Replaceable 4" PPC wrap around face shield features an easy-to-operate tension adjustment and plastic bracket to provide maximum dielectric protection. Meets NFPA 1971, 2007 Edition. Ship. wt. 5 lbs.

- Colored throughout fiberglass compression molded shell
- Fiberglass shell has superior flame and heat resistance
- Thermal impact cap is a low density injection mold
- 2 pieces that are inseparable
- ▶ 6 way overhead suspension straps allowing for a more customized helmet "ride"
- 3 piece headband with ratchet assembly for easy adjustments (6.5" - 9")



Black Yellow White

SPECIFY COLOR

Fire-Dex® 911™ Helmet AM003

## Fire-Dex® 1910 Traditional Style Helmet

The 1910 features a fiberglass compression molded shell with superior flame and heat resistance, thermal impact cap, ratchet adjustment, and an adjustable headband that fits all SCBA's. SEI Certified to meet or exceed NFPA 1971, 2007 edition. Ship. wt. 5 lbs.

- Ear/neck cover of black Nomex® lined with FR cotton
- 3M<sup>™</sup> Scotchlite<sup>™</sup> solid lime vellow tetrahedrons trim
- Knit sweatband and nape
- 4" visor or Innerzone 3<sup>™</sup> goggles
- Compression molded fiberglass shell



Black Yellow White

#### SPECIFY COLOR

0. = 0	00_0	
BL363	Fire-Dex® 1910 Helmet with 4" Visor	
BL364	Fire-Dex® 1910 Helmet with Innerzone 3™ Goggles	

## Cairns 660C Fiberglass Helmet

Helmet shell is reinforced, high-temperature resistant molded fiberglass. Cairns' patented shell release helps reduce the chance of neck injury by allowing the shell to release, leaving the impact cap behind for protection under severe upward impact. Beneath the shell is a high-temperature foam cap for increased thermal and impact protection. Headband features

adjustable front for perfect fit between helmet and SCBA mask and 3-position rear ratchet adjustment. Other features include full brim, high-temperature edge trim, faceshield wing protectors, Nomex® chinstrap with quickrelease and postman slide, Nomex® neck/ear protector and 4" Tuffshield faceshield. Helmet fronts sold separately. Meets NFPA 1971, 2013 Edition. Ship. wt. 5 lbs.





#### SPECIFY COLOR

AA843	Cairns 660C Fiberglass Helmet
AF093	Cairns 660C Replacement Faceshield







## **™**Bullard The FireDome® LT™ Helmet

The FireDome® LT structural fire helmet is the result of 20 years of Bullard engineering, polymer technology and expertise. The Bullard Tough LT comes standard with the all-new and innovative, patented Quick-Attach Blade System, that permits the firefighter to simply press on or off either a blade-mounted faceshield or blade-mounted goggles in seconds. This helmet can also be enhanced with a variety of optically correct visors, goggles, and neck protectors to equip your fire department with complete head, face and neck protection to meet your specific applications. With the new compact design and lower center of gravity, the LT keeps weight evenly distributed and holds the helmet stable on the head. Meets NFPA 1971-2013 Standard. Ship. wt. 5 lbs.

- Compact Lightweight
- Innovative Low center of gravity
- Change from goggles to facemask in seconds


				_
SPI	ECI	FΥ	CO	LOR

Red	Blue	Yel

Lime Black White

AW498	FireDome® LT™ Helmet with Faceshield
AW499	FireDome® LT™ Helmet with Goggles





- Fiberglass or Thermoplastic outer shell Urethane foam impact liner provides
- insulation from heat, impact and penetration Chin strap with combination adjustment
- Sure-Lock® Ratchet for easy adjustment
- Nylon or Nomex® energyabsorbing crown strap
- Optically correct faceshield
- Nomex® Ear/Neck Protector
- Inner Shell

ed	Blue	Yellow	Orange	Lime	Black	White
----	------	--------	--------	------	-------	-------



Firefighters frequently exposed to chemicals and hydrocarbons appreciate the FireDome® FX with a resin-bonded fiberglass outer shell. Fiberglass helmets are more resistant to chemical attack and more stable at extreme temperatures than those made of thermoplastic. Meets NFPA 1971-2013 Standard. Ship. wt. 5 lbs.

#### SPECIFY COLOR (see colors listed above)

AF086	FireDome® FX Helmet with Faceshield
AS354	FireDome® FX Helmet with Goggles

## FireDome® PX Helmet - Thermoplastic

Firefighters who need a more durable helmet choose the FireDome® helmet with injection-molded thermoplastic outer shell. Constructed with a high-heat thermoplastic providing greater impact and penetration resistance than fiberglass; plus it's more reliable with repeated heat exposures. Meets NFPA 1971-2013 Standard. Ship. wt. 5 lbs.

SPECIFY COLOR (see colors listed above)

AF088	FireDome® PX Helmet with Faceshield	
AS027	FireDome® PX Helmet with Goggles	

## Cairns 1010 Traditional Style Helmet

Features new tough, through color, reinforced, high-temperature resistant, molded fiberglass composite shell that resists cracking and chipping. Cairns' patented shell release helps reduce the chance of neck injury by allowing the shell to release, leaving the impact cap behind for protection under severe upward impact. Beneath the shell is a high-temperature foam cap for increased thermal and impact protection. Headband features adjustable front for perfect fit between helmet and SCBA mask and 3-position rear ratchet adjustment. Other features include high-temperature edge trim, faceshield wing protectors, Nomex® chinstrap with quick-release and postman slide, Nomex® neck/ear protector and 4" Tuffshield faceshield. Helmet fronts sold separately. Meets NFPA 1971-2007 Edition. Ship. wt. 5 lbs. Black Yellow White

SDECIEV COLOD

SPECIFY	COLOR
AF781	Cairns 1010 Helmet
AF094	Cairns 1010 Replacement Faceshield





## Ben Franklin 2 Plus Traditional Helmets

You can't beat the combinations of a traditional styled helmet with the strongest outer shell on the market by Morning Pride. Ship. wt. 4 lbs.

- Strongest Shell on the Market Test show that FYR-Glass is 42% more resistant to impact penetration than helmets made of fiberglass
- FYR-Glass Technology Provides a helmet that is lighter, lower ride, more comfortable and better fitting
- High Heat Performance No other shell finish stands up to high heat like FYR-Glass
- Low Ride, Better Fit, Low Center of Gravity 8-point suspension and wider interior gives wearer superior comfort and fit
- More Sizes, More Adjustability Our headband/ratchet will fit the largest range of hat sizes of any NFPA helmet on the market - plus for position depth adjustments
- Accessories Screaming eagle, padded adjustable ratchet system, protective Nomex® earflaps, combo adjustable chin strap, Reflexite® patches. Leather shield not included
- Meets and exceeds NFPA 1971, 2000

		Red	Віаск	rellow	White
SPECIFY (	COLOR				
AR319	Ben Franklin 2 Plus Helmet wi	th Gog	gles		
AR318	Ben Franklin 2 Plus Helmet wi	th Face	shield		
BL249	Ben Franklin 2 Plus Low Rider	Helmet	t with C	oggles	3
BI 250	Ben Franklin 2 Plus Low Rider	Helmet	t with F	aceshie	

Dlask Vallau Milia

Black Yellow White

## Lite Force Plus Modern Helmets

Morning Pride's very best modern helmet is the perfect choice for comfort, safe head protection. *Ship. wt. 4 lbs.* 

- Strongest Shell on the Market Test show that FYR-Glass is 42% more resistant to impact penetration than helmets made of fiberglass
- FYR-Glass Technology Provides a helmet that is lighter, lower ride, more comfortable and better fitting
- High Heat Performance No other shell finish stands up to high heat like FYR-Glass
- ► Low Ride, Better Fit, Low Center of Gravity 8-point suspension and wider interior gives wearer superior comfort and fit
- More Sizes, More Adjustability Our headband/ratchet will fit the largest range of hat sizes of any NFPA helmet on the market - plus for position depth adjustments
- Accessories Padded adjustable ratchet system, protective Nomex® earflaps, combo adjustable chin strap, Reflexite® trim
- Meets and exceeds NFPA 1971-2007

	Tellow White
SPECIFY CO	LOR
AR321	Lite Force Plus Helmet with Goggles
AR320	Lite Force Plus Helmet with Faceshield
BL251	Lite Force Plus Low Rider Helmet with Goggles
BL252	Lite Force Plus Low Rider Helmet with Faceshield

## **Helmet Bands**

Made with industrial grade silicone that is not only durable but also resistant to high temperatures. Will fit most helmets and is flexible enough to add wedges, lights, nails and more.

- Track firefighters and increase safety in smoky or dark environments
- Flat Measurements: 11.5"x1.5"
- Can be charged by any light source (sun, artificial light, low light)
- Increases visibility and positional orientation
- Illuminates up to 17 hours when fully charged
- Glow/illumination serves as a "light emitter"

BL224 Helmet Bands







## A-Tac® Firefighter's Goggles

Protective goggles designed to specifically protect the firefighter in structural, wildland and other emergency situations. A-Tac® firefighter's goggles pass the NFPA 5000 5-minute heat exposure test. Features a silicone strap and body with hard coated/anti-fog inner and outer lens. Fits over prescription, safety and sunglasses. Can be removed from the helmet, without tools and worn directly on head. Includes goggle clips for both traditional and contemporary helmets. Meets NFPA and ANSI. Ship. wt 1 lb.

AM058

A-Tac® Firefighter's Goggles

## ESS Innerzone 2™ Goggles

The ESS Innerzone  $2^{\text{TM}}$  is designed to withstand the rigors of structural collapses and other hazardous situations that demand primary eye protection, the Innerzone  $2^{\text{TM}}$  is fully NFPA compliant, including the  $500^{\circ}$  5-minute NFPA oven test. NFPA 1971-2013 compliant.

- Functions well with all major structural firefighting helmet designs
- High heat-resistant mounting brackets carry a lifetime warranty and securely attach to helmet brim, no drilling required
- Patented Snap-on/Snap-off<sup>™</sup> mounting system allows goggles to be stowed on the front or rear of a helmet
- Use on helmet alone or together with face shield or flip-downs
- 2-piece strap system made of 26mm-wide, high-memory woven Nomex®
- Frame made from high heat-resistant materials
- Full-perimeter ventilation and filtration system
- Lenses feature ESS ClearZone™ anti-fog and anti-scratch lens coating
- Lenses provide 100 UVA/UVB protection and precise optical clarity for distortion-free vision
- Lenses are highly impact resistant and exceed the impact requirements of ANSI Z87.1-2010+



AR306

Innerzone 2™ with Snap On/Off Mounts

## Innerzone 3™ Wraparound Straps

The ESS Innerzone 3<sup>™</sup> features a wrap-around strap system that secures to structural helmets with two Velcro® tabs. Designed to protect eyes during extrications, USAR, and other hazardous situations that demand primary eye protections. The Innerzone 3<sup>™</sup> is fully NFPA compliant, including the 500° 5-minute NFPA oven test. NFPA 1971-2013 compliant.

- Functions well with all major structural firefighting helmet designs
- ▶ Patented Speed Clip™ strap system makes adjustment quick and easy
- 2-piece strap system made of 26mm-wide, high-memory woven Nomex®
- Frame made from high heat-resistant materials
- Full-perimeter ventilation and filtration system
- Lenses feature ESS ClearZone™ anti-fog and anti-scratch lens coating
- Lenses provide 100 UVA/UVB protection and precise optical clarity for distortion-free vision
- Lenses are highly impact resistant and exceed the impact requirements of ANSI Z87.1-2010+



BC014 Innerzone 3™ with Wraparound Straps
BL467 FirePro1971 FS Goggles

## Nomex<sup>®</sup> HeatSleeve™

The ESS Nomex® HeatSleeve™ helps protect the goggles from the elements when not being worn, keeping them clean, scratch free, and buffered from heat. ESS recommends this accessory for its Innerzone™ structural goggles.



BL011 Nomex<sup>®</sup> HeatSleeve™





. Mounts











## Add-A-Clip

The fast and easy method for attaching turnout gear. Ship. wt. 1 lb.

#### Convenience

Attach your gear right where you need it. Mounts almost anywhere.

#### Simplicity

Do it yourself. Threaded stud mounts easily, penetrates webbing or fabric, screws tight.

#### Flexibility

Three different clip-options to meet your most demanding



AS045

AS044	Add-A-Clip/Split Ring	
AS045	Add-A-Clip/Swivel Snap Clip	
AS046	Add-A-Clip/Side Release with Ring	
AZ242	Add-A-Clip/Snap Clip	

## Shield Saver

- Protects both sides of faceshield to prevent scratches
- Reduces eye injuries
- Durable marine-grade vinyl reduces frequency of faceshield replacement
- Velcro® closure
- Available for 4" or 6" faceshields
- Ship. wt. 2 lbs.



## PX/FX Replacement **Faceshields**

#### 4" Faceshield

- Hard-coated PPC
- Enhanced optics
- Mounting hardware not included

#### 6" Faceshield

- ► Hard-coated polycarbonate
- Mounting hardware not included

AF091	Replacement Faceshield 6"	
AF092	Replacement Faceshield 4"	

## **Glove Strap**

#### **Never Lose Your Gloves**

- Keeps gloves ready to use and easy to locate
- Strap clips easily onto your turnout gear or bag with nickel plated clip
- Secure with heavy-duty Velcro® closure
- Ship. wt. 1 lb.



SPECIFY COLOR: Red, Yellow, or Black AJ109 Glove Strap

## Gear Keeper Mic Retractor

The Gear Keeper is a rugged, retractable gear attachment system, designed to utilize and protect gear in severe environments with maximum break strength and durability. Fully extends to 20" and retracts safely back into place. It's that easy; no more fumbling, dropping, dangling or damage. Ship. wt. 1 lb.



- High-impact case
- Patented flushing system salt water proof
- Multi-force options







AR303 Gear Keeper Mic Retractor

## **Bourke Eye Shield**

Made of extremely tough polycarbonate plastic. Offers excellent eye and upper face protection, yet won't trap smoke. Mounts easily and snugly on helmet brim. Lens holders are aluminum, other parts stainless steel. Hinged feature allows instant protection. Uses two brass screws to hold shield to brim. Ship. wt. 1 lb.



SPECIFY COLOR: Clear, Smoke, Amber, or High Temp Yellow

R726 Bourke Eye Shield



## A. EZ Adjust Padded Suspenders

Designed with 8-point attachment. EZ release - just push up with finger or thumb. EZ tighten - just pull down on the EZ to find round rings. Pads are made with FR rated closed cell foam and sewn to allow for adjustment by end user. 47" length. *Ship. wt. 1 lb.* 

BG243 EZ Adjust Padded Suspenders

## **B. Turnout Suspenders**

- ≥ 2" H-Style suspenders
- Heavy-duty cotton webbing
- Heavy-duty elastic ends
- Eight-point metal clips

AZ244 Non-Reflective Suspenders

## C. Leather Fireman's Suspenders

Leather suspenders are handcrafted in the U.S.A. with the finest quality 10-12 ounce, full grain, drum dyed English bridle leather.

BH103	Leather Fireman's Suspenders 391/2"-451/2"
BH104	Leather Fireman's Suspenders 391/2"-481/2"

## D. Traditional Suspenders

#### **Materials:**

- Straps: Polypropylene red, heavy-duty elastic,
- 2" wide, .055" thickness, 400 minimum tensile strength
- Attachment point elastic: 1/2" wide, double layer, 51/2" long for each of 8 button tabs
- Leather tabs: eight leather tabs for button attachment
- Leather back patch

#### **Construction:**

- Crossover style, heavy-duty elastic
- Crossed in rear with leather back patch
- 8-point leather tabs,42" long
- All seams double stitched for added strength



BD015 Traditional Suspenders



## E. H-Style Suspenders

Features your choice of 2" elastic or non-elastic webbing with leather ends. An excellent choice for high back pants. *Ship.* wt. 1 *lb.* 

AW116 Elastic Suspenders
AW117 Non-Elastic Suspenders

## F. Padded Suspenders

- 8-pt. heavy-duty button attachment
- Extra large "quick adjust" rings to accommodate gloved fingers
- "H" back design
- Heavy-duty cotton webbing
- Foam padded straps

SPECIFY SIZE: S (36"), M (42"), L (48")

BG568 Padded Suspenders

## **Our Best Hood Deal**

#### Nomex® Blend Hood


- UL/NFPA Compliant
- One-piece construction with shoulder insert
- 19" overall length
- One size fits all
- Nomex®/Lenzing blend

AZ152

Nomex® Hood

## **Darley Hood**

Darley has teamed with PGI to develop a new standard in hood protection. We've selected Para-Tek FR™ as a proprietary Tri-Blend that leverages the benefits of three fibers, high strength Para-Aramid, Lenzing® and High Tenacity Nylon. The end result is a lightweight, breathable hood that offers exceptional flame and heat resistance.



- Excellent TPP rating 34.8 after five washings
- Improved styling for better fit and maximum coverage
- Superb flame resistance lowest vertical char lengths of all hood fabrics
- UL classified to NFPA 1971
- Comfort and excellent moisture absorbency



BL577 Darley Hood

## **Protective Hoods That Go** On Easy & Seal Tight

#### **Meets NFPA Standards 1971 (Current Edition)**

Easy-sealing elastic face opening that stretches to 15" and fits snugly for maximum protection and keeps its shape after repeated usage. Flat seams won't dig and seamless chin area provides added comfort. Full 13" double layer head for better face and neck protection. Double 8" back and front bib keeps hood from coming untucked. One size fits all. Ship. wt. 1 lb.



NOTCHED SHOULDER	
AK020	Nomex® Hood
ΔK022	PRI Hood

#### Add A Little Color **Meets NFPA Standards** 1971 (Current Edition)

Features easy-sealing face opening that fits snugly for maximum protection and keeps its shape even after repeated usage. Elastic face opening stretches to 15" for easier donning. Flat seams won't dig and seamless chin area provides for added comfort. Hood is 2-piece construction, notched shoulder with insert. One size fits all. Ship. wt. 1 lb.









SPECIFY COLOR

P84 Hood

## CarbonKnight Hood

With a TPP rating of ~37.4, Carbon Knight hoods have the highest TPP rating on the market - that is 87% higher than the NFPA requirement of 20! Manufactured with a double layer of black thermal knit material, CarbonKnight hoods are wider than the competition, which allows for superior air circulation. CarbonKnight is a tri-blend composition with added Kevlar® for superior strength and durability. Ship. wt. 1 lb.

► TPP rating of 37.4

Meets 18" NFPA minimum requirement

COLOR: Black

AZ246 CarbonKnight Hood

# Ultra C6 Hood

Protection...Comfort...Function

The new carbon tri-blend Ultra C6 has been engineered to address the concerns and needs in the safety world. Its unique mix of fibers maximizes the inherent performance properties of each fiber to provide optimal protection and comfort. Enhanced comfort adds to functionality and improves performance and efficiency in the workplace.

Ship. wt. 1 lb.

- One piece 100% Nomex® thread with notched shoulder
- Length: 18", face opening: 5"
- Meets or exceeds NFPA 1971-2013 Edition & is UL certified

COLOR: Black

BH029 Ultra C6 Hood





## What's Hot In Hoods

- NFPA 1971 (current edition) UL Certified
- Two-piece construction, notched shoulder long bib design
- 21" overall length which is 3" longer than NFPA requires
- Longer length will ensure hoods to stay tucked into other PPE - overall smoother fit
- Universal size



BK361	Green Camo Hood
BK362	Fight Like a Girl Hood
BK363	Support a Cure Hood
BK364	Fighting Irish Hood
BK365	Shamrock Hood
BK366	U.S. Flag Hood

## Carbon X Hoods



#### **Highest Flame Resistance:**

- 50% Higher than Nomex®
- ▶ 30% Higher than PBI

#### **Lightweight Yet Excellent TPP:**

- ▶ 20% lighter than most NFPA compliant hoods
- ▶ TPP rating of 28

#### **Non-Flammable:**

- If exposed to extreme heat or flame, fabric glows but won't burn
- Retains a certain tenacity at temperatures exceeding 2300°F for over 90 sec.

#### ONE SIZE FITS ALL

AW017	Ultimate™ Carbon X Hood
AW115	Classic™ Carbon X Hood

# Pac II Hoods

- Old Glory: Red, White and Blue 100% Nomex®
- Convict: Black and White 100% Nomex®
- ► Tie Dyed: Multi-colored Nomex® blend
- ► Flame: Multi-colored Nomex® blend


All Pac II hoods meet NFPA and CAL/OSHA standards. Ship. wt. 1 lb.  $\,$ 

AS717	Pac II Hood, Old Glory
AS718	Pac II Hood, Convict
AS719	Pac II Hood, Tie Dyed
AZ161	Pac II Hood, Flame

## **Nylon Life Belts**

#### Made For Maximum Safety, Durability, Versatility and Comfort

Made with nylon especially woven to meet rigorous strength, texture and durability requirements. Webbing has a minimum breaking strength of 9,000 pounds. Assembled belt will withstand 2,000 pounds. The 3" wide buckle strap, sewn with high-tenacity nylon thread and riveted with copper rivets to the 5" wide body strap, is fitted with a double tongue buckle, which enables fast engagement and release of belt. *Ship. wt. 5 lbs.* 



Life Belt with Pompier Hook, Crash Axe Sheath

## Pac Mule Ultra Ladder Belt

# The Ultimate Hands-Free Truckman's Belt Designed by Firefighters

J923

These lightweight belts provide 4" of Coolmax back padding for wraparound support and keep SCBA from hitting your spine. Carry tools and equipment in any situation without slipping or tangling. D-rings Velcro® up and out of the way when not being used. Belt is made from 3M Scotchlite, flame-resistant, highly reflective material. Adjusts easily to fit over your turnout gear. Features rear carabiner slots, a carabiner and an 18" lanyard. BK122 has the same features as AZ241 with added capabilities of making a ladder belt into a Class II harness by attaching the leg straps. Exceeds NFPA for escape belts. Color coded by size for quick identification. Ship. wt. 2 lbs.

## Escape Belts

First Kevlar® fire Escape Belt certified to NFPA Class I personal escape harness standards. Waist belt of harness utilizes quick connect "Double Locking" snap hook and D-ring adjuster system. Forged D-ring used for main attachment point has a minimum breaking strength of 5000 lbs., epoxy coated red. Truck/escape belt is constructed of 9000 lbs. Dupont Kevlar® webbing. Kevlar® webbing is coated with a special process to reduce wear and abrasion. Belt is constructed with two layers of webbing to increase stiffness while carrying tools. Contrasting color Kevlar® thread is used to aid in visual inspection. Pad under waist buckle made of black Nomex® material. Belt comes with two additional light weight D-rings that can be adjusted on the rear of the belt to affix a Personal Escape Rope Pack. NFPA (1983/2012 Edition) Certified. Ship wt. 2 lbs.

AZ102 Escape belt nylon holster can be used for carrying fire axe or halligan tool.



SPECIFY SIZE: L (34"-54"), XL (44"-68")

Rina

AZ100	NFPA Kevlar® Escape Belt
AZ101	Nylon Escape Belt
AZ102	Fire Tool Holster for Escape Belt

## Leather Truckman's Belt

The traditional firefighter's Truckman's belt now has an improved design; use it for just about anything. Constructed of top-grain leather, measures 11/2" wide and is fully adjustable. Includes heavy-duty snap hook and 2 heavy-duty rings. Folds are riveted as well as stitched for durability. All hardware is chrome plated brass. Optional equipment hook and ring are easily added with secure screw rivets. *Ship. wt. 3 lbs.* 



Specify '	Waist	Size
-----------	-------	------

Medium, Black: 28"-33" X-Large, Yellow: 42"-50" XX-Large, Red: 52" & up

AZ241	Ultra Ladder Belt	
BK122	Ultra Ladder Belt with Harness	



Hook

H992	Leather Truckman's Belt
AR308	Equipment Hook
AR309	Equipment Ring