## FireLine™ Shirt

Designed in accordance to the U.S. Forest Service Specifications. Generously patterned to allow unrestricted range of motion and comfort. Can be worn by itself as a shirt or layered over your favorite tee as a lightweight jacket.


- 3" high shirt style collar
- 3" hanger loop at neck
- Two large patch style breast pockets with hook and loop flap closures
- Left pocket includes pen/pencil slot
- Set-in style sleeves with adjustable hook and loop tab closure at cuffs
- Extra large melamine button front closure
- Shirt tails are extra-long and squared off to be worn either tucked in or outside pants
- Meets or exceeds NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition)
- Meets CAL-OSHA Requirements Passes Fed. Test 191,
- Method 5903.2; CAL-OSHA Sections 3406(d). Complies with
- OSHA Rule 29 CFR Part 1910, 269



Yellow Indura® Ultra Soft Fireline™ Shirt BL001 Yellow Nomex® 111A Plain Weave Fireline™ Shirt BL002



PGI's Double-Duty™ pants are dual classified to NFPA 1975 and 1977 Standards by Underwriters Laboratories for use as both station wear and wildland firefighting PPE. Now you can get the best of both worlds – a good looking and comfortable station wear pant which is great for working around the station or being worn in pubic yet rugged and protective enough to be worn on the fireline. PGI's signature relaxed fit and functional design is sure to make the Double-Duty™ BDU pant a station wear favorite.



- Oversized double needle top stitched bellowed cargo pockets on thighs expand for storage, secure with hook and loop flap closures
- Front slash pockets have extra deep bags and are contoured to keep contents secured
- Two large rear double needle top stitched patch pockets with hook and loop flap closures
- Corrosion-resistant brass snap at waist
- Double reinforced crotch panel extends wear life
- Hook and loop ankle straps backed with self-fabric adjust close through metal box ring take up
- Leg outseams are sewn with five-thread safety stitch, then top stitched with a double-needle lockstitch
- All points of stress are bartacked
- Meets or exceeds NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition) Compliant with NFPA 70E (Current Edition) - Meeting the performance specifications of ASTM - F-1506 for wearing apparel used by electrical workers exposed to arc and related thermal exposures
- Meets CAL-OSHA Requirements Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3108(9)

<b>Pants</b>				
Size	Waist	Inseam		
Small	27"-30"	28" S		
Medium	31"-34"	30" R		
Large	35"-38"	32" L		
XLarge	39"-42"	34" XL		
2XLarge	43"-46"	36" XXL		
3XLarge	47"-50"	38" XXXL		

<b>Pants</b>				
Size	Waist	Inseam		
Small	27"-30"	28" S		
Medium	31"-34"	30" R		
Large	35"-38"	32" L		
XLarge	39"-42"	34" XL		
2XLarge	43"-46"	36" XXL		
3XLarge	47"-50"	38" XXXL		

3400(a)					ZALUIGO	10 1
Complies	with OSHA Rule	29 CFR	Part 1910,	269	3XLarge	47"-5
SPECIFY CO	LOR: Yellow or	Green	SPECIFY	SIZE: S	-XXXL	
BL003	Yellow Indura®	Ultra Sof	t® Double	Duty™	Fireline™	Pants

BL004	Green Indura® Ultra Soft® Double Duty™ Fireline™ Pants
BL005	Yellow Nomex® Double Duty™ Fireline™ Pants
BL006	Green Nomex® Double Duty™ Fireline™ Pants







# Fireline™ DELUXE™ Jumpsuit

The DELUXE™ Jumpsuit has the best features of our DELUXE™ Coat and Pant combined into one.



- Full length two-way self-locking zipper front closure covered with a self-fabric storm flap
- Elasticized waistband with adjustable side take-up straps
- Radio pocket on left chest with hook and loop flap closure
- Mic holder loop and D-Ring loop
- Pocket on right chest with hook and loop flap closure
- Extra deep front slash pockets with hook and loop flap closures
- Two large rear pockets with hook and loop flap closures
- Elastic gusseted leg cuffs with adjustable hook and loop closures
- Extra-long leg zippers allow easy donning and doffing with boots on
- 2" wide fluorescent Lime/Yellow 3M Scotchlite™ reflective material
- Meets or exceeds NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition)
- Meets CAL-OSHA Requirements Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d)

COLOR: Yellow SPECIFY SIZE: S-XXXL



BL007	Indura® Ultra Soft® 9 oz. Fireline™ DELUXE™ Jumpsuit
BL008	Nomex <sup>®</sup> III Fireline™

DELUXE™ Jumpsuit

## FIRESAFE™ Wildland Jacket and Pants

Chieftain's FireSafe™ Wildland jacket and pants are designed to be trustworthy protective gear that is highly comfortable and functional. It has maximum thermal protection while minimizing the potential dangers of heat stress. This coverall is available in either Nomex IIIA® or Indura®, both known in the protective clothing industry for their exceptional flame resistance characteristics. FireSafe™ Wildland suits are certified by UL to meet NFPA 1977 (2005 edition) for Wildland Protective Apparel. Meets or exceeds NFPA 1977-2011 and CAL-OSHA specifications.

#### Jacket Features:

- ► Zipper and Velcro® double front closure
- Bellowed underarms for increased flexibility
- Extra wide collar with Velcro® adjustable throat tab
- Ample sleeve pattern allow for freedom of movement
- Universal radio pocket fits all modern radios
- ► Velcro® adjustable utility loop
- ▶ Velcro® adjustments on cuffs permit tight seal
- Large 10"x10" pockets with drainage eyelets and Velcro® closures
- NFPA Approved Lime-Yellow/Silver Scotchlite™ Triple Trim

#### **Pant Features:**

- Roomy gussetted crotch
- 9"x10" leather knee reinforcements
- ▶ Belt loops and adjustable waist straps
- Velcro® adjustments on Nomex® reinforced cuffs
- Zipper/snap pant fly closure
- Lime/silver triple trim
- ► Elastic waistband sides

COLOR: Yellow SPECIFY SIZE: S-XXL

BB051	FIRESAFE™ Nomex® Jacket
BB052	FIRESAFE™ Nomex® Pants
BB053	FIRESAFE™ Indura® Jacket
BB054	FIRESAFE™ Indura® Pants

# FIRESAFE™ Wildland Coveralls

- ➤ Zipper and Velcro® double front closure system
- Ample sleeve patterns allow for freedom of movement
- Fire retardant leather knee reinforcements
- Double slider zippers permit top or bottom unzipping
- Extra wide collar with Velcro® adjustable throat tab
- Universal radio pocket with drainage eyelet
- ► Hand pocket/pass through for extra comfort, storage, and access
- ► Velcro® adjustable utility loop keeps gloves handy
- Elastic enhanced waistband for better fit and improved comfort
- Rear pockets with drain holes
- High-visibility NFPA Approved Scotchlite™ Triple Trim in Lime/Silver
- Adjustable Velcro® closures on cuffs and pant legs

SPECIFY SIZE: S-XXL

BB055	FIRESAFE™ Nomex® Coveralls
BB086	FIRESAFE™ Indura® Coveralls

## FirePro™ Wildland Goggles

#### **Evolutionary Eye Protection**

The compact, low-profile FirePro™ frame optimizes fit and function with all helmets, while the full-perimeter ventilation and filtration system minimizes lens fogging and filters airborne particles, dust, and debris. The ESS FirePro-EX™ model features a two-piece strap system and Snap-On/Snap-Off™ helmet mounting brackets which attach to a helmet brim (no drilling required). The extra-thick, 2.8mm high-impact lenses provide wide peripheral vision and distortion-free optics. All ESS FirePro™ goggles exceed ANSI Z87.1+, US Federal OSHA, and are compliant with wildland fire equipment performance requirements including the 350°F for 5-minute oven test. FirePro-FS™ and FirePro-EX™ goggles are certified as complaint to NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting, 2011 Edition.

#### **Features:**

Cat#

- Interchangeable lenses
- Durable face padding
- Speed-clip straps
- Extra-wide field of view
- 2.8mm lenses



- Anti-microbial face padding
- Rx available





Snap-On/Off™ Mounts



See Page 66 for Optional Nomex® HeatSleeve™



#### Includes

BK004	ESS FirePro-EX™ Wildland Goggles	Snap-On/Snap-Off <sup>™</sup> Helmet Mounting Brackets, One-Piece Strap System
BK003	ESS FirePro-FS™ Wildland Goggles	Two-Piece Wraparound Strap with Velcro® Tabs

#### **PGI Wildland Gear**

Description

# The Most Comfortable Fabric For Wildland Garments On The Market!



SPECIFY COAT SIZE

SPECIFY PANT SIZE AND INSEAM

BD026	9 oz. Indura® Ultra Soft FireLine™ Coat
BD027	9 oz. Indura® Ultra Soft FireLine™ Pants
BD028	6 oz. Nomex® IIIA FireLine™ Coat
BD029	6 oz. Nomex® IIIA FireLine™ Pants

**COATS OPTIONS** 

BD030 Reflective 3" High Silver Scotchlite™ Iron-On Letters

PANTS OPTIONS

BD031 Knee Pads - FR Neoprene

#### **Coat Features:**

- 3M™ Scotchlite™ Flame-Resistant Retro Reflective lime/yellow 2" wide triple trim
- Large cargo hip pockets with hook/loop flap closures
- 4" high collar, no bulky throat strap, hange loop at neck
- 2-way brass zipper
- Articulated elbows
- Gusset at cuff has secondary hook/loop strip
- Adjustable cuffs with hook/loop tab
- Radial sleeve design allows full arm movement
- Radio pocket with hook/loop closure
- Seamless shoulders

#### **Pant Features:**

- Self-locking brass zipper front closure
- Corrosion-resistant anodized brass snap at waist and anodized carbon steel ladder buckle with cotton take-up straps
- Self material waistband with elasticized back and seven 2" wide belt loops
- Optional knee pad made from super soft 100% flame-resistant closed cell Neoprene
- Welt-style rear pockets with spade-style flaps
- Front slash-style pockets have extra deep contoured pocket bags
- ► Knee-high brass leg zippers mounted to Nomex® tape
- 3M<sup>TM</sup> Scotchlite<sup>TM</sup> Flame-Resistant Retro reflective lime/yellow
- Articulated knees with inside knee pocket
- Expandable over-sized mid thigh cargo pockets
- 2" wide triple trim sewn around legs, between knees and cuffs
- Partially elasticized cuffs allow it to be tightly secured without impeding circulation or movement

Co	at
Size	Chest
Small	34"-36"
Medium	38"-40"
Large	42"-44"
XLarge	46"-48"
2XLarge	50"-52"
3XLarge	54"-56"

Pants		
Size	Waist	
Small	27"-31"	
Medium	31"-35"	
Large	35"-39"	
XLarge	39"-43"	
2XLarge	43"-47"	
3XLarge	47"-51"	
Ins	eam	
Size	Length	
Regular	28"-32"	
Long	32"-35"	

# Brush Pro Mask and The Xcaper®

The Whiffs® Brush Pro mask is made of Advance Nomex®. The breathing port is made of Nomex® knitted hood material. Both carry a 1050° heat rating. The Brush Pro mask is lined with blue Indura® Ultra Soft® cloth with a hydro lone finish which helps to wick moisture from the firefighters face and prevents the transfer of radiant heat to the skin. The Brush Pro mask is versatile and excellent for wildland firefighting and structural overhaul/ mop-up. Its sleek design makes it comfortable to wear, even in hot climates. Features black Velcro® attachments on outside of mask for goggles and optional neck shroud. (Xcaper® filters, Whiffs® Shroud, and Goggles are sold separately.) Ship. wt. 1 lb.

AW368	Brush Pro Mask (Filter Not Included)
AW369	Brush Pro Shroud
AW370	Xcaper® Filters
AW371	Nomex® Carry Bag

# AW369





# Fireball™ Pack

Designed for those who feel that less really is more. This pack is built to meet NFPA 1977 specifications.

- ► SCS<sup>TM</sup> patented load-trapping suspension
- ▶ 100 oz. (3L) Hydration pocket (reservoir not included)
- Removable New Generation Fire Shelter case
- Side pockets each hold one 1L bottles
- ▶ 12 fusee carrying capacity
- No swing fire shelter case, flaps covering all zippers
- 3/4" dual density foam padding in hip belt and harness
- Dimensions: 13.5"Lx11"Wx5"D
- Capacity: 1200 cu in Weight: 2.75 lbs.
- Materials: 1000D Cordura®, Nylon webbing, Nylon hardware, #10 & #8 YKK® zipper, 3M™ reflective tape

SPECIFY COLOR: Red or Black
BL009 Fireball™ Pack



True North's FUSION daypack is constructed of rugged rip-stop fabric. The FUSION has multiple pockets inside and out so whether it's computer cables and iPods; or first-aid gear and walkie-talkies you'll be able to find it fast. Padded laptop sleeve in main pocket fits a 15" laptop, and doubles as a 3 liter hydration carrier when you travel off the beaten path.

- Padded spacer mesh shoulder straps and back panel to increase airflow and keep you cooler
- Mesh water bottle pocket on right side and zippered side electronics pocket on the left
- Constructed of abrasion, moisture and tear-resistant rip-stop for exceptional durability
- Main Compartment: 18"Lx13"Wx5.5"D with padded laptop sleeve or a 3 liter hydration reservoir pocket; two mesh organizer pockets, and plenty of room for books, files and your large must-have items
- Middle Compartment: 16"Hx9W"x2"D and includes 3 stash pockets, 2 pen pockets, an electronics pocket, and a zippered pocket
- Outside Stash Pocket: 9"L x9"Wx1.5"D and includes quick-release buckle closure and blinker light attachment
- Dimensions: 18"Lx13"Wx9"D
- Capacity: 1800 cu in Weight: 1.85 lbs.
- Materials: Rip-stop fabric, nylon webbing, #10 & #8 zipper, nylon hardware, nylon, mesh

COLOR: Red

BL010 FUSION Daypack



## Wildland Fire Kevlar® Boots

- Height: 9"
- ▶ Upper: 6-7 oz. black oil-tanned fire leather
- Construction: Cement
  Lining: Cambrelle®
- Insole: Moisture-wicking removable footbed on reinforced bi-fit Insole platform
- Shank: Triple ribbed logger
- Outsole: Thorogood's exclusive Vibram® Fire & Ice ATS all-terrain sole
- Special Features: True technical hiking construction and comfort in a Tough NFPA 1977 certified boot, Kevlar® thread and lace, meets the requirements of NFPA 1977 Protective Clothing and Equipment for Wildland Fire Fighting 2011 Edition, UL Certified




## Power EMS/Wildland 8" Boots

9" Firestalker Elite Wildland Boots

- Flexible L-Protection® puncture-resisting insole material
- Two row padded leather top
- Shaft vapor exhaust vents

BL619

 Meets the requirements of NFPA 1999, standard on protective clothing for emergency medical operations, 2008 edition





SPECIFY SIZE: 7-14, 15 SPECIFY WIDTH: M, W, XW

RK125 Power EMS/Wildland 8" Boots

# WildFire Protective Headgear

Designed specifically to meet the requirements of wildland firefighters. They offer fire fighters protection, versatility, comfort, and value. Made of high-heat thermoplastic which offers superior impact protection and penetration resistance in non-structural, high-heat environments. In addition, they deliver added electrical insulation required for ANSI Z891-1986 Class A & B helmet specifications. Features include glare-reducing texture, shell-bonded goggle retainer clips for secure storage of eye protection and reflective strips for increased wearer visibility through smoke at night. Accepts a full range of mounting brackets for face shield visors or face shield screens. Meets NFPA 1971-2011. Ship. wt. 1 lb.



SPECIFY C	OLOR
AC511	WildFire Front Bill Cap Helmet

Yellow Orange Lime Black White

Blue

AC512 WildFire Full Brim Hat Helmet

AC513 Nomex® Ear/Neck/Face Protector

AC516 6" Clear Polycarbonate Visor

BD016 Nomex® Shroud

# Wildland Firefighting Gloves

Constructed of heavy-weight, abrasion resistant pigskin with wristlet for wildland and rescue applications. Keystone design allows for natural thumb movement and better dexterity. Seams are lock stitched and sewn with Kevlar® thread. CE Compliant. Meets NFPA 1977-2011 Standard on Protective Clothing and Equipment for Wildland Fire Fighting.





## A. Long Handle Firefighting Shovel

Forged steel head
Solid shank blade

Rear turned steps
44" wood handle

Ship. wt. 7 lbs.

AJ462

Long Handle Firefighting Shovel

#### B. Fire Swatter

The flexible swatter beats the air away from the flames, smothering the fire instantly. Made of rubber treated belting 12"x15". Riveted to a shank cleated on the underside. Shank is driven into the ferruled end of a 60" ash handle, with rivet through ferrule and shank. *Ship. wt. 2 lbs.* 

F252

Fire Swatter

## C. Forestry "McLeod" Fire Tool

Combination hoe/rake

Bolted blade

3¹/₂" teeth48" wood handle

Ship. wt. 6 lbs.

AJ463

Forestry "McLeod" Fire Tool

#### D. Steel Fire Rake

In forest fire and prairie fire fighting this tool is valuable for raking fire lines, cutting underbrush and weeds, cleaning ditch-banks, etc. Soft steel eye and back with TEMPERED steel blades or teeth. Price includes 60" fitted ash handle. *Ship. wt. 5 lbs.* 

D114

Steel Fire Rake

## E. Double Edge Bush Axe

Both edges sharpened. Blades reinforced, carefully forged and tempered. A well-balanced tool for fast work and a favorite wherever used. 36" handles included. *Ship. wt. 5 lbs.* 

D115

Double Edge Bush Axe

## F. Pulaski Axe

The Pulaski Axe is a special forest fighting tool. Along with the standard single bit edge, there is also a special Mattock blade for dirt grubbing and trenching. Comes with polished red finish and 36" hickory handle. *Ship. wt. 5 lbs.* 

X586

Pulaski Axe

## **Back Pack System**

- 18 lt. (4 gal.) flexible back pack water extinguisher
- Thermo-welded flexible water tank
- Made with canvas, reinforced with synthetic yarns
- Double action pump and large fill port
- Very efficient and easy-to-use
- Foam attachment available
- Easy-to-store and transport
- Excellent to control, mop up and extinguish forest fires
- Comfortable to wear
- Ship wt. 5 lbs.





AW226

Genfo Back Pack System

# Collapsible Back Pump

Corrosion-resistant Neoprene coated Nylon bag and single-stroke brass pump make the U235 one of the best values on the market. Lightweight, collapsible bag holds 5 gallons of water, conforming to the shape of your back. Watertight and reinforced construction means you stay dry. Straps won't rip, mildew or twist while in service. Oil-proof, 44" hose with stainless steel, monel and brass connections, connects 18" pump. Hose has rustproof quick connectors. The new 4" ABS polymer cap makes it much easier to fill with less time; replaces the old 2.5" metal cap. The seams have doubled in strength with a new ultrasonic welding process. Ship. wt. 5 lbs.

U235

Collapsible Back Pump

## Fire Shelter with Case

No wildland firefighter should be without a personal fire shelter. In an emergency situation, the fire shelter could save a life. The shelter meets Forest Service specs. Changes from the prior standard include the addition of a shelter floor and quick-grab handles for faster deployment 10"x6"x41/2". Ship. wt. 5 lbs.







AB397

Fire Shelter with Case (Standard Size)

# **Indian Chief Dual Bag** Fire Pump

The "Indian Chief" is a five gallon inner bag liner inside a protective, nylon fabric, collapsible outer bag. It forms to your back for greater comfort.

- Rugged outer bag offers more protection from punctures
- Harness straps with chest cinch strap help balance the load and prevent straps from pulling outward
- 2 liners come with fire pump extra liner is stored in the outer pouch of the nylon bag



BL243

seller

SINDIAN &

Indian Chief Dual Bag Fire Pump

# Forestry Pump & Backpack

#### **BK210:**

The Scotty pump is a single action pump with a foam eduction attachment and air aspirating nozzle. It eliminates the need to batch mix when Class A foam is required. Each time the pump is charged, 1% of foam concentrate is educted into the pump chamber. The air aspirating nozzle generates foam when the pump is discharged.

#### **BK211:**

The Scotty pump is a single action pump. The pump has a brass pump chamber protected by an engineering-grade polymer sleeve. No tools are required to disassemble the unit. It can be completely disassembled by hand for in-the-field maintenance.





BK210 BK211

Forestry Foam Pump and Backpack Forestry Water Pump and Backpack





## Ranger Rigid-Pak Brush Pump

Thick walled polyethylene plastic tank will take rough handling and harsh environments. Non-slosh rounded design keeps the unit comfortable, balanced and steady. The full padded pillow comforts that impinging feel of other tanks. Completely corrosion resistant and will not rust like galvanized steel models and is less expensive than stainless steel tanks. Adjustable padded shoulder straps are rugged yet fit comfortably and distribute the weight evenly down your back. Tank holds 5 gallons. *Ship. wt. 2 lbs.* 



AS241	Ranger Rigid-Pak Brush Pump
AS242	Ranger Carrying Bracket

## **Indian Fire Pump**

L574

A 5-gallon portable hand-operated pump and tank. Brass pump is durable and easy to clean. Nozzle easily changes from straight stream to cone spray quickly. Tank cap has cam lock with watertight gasket and ventilation hole to prevent collapse. Heavy-duty, 1<sup>3</sup>/<sub>4</sub>" removable polypropylene shoulder straps and carrying handle. *Ship. wt. 18 lbs.* 

► All-brass p	oump	Nozzle chain	Carrying straps	▶ 5 gallon tank
B690	Indian Fire	Pump, Galvanized		

ACCESSORIES		
E743	Running Board Rack, Red Enamel with Straps	
S896	Polypropylene Carrying Strap	
S897	Pump 18" Long Less Adjustable Nozzle	
S899	Strap for Running Board Rack	

## 5-Gallon Poly Indian Pump

Indian Fire Pump, Stainless Steel

The 5-gallon Smith Indian pump is a full service unit. Designed with many features to help diminish operator fatigue. This unit is sure to be a workhorse for any department.

- 5-gallon UV resistant polyethylene tank will not dent and is completely corrosion resistant
- Pump is fabricated from 2 seamless brass cylinders, a guide bushing on the inner cylinder allows for bind free operation
- Combination nozzle changes from straight stream to cone spray
- Pump can be serviced by hand for complete in-field maintenance
- > 52" oil resistant hose for greater pump mobility
- Molded base and handle keep unit comfortable and balanced
- Large 4" filler opening with drop-in filter screen
- Removable padded shoulder straps are fully adjustable, includes sliding clip
- Lumbar support and waist belt added for comfort and stability

BE038 5-Gallon Poly Indian Pump

## **Darley Drip Torch**

- 14" closed, 25¹/₂" assembled
- ▶ 6" diameter
- ► 1¹/₄ gallon capacity
- Fuel trap in spout prevents flashback
- Breather valve sealed outlets and oilproof gaskets prevent fuel spills
- Reversible burner for easy storage
- Check valve to protect against flashback
- Large diameter mouth for easy filling

- Double bottom for extra durability
- Heavy duty, lightweight aluminum body
- Red body complies with new OSHA regulations (29 CFR 1910.114)
- Meets DOT regulations for transport of flammable fuel UN#IBI-Y-150 and Forest Service Specification 5100-614
- Ship. wt. 6 lbs.



W439	Darley Drip Torch	\$147.95
W440	Truck Mounting Bracket	\$63.95

## Water Thief In-Line Tee Valve

Designed to be installed at intervals in long lines to provide independently controlled outlets for 1" branch lines with full ½" waterway. When used in fire-line sprinkler systems, these valves provide the ability to adjust water flow to each sprinkler in the line. Valuable for mop-up work and for filling canteens and back pumps. Meets U.S. Forest Service specifications. 1½" NH x 1" NH. Ship. wt. 2 lbs.



AJ478

Water Thief In-Line Tee Valve

## Hose Clamp

Made from high-quality cast aluminum and brass. Off-set handle allows the user to more easily operate while wearing gloves. Designed to be used with today's light weight single jacket wildland 1" and 11/2" fire hose. When clamped on the hose, it locks securely and safely in the closed position. *Ship. wt. 2 lbs.* 

AM096

Hose Clamp

# Forestry Nozzle

Akron Brass has introduced their new 1" forestry nozzle. The nozzle is a dual flow, adjustable pattern nozzle designed with the lower flow rates and rugged simplicity needed for wildland/forestry applications. Its simple twist operation takes you through the following settings: off, low flow straight stream, low flow narrow fog, high flow straight stream and high flow fog. *Ship. wt. 1 lb.* 

- Dual flow 10 and 30 gpm
- ▶ 1" rigid female inlet
- Durable, lightweight Pyrolite
- Small, compact design -4" length





BB097

Forestry Nozzle

## **Gated Wye Valves**

Rugged lightweight wye valves divide one line into two; female inlet with two male outlets. Constructed of high-quality aluminum and plastic with hard-coated threads. Valves are quarter turn. Meet or exceed GSA requirements for use by the US Forest Service. Ship. wt. 4 lbs.



#### SPECIFY ANY THREAD COMBINATION: NST or NPSH

AM076	Gated Wye, 1" Inlet x 2-1" Outlets
AM077	Gated Wye, 11/2" Inlet x 2-1" Outlets
AM075	Gated Wye, 11/2" Inlet x 2-11/2" Outlets
AM078	Gated Wye, 21/2" x 2-11/2" Outlets

# Specialty Nozzles

This Adjustable Fan Stream Nozzle is another "one of a kind" from Kochek, allowing the user to apply the widest fan or adjust to a smooth-bore stream reaching distances of up to 80 feet. A unique shutoff feature makes it the most versatile nozzle of its type. BL280 offers 4 different spray volumes. It is a simple rotation of the knurled red band.





BL280	1.5" NH Straight Bore Nozzle with 4 Settings
DI 004	I. IE N. I CHT TAILNIDCH

BL281 Jet and Fan Nozzle GHT and 1" NPSH