

Be Prepared For Any Situation With The Right Tool From Darley

A. Hooligan Tool

These heavy-duty tools were designed to pound, puncture, pry, twist, and cut most obstacles you may encounter. Features your choice of standard or metal cutting claw, machine-grooved non-slip grips. Duckbill has long, smooth incline to force windows and interiors doors. Pike is long, sharp, tapered and gently curved to fit a lock or latch. Electroless Nickel finish. **Ship. wt. 13 lbs.**

STANDARD CLAW

R631	30" Hooligan Tool
T982	36" Hooligan Tool
T983	42" Hooligan Tool
AF350	Mounting Bracket

METAL CUTTING CLAW

AK176	30" Hooligan Tool
AK177	36" Hooligan Tool
AK178	42" Hooligan Tool
AF350	Mounting Bracket

B. Lightweight Aluminum Hooligan Tool

Standard Claw with Electroless Nickel Finish

The Hooligan Tool is one of the world's most popular entry tools. These heavy-duty tools were designed to pound, puncture, pry, twist and cut all types of barriers encountered by emergency service personnel. **Ship. wt. 8 lbs.**

- ▶ Parallel claw opening for gas valve shutoffs, locks and hasps
- ▶ Machine sharpened claws and recessed nail puller
- ▶ Machined grooved non-slip grips

AZ391	24" Lightweight Aluminum Hooligan Tool
AZ392	30" Lightweight Aluminum Hooligan Tool

C. Multi-Purpose Pry Axe®

The Pry Axe® has been the best-selling tool for over 40 years and is used by departments worldwide. It's a lightweight, multi-purpose, slam and ram tool designed to pry, twist, chop, cut metal, twist off locks or latches and much more. This efficient tool allows forcible entry by a single person when time is critical. Pry Axe® heads are forged from alloy steel and heat-treated for maximum strength. The claws are stainless steel investment castings that are heat-treated and electro-polished. Solid steel shaft extends the axe to 25" and rubber sleeve provides a sure grip. **Ship. wt. 8 lbs.**

- ▶ Pike
- ▶ Recessed blade
- ▶ Axe blade
- ▶ Molded grip
- ▶ Spanner wrench
- ▶ Extended shaft
- ▶ Claw shaft
- ▶ Shaft release
- ▶ Standard claw with gas shutoff
- ▶ Metal cutting claw with nail puller

Z117	Pry Axe® with Metal Cutting Claw (18.33" Closed, 25.1" Open)
Z118	Pry Axe® with Standard Claw (18.33" Closed, 25.1" Open)
Z119	Pry Axe® with Both Claws
Z123	Sheath for Pry Axe®
AF350	Mounting Bracket

D. The Biel Tool

The new Biel Tool is now one piece made out of heat treated, elctro-polished stainless steel with an extremely durable ergonomically rubber molded handle. The new Biel Tool incorporates many of the features found in the world famous Pry Axe®, but is much smaller and light enough to wear on a belt or carry in the pocket of a bunker coat. This is a perfect personal size multi-purpose forcible entry and rescue tool; designed for forcing door and windows, prying and twisting hasps and locks, light overhauling, nail removal, gas shutoff, metal cutting and chopping. **Ship. wt. 4 lbs.**

W509	Biel Tool
W509A	Sheath



Metal Cutting Claw

PARATECH®

best seller



Metal Cutting Claw with Nail Puller

PARATECH®



PARATECH®





M743



A



B



C



D



E



F



A. Quic-Bar® Forcible Entry Tool

The one-piece forged construction gives you maximum strength and power when you need it. The tapered pike is ideal for forcing padlocks or driving into material to facilitate prying. Greater width and curvature on the wedge and draw ends provide powerful leverage for prying operations. Pry and wedge ends are narrower than other tools on the market for faster, easier penetration. *Ship. wt. 10 lbs.*

M742	30" Single-Piece Forged Quic-Bar® with rings
BD082	24" 3-Piece Forged Quic-Bar

Mounting Brackets

M743	Mounting Bracket for Tools 30" or Larger
AJ458	Mounting Bracket for Tools 12" to 20"

B. Zak Entry Tool

Exceeds the capabilities of similar tools with a federally approved hammerhead design. Made of lightweight, heat-treated aircraft stainless steel. The tubular steel handle reduces the overall weight while enhancing leverage, control and balance. *Full lifetime guarantee. Ship. wt. 3 lbs.*

SPECIFY COLOR: Red, Yellow or Black

AR330	30" Entry Tool Kit
AR331	36" Entry Tool Kit
AR332	42" Entry Tool Kit

C. 30" Pro Bar

A Halligan-type forcible entry tool. One-piece construction of aircraft alloy steel, drop forged. The fork, adz and point are designed with the correct lengths, widths and tapers to enable easy penetration and maximum leverage. Length: 30". *Ship. wt. 10 lbs.*

SPECIFY FINISH: Black or Silver

Z150	30" Pro-Bar
------	-------------

D. Roof Hook

The Akron Roof Hook is designed to perform reliably through the toughest use and abuse seen in today's firefighting industry. It is designed with the highest grade materials for a long lasting, durable, and maintenance-free tool.

Hollow steel shaft and powder-coated finish for unparalleled corrosion resistance. *5-year warranty.*



BG537	17" Roof Hook with Ram Knob Foot For Gas Shutoff
BG539	36" Roof Hook
BG540	48" Roof Hook
BK037	60" Roof Hook
BG541	72" Roof Hook
BG542	96" Roof Hook

E. Griff Hook

A unique tool for officers, nozzles and roof men. The chisel end is used as a prying tool for cuttle hatches and roof doors. Features all-purpose head, aircraft steel shaft, Celtex grip, 2 welded rings and heavy-duty carrying sling.

AR174	36" Griff Hook
-------	----------------

F. 6' All Purpose Hook

The most versatile hook used in the fire service today. Multitude of uses, such as opening ceilings, walls, floors, moldings and casings to the rapid removal of wood, lath and plaster, tin and sheet metal, plasterboard, fiberboard and sheetrock. Features specially tapered hook-head point, two workable ends, super strength fiberglass pole, stainless steel wear sleeve, choice of knob end, electrically non-conductive, and Celtex grips.

BL019	6' All Purpose Hook
-------	---------------------

Hi-Viz 36" Flat Axe

- ▶ Made in the USA
- ▶ Rugged and perfect for ventilation, forcible entry or overhaul
- ▶ Handle construction is solid Hi-Viz pultruded fiberglass with non-slip grip
- ▶ Yellow handle construction is a strong pultruded fiberglass core with an injection molded jacket for added strength
- ▶ Axe heads are bonded to the fiberglass handle with strong two part epoxy
- ▶ Axe heads are drop forged with high carbon steel



Hi-Viz Lime
Flat Axe



SPECIFY HANDLE COLOR:

Hi-Viz Orange with Reflective Tape, Hi-Viz Lime with Reflective Tape, or Yellow

BK382	6 lb. 36" Flat Axe
BK383	8 lb. 36" Flat Axe
BK384	6 lb. 36" Pick Axe
BK385	8 lb. 36" Pick Axe

TopCut™ FireAxe

Finally. A FireAxe That Says "Goodbye" to the Old Wood Cutter's Blade.

- ▶ Fiberglass handle features solid core construction
- ▶ Shaped to cut from the top half of the axe blade
- ▶ Designed for work on the fire ground
- ▶ More efficient, less weight
- ▶ Heat-treated for strength and durability
- ▶ Contoured for weight distribution and halligan tool (*halligan tool not included*)
- ▶ 36" contoured axe handle
- ▶ Does more work than an 8 lb. axe head
- ▶ Patent pending


PARATECH.



BG300 36½" TopCut™ FireAxe

Personal Fire Axe

The personal safety tool for every firefighter. The fire axe is easy-to-carry and easily accessible. A fast-working fire tool in tight spots, where the precision-balanced 1.5 lb. pick-head axe, and 14" curved hickory-handle permits easy swinging. Pick-head axe features two heads; standard for cutting and a heavy-duty pick for forcible entry. *Ship wt. 2 lbs.*



BB162 Personal Fire Axe

Darley Fire Axes



Your choice of handles. Fiberglass handle fire axes are stronger than steel, lighter than aluminum and as flexible as hickory. Fiberglass handles won't splinter and will not conduct electricity. The Pick-Point Crucible Steel Axe Head is epoxy-bonded to a cushion grip fiberglass handle.



J745

DARLEY AXES, 6 LBS.

L957	36" Pick-Point Axe, Fiberglass Handle
370	36" Pick-Point Axe, Hickory Handle
T225	36" Flat Head Axe, Fiberglass Handle
J745	36" Flat Head Axe, Hickory Handle
L958	Replacement Fiberglass Handle

OTHER WEIGHTS

AW187	36" Pick-Point Axe, 8 lb., Fiberglass Handle
AW188	36" Flat-Head Axe, 8 lb., Fiberglass Handle
BK273	28" Pick-Point Axe, 2¾ lb., Hickory Handle

Emergency Fire Tool Set

Includes:

- ▶ 6 lb. or 8 lb. flathead axe
- ▶ 30" halligan bar
- ▶ Velcro® marrying strap

Marrying
Strap

AJ115	Emergency Fire Tool Set with 8 lb. Axe
BL534	Emergency Fire Tool Set with 6 lb. Axe
AJ114	Velcro® Marrying Strap Only

Buster Tool

- ▶ Designed for rugged use day after day
- ▶ Features an axe blade for cutting and busting
- ▶ Specially designed "H" section pike for penetration
- ▶ Ergonomically shaped, molded neoprene rubber handle w/grip-enhancing surface
- ▶ Positive grip prying claw with nail pulling feature and claw locking lever for 2-position claw placement
- ▶ "Slam & Ram" capability for quick and decisive entry
- ▶ Alloy 17-4 PH hardened stainless steel



BD038



BH173

PARATECH.



Cat#	Description	Length Closed/Open	Weight
BD038	Buster Tool w/Compact Claw	15½"/22¼"	5.3 lbs.
BD039	Buster Tool w/Standard Claw	17¼"/24"	5.7 lbs.
BH173	Buster Tool w/Metal Cutting Claw	17¼"/24"	5.7 lbs.

16" Officer's Tool Kits

All-steel construction, welded and forged. The two 16" Officer's Tool Kits below include a Kerry key, Shove knife, Holder and Non-Slip Celtex grip. *Ship. wt. 6 lbs.*

- ▶ Kerry key
- ▶ Shove knife
- ▶ Holder
- ▶ Non-slip Celtex grip



AC597	Officer's Tool Kit
AC598	Officer's Tool Kit with Mini-Type Halligan Personal Tool

T-N-T Multi-Purpose Fire Tool

Every firefighter has found himself at a scene with the wrong tool or the need for multiple tools. The T-N-T Tool is an axe, bar, double jacket and a pike pole all in one. Head and pike ends are made from high-carbon, heat-treated steel and the handle is solid fiberglass. *Ship. wt. 14 lbs.*

- ▶ Ventilate
- ▶ Pull ceilings
- ▶ Force entry
- ▶ Breach walls
- ▶ Cut holes

4 tools in 1

AJ237	8.5 lb. Head, 40" Handle
AJ238	6.5 lb. Head, 40" Handle
AJ239	6.5 lb. Head, 35" Handle
AJ240	6.5 lb. Head, 30" Handle

Hooligan SPF Tool

The Hooligan SPF is a single piece forged (SPF) tool intended to exceed FDNY specifications for primary hand held forcible entry tools. It is made from a single piece, closed die forging for absolute consistent lengths. *Ship. wt. 10 lbs.*

- ▶ Recessed nail puller type claw, a thin curved profile
- ▶ Cable groove at rear end of tool head
- ▶ Electroless nickel plating

PARATECH.

AZ393	30" Hooligan SPF Tool
-------	-----------------------

Darley Standard & Serrated Crash Axes

Insulated steel handle to 20,000v. 15" long. *Ship. wt. 3 lbs.*

J728	Serrated Crash Axe
J729	Standard Crash Axe
J72801	Leather Sheath



Shoring Hammer

More Than Just A Hammer

Here is an essential tool for your rescue operations. The new Shoring hammer from Paratech is simple, unique and multi-functional. The shoring Hammer head is square for easier corner access and has a spanner wrench designed in. With three options for nail pulling and two open slots for gas shut-off valves, for $\frac{9}{16}$ " open-ended wrench on the claw end, the Shoring Hammer is perfect for a variety of rescue situations. Positive grip ridges are on both sides of the handle. The Paratech Shoring Hammer is cast from high-alloy steel with an electroless nickel plate finish and weighs 3 lbs.

PARATECH.

BD042	Shoring Hammer
-------	----------------

Firemaxx Tool

14 Tools in One

- ▶ Storz latch opener
- ▶ Hood remover
- ▶ Axe
- ▶ Hammer
- ▶ Spanner wrench
- ▶ Gas shut-off
- ▶ Water shut-off
- ▶ Battery disconnect
- ▶ Rappelling ring
- ▶ Dry wall cutter
- ▶ Forcible entry
- ▶ Hinge remover
- ▶ Windshield cutter
- ▶ Pry bar
- ▶ *Ship. wt. 10 lbs.*

BB099	Firemaxx Tool
-------	---------------

T-N-T Irons

- ▶ Patented T-N-T head w/removable T-N-T CLAW stored in handle
- ▶ Light enough to do many doors
- ▶ Compact heavy duty tool
- ▶ Used to open doors in or out
- ▶ Use as a break and rake
- ▶ Can be extended for reach
- ▶ *Ship. wt. 20 lbs.*



Extended view with T-N-T CLAW

BL413	T-N-T Irons
-------	-------------

Darley Pike Poles

White Ash Handle



Cat#	Length	Weight
M722	6'	5 lbs.
M723	8'	6 lbs.
M724	10'	7 lbs.

Fiberglass-Hollow or Wood Core

SPECIFY LENGTH: 6', 8', 10', 12' or 14'

T979	Wood Core
T980	Hollow Core

Fiberglass I-Beam

Cat#	Length	Weight
L952	6'	7 lbs.
L953	8'	9 lbs.
L954	10'	11 lbs.
L955	12'	13 lbs.
L956	14'	15 lbs.
L985	16'	17 lbs.

Closet Hook

Ideal for opening halls, closets, crawl spaces or upholstery. Plastic core handle will not crack, splinter, warp, rot or absorb moisture. Malleable iron pike and "D" handle are bonded in epoxy.



P819	32" Closet Hook
T981	"D" Handle for Pike Pole

Kwik Access Tool

KATools (Kwik Access Tool) are ideal when searching for hidden fires, making smoke inspection cuts, opening interior finishes, cutting cables and wires, removing doors and clearing windows. This patented, multi-purpose tool is designed for push-pull motions required in cutting and probing, and the KATool will open sheetrock walls and ceilings. Additionally, it will work well on plaster/lathe, wire/plaster, lathe and tongue and groove. Sold with protective leather sheath.

- ▶ Searching for hidden fires
- ▶ Smoke inspection cuts
- ▶ Opening interior finishes
- ▶ Cutting cables and wires
- ▶ Removing doors
- ▶ Clearing windows

"D" Handle



Cat#	Pole Length	Handle
BB059	16" Blade/41" Fiberglass	"D"
BB060	16" Blade/72" Fiberglass	Butt Grip
BB061	16" Blade/72" Fiberglass	"D"

Dry-Wall Hook with "D" Handle

Can be used on dry wall and other materials such as wood, plaster, sheet metal, etc. Large 4" contact and honed point makes penetration and removal easier. At the back of the blade is a flexible hook to be used in areas of limited space. Large tooth area and head size makes prying easier plus the combination rake/hose design makes this an exceptional over-hauling tool. **Ship. wt. 10 lbs.**



BG227	3' Dry Wall Hook with "D" Handle
BG228	4' Dry Wall Hook with "D" Handle
BG229	6' Dry Wall Hook with "D" Handle
BG230	8' Dry Wall Hook with "D" Handle
BG231	10' Dry Wall Hook with "D" Handle
BG232	12' Dry Wall Hook with "D" Handle

Trash Hook with "D" Handle

Developed to find hidden fire in deep-seated smoldering fires normally found in dumps or dumpsters. Our trash hook, with two large six-inch pointed prongs, will grasp debris in huge chunks. **Ship. wt. 10 lbs.**



BG233	4' Trash Hook with "D" Handle
BG234	6' Trash Hook with "D" Handle
BG235	8' Trash Hook with "D" Handle
BG236	10' Trash Hook with "D" Handle
BG237	12' Trash Hook with "D" Handle

NUPOLE™ Quick Disconnect

The Nupole™ Fire Pole System is simple to use. It lets you carry a lot of tools with less investment of equipment space. Just connect the head you need to the handle, add one or more extensions and you now have the tool of your choice to do the job. The heart of this system is an extremely tough and rigid, yet easy-to-use connection, capable of carrying great loads. Features overlapping aluminum aircraft connectors with quick-release button.



AJ590 - AJ592	AJ587	AJ588	AJ589	AJ583	AJ584	AJ585
						
AJ583	3' Pike Head					
AJ584	3' Trash Hook Head					
AJ585	3' Wall Hook Head					
AJ587	3' Butt Grip End					
AJ588	3' Steel "D" Grip End					
AJ589	3' Aluminum "D" Grip End					
AJ590	3' Extension					
AJ591	4' Extension					
AJ592	8' Extension					

Pike Pole Mounting Bracket

- ▶ Cast aluminum dual pike pole holder assembly kit (with rubber trim-lock)
- ▶ Finish: ball-burnished



BK087 Pike Pole Mounting Bracket

Spring Loaded Crow Bar Bracket



Ship. wt. 2 lbs.

U327 Crow Bar Bracket, Chrome

Pike Pole, Axe & Tool Brackets



P807	Tool Bracket, Bottom Mount, Vinyl Covered, 3/4" to 1" OD
P808	Tool Bracket, Bottom Mount, Vinyl Covered, 1 1/2" to 2 1/2" OD
P809	Tool Bracket, Side Mount, Vinyl Covered, 3/4" to 1" OD
P810	Tool Bracket, Side Mount, Vinyl Covered, 1 1/2" to 2 1/2" OD
U330P	Pike Pole Handle Bracket, Side Mount, 1 1/2" OD
M754	Pike Pole Ring, Aluminum OD, 2 1/8"
M755	Pike Pole Ring, Cast Brass OD, 2 1/8"
AW202	Axe Blade Bracket, Zinc CP
BK215	Axe Handle Side Mount Bracket, Zinc CP

Pike Poles - I-Beam



- ▶ Standard Hook
- ▶ Dry Wall Hook

- ▶ Rubbish Hook
- ▶ Ship. wt. 5-22 lbs.



AS251	3' I-Beam Pike Pole with D-Ring Handle
AS252	4' I-Beam Pike Pole with D-Ring Handle
AS254	6' I-Beam Pike Pole
AS255	8' I-Beam Pike Pole
AS256	9' I-Beam Pike Pole
AS257	10' I-Beam Pike Pole
AS258	12' I-Beam Pike Pole



Rubbish Hook



USA Hook Standard



Dry Wall Hook



D-Ring Handle

Pike Poles - Elliptical



- ▶ Standard Hook
- ▶ Dry Wall Hook

- ▶ Rubbish Hook
- ▶ Ship. wt. 5-11 lbs.



AS259	3' Elliptical Pike Pole with D-Ring Handle
AS260	4' Elliptical Pike Pole with D-Ring Handle
AS261	6' Elliptical Pike Pole Two Grips
AS262	8' Elliptical Pike Pole Two Grips
AS263	9' Elliptical Pike Pole Two Grips
AS264	10' Elliptical Pike Pole The Double Gripper
AS265	12' Elliptical Pike Pole The Double Gripper

A. Sledge Hammers

- ▶ Durable, compact tool
- ▶ Hi-Viz lime or yellow handles
- ▶ Reflective striping to aid in low light
- ▶ Fiberglass handle
- ▶ Head is drop forged with high carbon steel
- ▶ Made in USA

BH044	6 lb. Sledge Hammer 24"
BH045	8 lb. Sledge Hammer 36"
BK216	10 lb. Sledge Hammer 36"

B. Barracuda Rescue Saw

Get a handle on this multi-purpose rescue saw to cut through most anything such as windshields, mobile homes, aircraft, ice, wood, sheet metal, etc. Features 10 two-sided, cross-cutting teeth that cut on pull as well as push strokes. You'll get positive control from the rear "D" handle and celtex fireproof, covered upright front handle. Comes with protective plastic point cover. *Ship. wt. 5 lbs.*

AK091	Barracuda Rescue Saw
-------	----------------------

C. All-Purpose Tool

One of our best sellers. Used by thousands of departments because it makes the job easy and safe. Made of hexagon steel, painted blue. Overall Size $\frac{5}{8}$ "x18". *Ship. wt. 3 lbs.*

D178	All-Purpose Tool
------	------------------

D. Pinch Bars

Made of 1" hexagon steel, one end forged with a square point, the other end straight and with the shape of a chisel. Great for prying and other entry applications. The 4 ft. Pinch Bar is just like R597 but the chisel shape end is offset instead of straight. *Ship. wt. 9 lbs.*

R596	36" Pinch Bar
R597	48" Pinch Bar
R598	54" Pinch Bar
R600	48" Offset Pinch Bar

E. Fire Department Crowbar

Ship. wt. 9 lbs.

B439	52" Painted Tool Steel
AA936	36" Painted Tool Steel

F. Compound Lever Bar

Hexagon Steel $\frac{7}{8}$ " x 36" long. A handy tool to break open doors, jimmy windows, pry off hinges and locks, pull up flooring and much more. *Ship. wt. 9 lbs.*


C757	Compound Lever Bar
------	--------------------

G. 48" Demolition Bar

The new Demolition Bar is a truly multi-purpose tool that can be used for anything from roof ventilation and forcible entry to any kind of recovery work. The forks can slide beneath shingles or flooring to be pried up using the leverage of its handle. The Demolition Bar's sharp edges puncture cleanly through drywall allowing you to locate the studs to remove wall panels.

- ▶ Bent handle for maximum leverage
- ▶ Ideal height for ripping up flooring reducing firefighter fatigue
- ▶ High visibility orange powder paint finish
- ▶ Non-slip grips
- ▶ Weight: 9 lbs.

BL020	48" Demolition Bar
-------	--------------------



Mini Crash Kit

- ▶ Magnetic Case - Perfect to slap on the side of a crashed vehicle
- ▶ Heavy duty seat belt cutter
- ▶ Heavy duty spring window punch - the SAFE way to pop glass
- ▶ Heavy duty cable cutter
- ▶ Heavy duty tongue & groove pliers
- ▶ EMS scissors
- ▶ Mini pry bar
- ▶ Water-resistant auto markers - perfect for the triage of multiple vehicles



BH012 The Mini Crash Kit

Stanley® FuBar® Forcible Entry Tools

Introducing Stanley® FuBar® Forcible Entry Tools. At up to 30" in length and 9 lbs. in weight, these extreme tools provide outstanding leverage and excellent grips for more destructive demolition work.

- ▶ 8-in-1 tool
- ▶ Demolition head
- ▶ Gas shut-off feature
- ▶ Spanner wrench
- ▶ Pry bar for ripping
- ▶ Board jaw sized for grabbing lumber
- ▶ 2nd tier board jaw fits square hydrant nuts
- ▶ Hydrant wrench
- ▶ Beveled nail slot
- ▶ One-piece forged steel
- ▶ Flame-resistant grips
- ▶ Carabiner holes
- ▶ Heat-treated & tempered striking face
- ▶ Hi-visibility 3M™ Scotchlite™



BG519 18" Stanley® FuBar® Forcible Entry Tool

BG520 30" Stanley® FuBar® Forcible Entry Tool

ChannelLock 6 'N 1 Rescue Tool

26 ounces of valve-twisting, wire-cutting, life-saving power in your pocket.

- ▶ Hardened tool steel punch shatters safety glass
- ▶ Aggressive cross-hatch teeth twist & pull anything that gets in your way
- ▶ Laser heat-treated cutting edges cut wires and cables easily
- ▶ Pry-bar quickly pries open windows and doors
- ▶ Slot for shutting off standard gas safety valves
- ▶ Spanner wrench tightens and loosens up to 6" hose couplings
- ▶ Made in USA



BH102



BH098



BH148

BH098 Linesman Cutter Rescue Tool

BH148 Cable Cutter Rescue Tool

BH102 Closed Top Holster

S.O.S.™ 3-In-1 Tool

Revolutionary Tool That Breaks Through Concrete Block

It's the tool that can save your life. The Special Operations Survival Tool (S.O.S.) combines a pry bar, a sledge hammer and a super-hard hook into one dynamic tool. The hook end actually breaks through solid concrete block. Constructed of forged alloy steel, it's been heat-treated for extra strength and durability. Use it as a battering ram to get into a room for rescue or when you have to get out of a dangerous situation fast. The S.O.S.™ Tool is the first of its kind - a multi-use tool that's as efficient as it is convenient. It gives you peace of mind in dangerous situations by letting you get out of trouble fast. 100% Made in the U.S.A.

- ▶ Sledge hammer features machined striking face
- ▶ Solid, one-piece construction
- ▶ Handle won't break in an overstrike
- ▶ Lifetime warranty



BK005 S.O.S.™ 3-In-1 Tool

A. H.K. Porter Heavy-Duty Industrial

Extra-heavy jaw bolts and straps make these the most rugged around. Center cut, round edge cutters up to Brinell 455, Rockwell C48 hardness. Have nose straps for longer jaw life. **Ship wt. 18 lbs.**

T988	36" Heavy Duty Bolt Cutter
T987	36" Industrial Grade Bolt Cutter
J874	36" Industrial Grade Bolt Cutter with Fiberglass Handles
H962	42" Chain & Padlock Cutters



- ▶ Heavy-duty
- ▶ Extended nose straps
- ▶ Extra heavy jaw bolts

A

B. Fire Service Bolt Cutters

- ▶ High-carbon machined steel jaws cut rods, bolts, bars & chains, etc.
- ▶ Tubular steel handles with angled grips allow maximum leverage
- ▶ Turn 50 lbs. of hand pressure into 4,000 lbs. of cutting pressure
- ▶ Drop-forged jaws with center-cut blades
- ▶ Lifetime warranty

BK241	14" Fire Service Bolt Cutters
BK242	18" Fire Service Bolt Cutters
BK243	24" Fire Service Bolt Cutters
BK244	36" Fire Service Bolt Cutters
BK245	42" Fire Service Bolt Cutters



B




C

C. General Purpose Center Cut Cutters

All-purpose jaws with center-cut blades. Toggle joints turn 50 lbs. of hand pressure into 4,000 lbs. cutting pressure to cut soft, medium and hard metals. Lockplate keeps jaws from loosening and screw-type adjustment realign edges. Strong, durable, lightweight fiberglass handles. **Ship. wt. 5 lbs.**

AL234	24" General Purpose Center Cut Cutter
-------	---------------------------------------

- ▶ Soft Metal: $\frac{7}{16}$ "
- ▶ Medium Metal: $\frac{7}{16}$ "
- ▶ Hard Metal: $\frac{5}{16}$ "



D

D. ElectraShield BoltMaster

A premium, hardened steel bolt-cutter. Features an advanced polymer handle that is non-conductive to 100,000 volts. Lightweight with advanced camming action for tremendous cutting force. Replaceable cutting teeth. **Ship. wt. 6 lbs.**

AM293	24" ElectraShield BoltMaster
-------	------------------------------

- ▶ Jaw Opening $\frac{3}{8}$ "
- ▶ Non-Conductive
- ▶ Handle to 100,00 volts



E. Cable Cutters

Can be used as either cable or wire rope cutters and is available in two sizes. The 28" model has Celtex grips for added comfort. The smaller size can be used for battery terminals.

AW189	28" Cable Cutter ($1\frac{1}{4}$ " Jaw Capacity)
AW190	10" Cable Cutter ($\frac{7}{8}$ " Jaw Capacity)

- ▶ 10" or 28" Cutter Capacity
- ▶ Cut cable or wire



AW189

AW190

F. Connection Mallet

Unbreakable rubber mallet with a solid Celtex no-slip grip fiberglass handle, epoxy glued and pinned. Mallet will not break on overstrike and will give a lifetime of use. **Ship. wt. 2 lbs.**

AJ311	Connection Mallet, 2 lbs.
-------	---------------------------

G. Dead Blow Hammer

Features patented Power Drive® dead blow technology which produces 40% more driving force. Dead blow assembly is completely encased within a tough polypropylene outer jacket for lifetime durability. Non-marring and surface-protective striking face with ergonomic grip design. **Ship. wt. 2 lbs.**

AM180	Strike-Pro Dead Blow Hammer
-------	-----------------------------



F



G



A



Squeegee



Push broom

B

AZ378

AZ380

D

A. Salvage Kit

Featuring the Adapt-a-Pole™

The Salvage Kit featuring the Adapt-a-Pole™ is designed to deliver a multi-purpose tool for use in every situation. This tool allows for flexibility and versatility from the same handle. To change tools or hooks, simply disengage the Adapt-a-Pole™ locking mechanism, select and attach the desired tool or hook for the job. Then it's back to work. There is no longer a need to carry several different tools to accomplish the many tasks around the fire ground. The Adapt-a-Pole™ provides the tool and hooks for all those tasks in one simple yet effective tool. The Salvage Kit Adapt-a-Pole™, a must have for every fire apparatus.

Includes:

- ▶ 3' dry wall hook
- ▶ Squeegee
- ▶ Square nose shovel
- ▶ Push broom
- ▶ 2 - 4' handles
- ▶ 4' extension



Dry wall hook



Handles & Extension

BC029 Salvage Kit

B. Collapsible Rescue Shovel

The Collapsible Rescue Shovel has been the tool of choice for many first responders. Its compact, lightweight design makes it easily transportable, yet rugged enough to get the job done under extreme conditions. The blade is engineered to be used as a shovel, axe, saw, hoe or piercing tool.

Ship. wt. 3 lbs.

- ▶ Axe
- ▶ Piercing tool
- ▶ Shovel
- ▶ Hoe
- ▶ Saw

AK010 Collapsible Rescue Shovel

C. Firefighting Shovels

Round point shovels are hollow back with 8½"x12" blade. Square point shovels are also hollow back with 9½"x11½" blades and rolled step. The fiberglass handles provide unsurpassed life, comfort and safety. Heat treated and tempered blades resist wear and breakage. *Ship. wt. 5 lbs.*



AZ378	Round Point 48" Handle Shovel
AZ379	Round Point 27" D-Handle Shovel
AZ380	Square Point 48" Handle Shovel
AZ381	Square Point 27" D-Handle Shovel

D. Aluminum Scoop Shovel

The large, heavy-duty square blade is heat treated and tempered to resist wear and breakage. Ideal for getting rid of fire debris, scooping gravel and other course materials. *Shovel blade measures 15¼"x19¾" with 27" handle. Ship. wt. 5 lbs.*



AB045 Aluminum Scoop Shovel

DON'T MISS

Mounting brackets in App. Equip. (p185-208)

Hand Tool Rescue Kit

The Hand Tool Rescue Kit you have always wanted to put together but never did. Now you can pound, cut, pry, saw, seal, loosen, tighten and dig with an assortment of top-quality industrial-grade hand tools built to deliver years of dependable service. Kit features Sandvik "ergonomic" tools specially designed to reduce or end work-related injuries. The kit also includes a heavy-duty seat belt cutter, cable cutter with insulated handles for working on live voltages up to 1,000 volts, military spec tri-fold shovel and more. All tools carried in a black plastic case. *Ship. wt. 40 lbs.*



Carrying case

AR178 Hand Tool Rescue Kit

MV Fire/Rescue Crash Kit

- ▶ Hood release tool
- ▶ Quik-Kut glass removal tool
- ▶ Pyroshield rescue blanket
- ▶ Glass hammer
- ▶ MV plug pattie
- ▶ Battery cable cutter
- ▶ Pro hacksaw
- ▶ Spring window punch
- ▶ Valve stem tool
- ▶ 9 1/2" tongue & groove pliers
- ▶ MX 4-in-1 screwdriver
- ▶ 8" adjustable wrench



BA125 MV Fire/Rescue Crash Kit (Red)

Complete Crash and Rescue Tool Kit

All-purpose set of tools for use in crash and fire emergencies. Contains everything needed to quickly and efficiently cut through metal, webbing, wood, rope, and other obstructions. *Ship. wt. 15 lbs.*

- ▶ Metal Cutting Saw - 16" blade
- ▶ Aircraft Cable Cutter - cuts 1/8" to 1/4" capacity and 14" long
- ▶ Lineman's Pliers - 8" long/extra strong
- ▶ Hack Saw Frame - adjusts from 8" to 12", faces 4 ways, and adjusts 90° for vertical or horizontal cuts
- ▶ 3 Hack Saw Blades - hard toothed, silver steel for fast cutting
- ▶ Grappling Hook & Rope - 52" sling
- ▶ 2 Phillips Head Screwdrivers - 6" and 8"
- ▶ 2 Slotted Head Screwdrivers - 6" and 8"
- ▶ 3 Wooden Plugs - plug fuel and control lines
- ▶ Vise Grip Wrench - 10" long
- ▶ Serrated Edge Hand Axe - 15" long with handle insulated for 20,000v
- ▶ Safety V Blade Rescue Knife
- ▶ Weather-resistant, mildew-resistant, rubber-coated nylon hi-vis yellow carrying case



Complete kit folds into an easy-to-carry case



L471 Complete Crash and Rescue Tool Kit

Mechanics 170 Piece Tool Set

Crescent® Quick-Release Ratchets

- ▶ 1/4", 3/8", 1/2" drive
- ▶ Chrome Vanadium
- ▶ Release button must be engaged to remove socket

Extensions & Adapters

- ▶ 1/2" drive 5" extension bar
- ▶ 3/8" drive 3" and 6" extension bar
- ▶ 3/8" female to 1/4" male adapter
- ▶ Chrome Vanadium

Sockets

- ▶ 6 point SAE and Metric sockets - 1/2" and 1/4" drive
- ▶ 12 point SAE and Metric sockets - 3/8" drive
- ▶ 5/8" and 13/16" spark plug sockets
- ▶ Chrome Vanadium

Crescent® 8" Long Nose Pliers

- ▶ Chrome Vanadium steel
- ▶ Non-slip cushioned handle grips

Crescent® Mechanic's Combination Wrenches

- ▶ Heat-treated
- ▶ Mirror polish finish in SAE and Metric

Crescent® 10" Tongue & Groove Pliers

- ▶ New rivet construction with joint interlock

8" Adjustable Wrench

- ▶ Chrome alloy steel
- ▶ 1" jaw capacity

Crescent® Magnetic Bit Driver


- ▶ Chrome Vanadium steel
- ▶ Ergonomic cushion grip

Crescent® Driver Bits & Holder

- ▶ S2 tool steel for durability
- ▶ 40 bits and 4 holders

Crescent® Hex Keys

- ▶ SAE and Metric



Carrying case

BG118 Mechanics 170 Piece Tool Set

The Glas-Master

Removes Glass in Less Than a Minute

The Glas-Master is truly an extraordinary tool that is manually operated; no electricity or hydraulics needed. No other tool cuts glass windshields faster and more effectively, helping reduce rescue time significantly. Cuts on pull stroke thereby pulling glass to the outside, away from the victim. It can also be used on fiberglass, wood, plaster or even underwater rescue. What's more, the Glas-Master has its own storage of the spring-loaded center punch so it won't get lost or misplaced when it is needed most. *Ship. wt. 4 lbs.*

- ▶ Window punch
- ▶ Front guard
- ▶ Spike
- ▶ Blade with cover
- ▶ "T" handle

AB885	Glas-Master
AB885A	Glas-Master Replacement Blade



"V" Blade Rescue Knife

Cuts through seat belts. Precision made of high-strength aluminum alloy. Tip fitted with Dzus Key for opening aircraft panels. Will cut 10,000 lb. strength webbing with one stroke. *Ship. wt. 3 lbs.*

L470	"V" Blade Rescue Knife
L470X	Replacement Blade



RAM Entry Tool Gets The Job Done

Two different models of RAM tool allow for one or two-person operation. It is easy-to-carry, easy-to-use and easy-to-stow. Durable and long-lasting construction of epoxy/ steel striking head reinforced with fiberglass rods, safety grips of non-slip, electrically nonconductive Celtex with vinyl clad, high-tensile strength and aircraft steel cable cores. **RAM I** (shown) is designed for one-person emergency entry. 30" long and weighs 35 lbs. The kinetic energy is greatly increased to 20,000 lbs. **RAM II** is designed as a two-person ram which may be used by one strong person. This two-person Ram is 30" long. *Ship wt. 45 lbs.*



One or two-person operation

AA680	Ram I Entry Tool
AE096	Ram II Entry Tool

Hinge Hook - Keep Almost Any Door Open

As any firefighter knows, closed doors can trap you in a room. Traditional wedges have been used to keep doors open but these can come loose and dislodge if the door is bumped. The Hinge Hook is a simple, reusable, reliable device that can be inserted over the hinge of almost any door to aide in preventing door closure. It's made of zinc-coated steel and is welded and bent to keep the door open at a 75° angle or less. Light enough to carry on your turnout gear, high rise packs and belts. A handy multipurpose accessory ring can hold a handlight, flashing strobe, cyalume stick, etc. *Ship. wt. 1 lb.*

AM184	Hinge Hook
-------	------------



Fat Ivan® - The World's Only Fold-Up Door Chock

- ▶ Corrosion resistant, engineered plastic and zinc plated steel
- ▶ Made in the USA
- ▶ Safe, secure design, never slips off hinge or comes out accidentally
- ▶ Compact (4"x2"x1") and lightweight, weighing only 5 oz.
- ▶ One-handed operation
- ▶ Also great for high rise emergency packs
- ▶ Will not tear fire gear

BK360	Fat Ivan® Door Chock
-------	----------------------



Duck Bill Lock Breaker

All steel tapered head. Designed to be placed in the shackle of a padlock and when hit with a mallet or the back of an axe, it easily spreads the shackle open. Celtex insulated steel doweled handle. *Ship. wt. 10 lbs.*

W515	Duck Bill Lock Breaker
------	------------------------



Res-Q-Me

What would you do if you were trapped in a rolled over vehicle, or in a car submerged in water? This ingenious device is intended to be placed with your car keys. It contains a spring-loaded stainless steel pin that will break any tempered glass window and a stainless steel blade for cutting seatbelts. The break-apart design allows the RES-Q-ME to be quickly removed from its storage location without removing the keys from the ignition. *Ship. wt. 1 lb.*

AS656	Res-Q-Me
-------	----------



Rapid Response Blanket

All-Purpose Tactical Rescue Tool

The Kovenex® Rapid Response Blanket is a high-performance, flame and tear-resistant blanket used by extrication professionals and fire rescue teams. Tested to NFPA standards, Kovenex® far surpasses the performance of treated wool blankets, refusing to burn or tear. It will provide you and your rescue victims the needed protection against fire, intense heat and burn, shattered glass particles and sharp metal edges. *Dimensions: 58"x73"*.

- ▶ **Safer** - Patented, high-performance fabric resists fire and tear, protecting you and your rescue victims against open flames, shattered glass and sharp objects
- ▶ **Easier** - Kovenex® blankets are lightweight, yet durable, engineered to smother fire or wrap around a rescue victim for protection against burn and flying debris
- ▶ **More Effective** - Tested to NFPA standards, Kovenex's heat blocking capabilities prevent contact burns



DON'T MISS

More blankets
on page 133



BA137	Kovenex® Rapid Response Blanket
BG505	Kovenex® Rapid Response Blanket w/Heavy-Duty Bag

True North L-2 Lightspeed RIT Bag

Our exclusive ultra tough Iron-Cloth™ combined with the Heat-Shield™ Nylon 6.6 skid plate makes the L-2 the toughest bag on the market, top-to-bottom. The skid plate allows the bag to glide over the roughest surfaces and making it extremely wear resistant. Innovative access-hatch design makes access to spare face piece and valve set quick and easy. Side zipper expands to allow the addition of a rope bag or secure the bag to webbing. Features a 60" shoulder strap. *Ship wt. 6 lbs.*

- ▶ Designed to hold all makes of masks and bottles
- ▶ Quick-Draw transfill hose pocket, top flashlight holder, 2 tool pockets
- ▶ More 3M™ reflective tape for a 360° view
- ▶ Additional webbing and rivets to skid plate for maximum durability
- ▶ Interior strap on the inside to better secure the cylinder
- ▶ **Dimensions:** 36"x13"x10"
- ▶ **BH114:** Optional rope bag stores up to 200' of line, **Dimensions:** 18"x8"x4"

BH113	True North L-2 Lightspeed RIT Bag
BH114	Rope Bag



Innovative
access-hatch



Skid plate bottom

All Hands High Rise Pack

This sturdy vinyl High Rise Pack holds up to 150' of 1¾" double jacket hose. Front storage pocket with Velcro® closure is great for carrying valves, adapters or tools. Rubber grip carrying handles and shoulder harness included. Reflective trim on two sides for easy visibility. *Dimensions: 33"Lx12"Wx12"H. Ship wt. 10 lbs.*

SPECIFY COLOR: Red or Black

AZ484	All Hands High Rise Pack with Rigid Bottom
AZ485	All Hands High Rise Pack with Soft Bottom




Turtle Plastics Chocks, Wedges and Cribbing

- ▶ Made from 100% recycled plastic (HOPE-high density polyethylene)
- ▶ Oil, chemical, and bloodborne pathogen resistant

- ▶ Non-absorbent
- ▶ Virtually indestructible
- ▶ High-visibility yellow lanyards for easy carrying and gripping


- ▶ Lighter than wood
- ▶ Splinter free
- ▶ Available in black and yellow




A




B



C



D



E



F

G

A. Standard Cribs

- ▶ Cleaner and safer than oil-soaked wood.
- ▶ Non-splitting and lighter than wood. Aggressive patterned, slip-resistant pyramid-locking surface. Use to build super stable box crib. Each crib has rope handle.

AS525	2"x4"x18"
AJ320	4"x4"x18"

B. Standard Wedges

- ▶ Patterned surface with NEW 11° angle.
- ▶ Rope handle attached.

AS526	2"x4"x12"
AJ322	4"x4"x20"

C. Stepped Wedges

- ▶ Stepped top surface that slopes downward for extra gripping power.

AJ323	3"x8½"L
AJ324	6"x8½"L

D. Lincoln Logs

- ▶ Stable Lincoln Log cribs interlock as they stack.
- ▶ Three notches top and bottom allow for use as either 2-box or 3-box crib. Built-in handle design.

AS270	4"x4"x18"
AZ513	6"x8"x24"

E. Bag Pad

- ▶ Thick pad centers air bag and prevents air bag punctures from road debris.

AS272	1½"x24" Square
-------	----------------

F. Standard Step Chocks

- ▶ For use on passenger cars. Built-in hand hold.
- ▶ Lightweight, yet has very stable base dimensions.
- ▶ Dimensions: 24¾"x5¾"(base)x3¾"(top)x10¾"H, step is 3¾"W

AJ328	16 lbs.
-------	---------

G. Giant Step Chocks

- ▶ Saves critical set-up time, super stability on large trucks, buses and SUVs.
- ▶ Dimensions: 31½"x11"(base)x5"(top)x22"H, step is 5"Wx6"D

AS271	64 lbs.
-------	---------

Turtle Plastics Cribbing Kits

Quick Response Starter Crib Kit

Ideal for rural police, chief's vehicles, and small rescues.

Includes:

- ▶ 2 - Step chocks
- ▶ 2 - 3" wedges
- ▶ 1"x9" square lock block
- ▶ 2"x9" square lock block
- ▶ 25"x15"x6" carrying bag
- ▶ Weight: 42 lbs.

SPECIFY COLOR: Black or Yellow

BE295 Quick Response Starter Crib Kit



Urban Search & Rescue Cribbing / Wedge Kit



AM187

Features:

- ▶ Will never dry out
- ▶ Non-absorbent (all petro chemical and bodily fluids)
- ▶ Fast stabilization

AM187 Includes:

- ▶ 24 - 4"x4"x18" Crib
- ▶ 24 - 2"x4"x18" Crib
- ▶ 12 - 2"x4"x12" Wedges
- ▶ 12 - 4"x4"x20" Wedges
- ▶ Carrying bag/
- ▶ 4 - Toters
- ▶ Ship. wt. 400 lbs.

AZ512 Includes:

- ▶ 24 - 4"x4"x18" Crib
- ▶ 24 - 2"x4"x18" Crib
- ▶ 12 - 2"x4"x12" Wedges
- ▶ 12 - 4"x4"x20" Wedges
- ▶ 4 - Step chocks
- ▶ 2 - Medium step chocks
- ▶ 2 - Giant step chocks
- ▶ 24 - Lincoln logs
- ▶ 2 - Bag pads
- ▶ 2 - Shoring cribs
- ▶ 8 - Super cribs
- ▶ Hose bridge set
- ▶ 2 - Super wedges
- ▶ 2 - Carrying bags/
- ▶ 6 - Toters
- ▶ Ship. wt. 1,490 lbs.



SPECIFY COLOR: Black or Yellow

AM187 USAR Kit

AZ512 USAR Super Kit

Crib Kits

Crib Kit A Includes:

- ▶ Set of lock blocks

Crib Kit B Includes:

- ▶ Set of lock blocks
- ▶ 3W wedge
- ▶ 6W wedge
- ▶ 2 - 18" Lincoln logs


Crib Kit C Includes:

- ▶ Set of lock blocks
- ▶ 3W wedge
- ▶ 6W wedge
- ▶ 2 - Shoring crib
- ▶ 4 - 18" Lincoln logs

Crib Kit D Includes:

- ▶ Set of lock blocks
- ▶ 3W wedge
- ▶ 6W wedge
- ▶ 2 - Shoring crib
- ▶ Giant step chock
- ▶ 8 - 18" Lincoln logs

Free Bonus Package with Purchase of a Crib Kit.



Description	Kit A	Kit B	Kit C	Kit D
2"x4"x18" Crib	6	12	24	48
2"x4"x12" Wedge	2	4	8	16
4"x4"x18" Crib	6	12	24	48
4"x4"x18" Lincoln Log	4	8	16	32
4"x4"x20" Wedge	2	4	8	16
3"Wx8.5"L Wedge	2	4	6	8
6"Wx8.5"L Wedge	2	4	6	8
1" Thick x 9" Sq. Lock Block	1	2	3	4
2" Thick x 9" Sq. Lock Block	1	2	3	4
3" Thick x 9" Sq. Lock Block	1	2	3	4
Step Chock	2	4	8	16
Medium Step Chock		2	4	8
Giant Step Chock			2	4
24"x24" Bag Pad Gray		2	4	8
Top Bag Pad		2	4	8

SPECIFY COLOR: Black or Yellow

Cat#	Description	Ship. wt.
AS273	Crib Kit A	175 lbs.
AS274	Crib Kit B	525 lbs.
AS275	Crib Kit C	1,195 lbs.
AS276	Crib Kit D	2,225 lbs.

RESCUE TOOLS

Champion™ Rescue Tools

Available as a complete system, or individual components can be ordered to be compatible with any existing rescue tool

All Champion Power Tools:

▶ **Fluid Type:** Phosphate Ester, Mineral Oil or Ethylene Glycol

▶ **Fluid Pressures:** 5,000 or 10,500 compatible with any system.

▶ **Safety Factor:** 4 to 1 burst on all hydraulic components

Guillotine Cutter



- ▶ Max Cutting Force: 248,000 lbs. at 1/2" back from blade tip
- ▶ Type of Cutter: Guillotine
- ▶ Cutter Opening: 4.5"
- ▶ Cutter Weight: 30.5 lbs.
- ▶ Dimensions: 27.5"x6.3"x6.8"
- ▶ Limited lifetime warranty



SPECIFY: 5,000 or 10,500 psi
AW273 Guillotine Cutter


Rescue Ram

Champion Rescue Tools Rams are the most unique style on the market. They can be run as an interlocking set or independently. When interlocked they provide up to 52" of spreading distance. The stainless steel heads have an aggressive multi-tooth design that digs into the surface being pushed and greatly reduces slippage commonly seen in other rams. Uses attached control valve or remote controller for increased safety and visibility for the operator.

- ▶ Limited lifetime warranty

21"-33" Rescue Ram with Attached Valve

- ▶ Force: 13,000 lbs.
- ▶ Weight: 24 lbs.
- ▶ Closed Length: 21.0"
- ▶ Open Length: 33.0"



BL216

AW275



21"-33" Rescue Ram

- ▶ Force: 13,000 lbs.
- ▶ Weight: 19.3 lbs.
- ▶ Closed Length: 21.0"
- ▶ Open Length: 33.0"

13"-19" Rescue Ram

- ▶ Force: 13,000 lbs.
- ▶ Weight: 13.4 lbs.
- ▶ Closed Length: 13.0"
- ▶ Open Length: 19.0"

AW274	Rescue Ram 13"-19" for 5,000 psi
BL223	Rescue Ram 13"-19" for 10,500 psi
AW275	Rescue Ram 21"-33" for 5,000 psi
BL218	Rescue Ram 21"-33" for 10,500 psi
BL216	Rescue Ram 21"-33" with Attached Valve for 5,000 psi
BL217	Rescue Ram-21"-33" with Attached Valve for 10,500 psi
AW276	Dual Remote Control Unit
AW277	Coupler (Connects Rams/Up to 52" Length)

Monster Mini Spreader



- ▶ Spreading Force:
5,000 psi - 14,000 lbs.
10,500 psi - 25,000 lbs.
- ▶ Opening Distances: 11"
- ▶ Gripping Arm Surface: 10"
- ▶ Weight: 28 lbs.
- ▶ Dimensions: 27.5"x6.75"x7.75"
- ▶ Your choice of fluid type
- ▶ Limited lifetime warranty



SPECIFY: 5,000 or 10,500 psi
AW272 Monster Mini Spreader

Power Units


The Honda engines are dependable and hardworking and can operate the power unit at 5,000 psi or 10,500 psi all day long and year after year. The 6.5 HP Honda SIMO Power Unit Four Cycle is able to operate two tools simultaneously with an air cooled engine, spark arresting muffler and recoil rope starter. 3.0 Honda Ultra Light Power Unit allows two-tool hook-up but only single tool operation at a time.

3.0 Honda Ultra Light

- ▶ 19"Lx12"Wx18"H
- ▶ Weight: 44 lbs.

6.5 Honda SIMO Power Unit

- ▶ 23.5"Lx17"Wx17.5"H
- ▶ Weight: 69 lbs.



AW278

AW278	6.5 Honda SIMO Power Unit
BG400	3.0 Honda Ultra Light Power Unit
AW280	30' Thermal Plastic Twin Line Hose
Custom Hose Length Available	

The BEAST™

The BEAST™ is tested and proven to handle the most demanding 5 star crash rated vehicles. Made in the USA.

Features:

- ▶ Weight: 51.9 lbs.
- ▶ Dimensions: 28.0"x12.5"x8.0"
- ▶ Operating Pressure: 5,000 psi
- ▶ Compatible with any low pressure system
- ▶ Limited lifetime warranty

BD170:

- ▶ Cutter and Spreader in one tool, you can change from full size cutter to a powerful spreader in seconds by pulling three pins
- ▶ Generates 35% more cutting force than any other 5,000 psi tool in the market
- ▶ Outfitted with Champion's patented laminated cutting blades with internal safety restraints
- ▶ Opening: 10.75" Cutter with 3.5" Power Notch; 28.0" spreader with 16.0" of parallel travel
- ▶ Accessories Include: 1 full size USAR cutting head and 1 full size spreading head for one low price

BL201:

- ▶ Type of Tool: Scissor
- ▶ Opening: 10.75" Cutter with 3.5" Power Notch
- ▶ Outfitted with Champion's patented laminated cutting blades with internal safety restraints
- ▶ Generates 35% more cutting force than any other 5000 psi tool in the market
- ▶ Accessories Include: 1 full size USAR cutting head



Cutter

Spreader



BL202:

Dash displacements, door removals or just skinning a vehicle quickly to expose cutting points, The BEAST™ Spreader is the tool for the job.

- ▶ Type of Tool: Spreader
- ▶ Opening: 28.0" Spreader with 16.0" of parallel travel
- ▶ Accessories Include: 1 full size spreading head



	Multi-Tool	Cutter	Spreader
Type of Tool	Scissor Cutter & Spreader	Scissor Cutter	Spreader
Cutting Force	294,000 lbs.	294,000 lbs.	-
Spreading Force	65,000 lbs.	-	65,000 lbs.

BD170 The BEAST™ Multi-Tool

BL201 The BEAST™ Cutter

BL202 The BEAST™ Spreader

The SUPER BEAST

As the world's auto makers continue designing safer and stronger vehicles each year, the 10,500 psi SUPER BEAST generates unmatched force to handle these ever changing materials for years to come. With power like this, there's no need to learn the technique of "the work around". The SUPER BEAST is tested and proven to handle the most demanding 5 star crash rated vehicles.

Features:

- ▶ Weight: 51.9 lbs.
- ▶ Dimensions: 28.0"x12.5"x8.0"
- ▶ Operating Pressure: 10,500 psi
- ▶ Compatible with most high pressure systems
- ▶ Limited lifetime warranty

BL203:

- ▶ Type of Tool: Scissor
- ▶ Opening: 10.75" Cutter with 3.5" Power Notch
- ▶ Outfitted with Champion's patented laminated cutting blades with internal safety restraints
- ▶ Accessories Include: 1 full size USAR cutting head



	Multi-Tool	Cutter	Spreader
Type of Tool	Scissor Cutter & Spreader	Scissor Cutter	Spreader
Cutting Force	500,000 lbs.	500,000 lbs.	-
Spreading Force	140,000 lbs.	-	140,000 lbs.

BL203 The SUPER BEAST Cutter

BL204 The SUPER BEAST Spreader

BL205 The SUPER BEAST Multi-Tool



Spreader

Cutter

BL204:


- ▶ Type of Tool: Spreader
- ▶ Opening: 28.0" Spreader with 16.0" of parallel travel
- ▶ Accessories Include: 1 full size spreading head

BL205:


- ▶ Type of Tool: Scissor Cutter and Spreader
- ▶ Opening: 10.75" Cutter with 3.5" Power Notch; 28.0" spreader with 16.0" of parallel travel
- ▶ Accessories Include: 1 full size USAR cutting head and 1 full size spreading head for one low price

HYDRA-RAM Hydraulic Emergency Entry Tool

10,000 pounds of force is presented by 138 lbs. of pumping to acquire $\frac{3}{4}$ " stroke to a maximum thrust opening of 4 inches. The Hydra-Ram can be placed in any position, even upside down, without any effect on its operation; this is a first in hydraulics. Because of its unique size, 13" and only 12 lbs., it can be slung or carried on your belt. The entire unit can be controlled by one user alone, making it truly a one-person operation tool. No hoses, tanks or pumps so there is no maintenance or leaking fluid. Jaws are made of stainless steel with 220,000 psi tensile strength. Special finger grips give a non-slip holding surface. *Ship. wt. 15 lbs.*



Closed



One-person operation

Includes:

- ▶ A. HYDRA-RAM tool
- ▶ B. Cordura® carrying bag
- ▶ C. Mallet
- ▶ D. Carrying sling



B



C



D

AE097 HYDRA-RAM Hydraulic Emergency Entry Tool

Percussive Rescue Kit


You'll feel the difference as soon as you hold it. This slam and ram tool exerts a striking force as you've never seen. You'll hear the solid "thud" as the slam bar strikes one of the six assorted tool bits. The ram travels up to 13.6" for maximum impact. Whether you're breaking a brick/block wall or pounding through locks and latches, this tool makes you more efficient. With the slam and ram feature, there is no deflection of pounding force. All of the energy is used to strike effective, penetrating blows by a single person. When hydraulic, electric and pneumatic power is gone or unavailable, you'll still be punching and pounding with this rescue tool.



Use the right tool for the right job and let the tool do the work

Complete Kit Includes:

- ▶ Percussive tool bar
- ▶ Lockbreaker claw
- ▶ Metal cutting claw
- ▶ Bull point
- ▶ Chisel
- ▶ Wide chisel
- ▶ Carrying bag



PARATECH


Cat#	Description	Weight
AC614	Complete Rescue Tool Kit	29 lbs.
AC621	Percussive Rescue Tool Only	14.2 lbs.

Darley Ram Jammers

For Vehicle Extrication

Provides secure base

When doing a dash roll-up, place the Ram Jammers against the B-posts on each side of the vehicle. Then, instead of only getting one push with the medium hydraulic rams, Ram Jammers give you a secure base to make a second and then a third push for the "Maximum Dash Roll-Up." This will give you a large amount of room in the front of the patient, making it easier to apply spinal immobilization devices. They also absorb the force of the rams to prevent fractures at the B-post. *Ship. wt. 45 lbs.*



AF349 Darley Ram Jammers/Set of 2

Airgun Kit

1600-1700 high impact blows per minute, 7 pound, pneumatic impact tool. Combining ease of handling, very low air consumption and high power output. It is an ideal tool for rescue work. Vehicle crash sites, metal clad buildings, aircraft penetration, exhaust ducts and composite structural material are typical barriers often faced by rescue personnel. The Airgun, using one of several specially designed tool bits, should be your tool of choice when faced by these situations. Ideal confined space tool. *Ship. wt. 31 lbs.*

- ▶ Airgun, with inline oiler
- ▶ Pressure regulator, 5,500 - 300 psi
- ▶ 3/8" diameter, 32' hose
- ▶ 10" curved metal cutter bit
- ▶ 11" ballpoint bit
- ▶ 11" chisel, 3/4" wide bit
- ▶ Operating and instruction manual
- ▶ Lubricating oil, 4 oz.
- ▶ Retainer service tool
- ▶ Hex key 7/32"
- ▶ Hex key 3/16"
- ▶ Plastic safety goggles
- ▶ Ballistic nylon carrying case 23"x10 1/4"x13"



PARATECH

BB136 Airgun Kit

Heavy Rescue Outfit

The PETROGEN® Heavy Rescue Outfit is designed for extensive steel cutting in a heavy rescue situation. The components were assembled with the input of firefighters and USAR members. Hundreds of fire departments and USAR teams are using the PETROGEN® system. *Ship. wt. 45 lbs.*



BA126 Heavy Rescue Outfit

RESCUE TOOLS

Air Hammer Rescue Kits

Easy Operating Kits Featuring Non-Turn Chisels

High-quality Air Hammer Rescue Kits have been designed specifically for extrication and are field-proven not only for emergency extrications but for all types of emergency cutting such as: factory doors, casement windows, fire doors and many other jobs. Release the trigger and the tool stops instantly. Completely portable and compact enough to be easily carried in fire trucks and rescue vehicles. Operated off fresh air tanks, compressors, nitrogen bottles, cascade systems or air brake outlets. Use with either 2216 or 4500 psi air tanks.



Standard Duty Kits

Complete Kit with everything necessary to hook up to an air tank and begin extrication work.

- ▶ Hammer for .401-in. shank tools
- ▶ Retainer
- ▶ Regulator
- ▶ Moil point (turn type)
- ▶ 15 ft. 1/4" Hose
- ▶ Steel kit box
- ▶ 4 oz. oil
- ▶ 2-double blade panel
- ▶ 2-Kwik Cutter (non-turn)
- ▶ 2-Kwik Cutter, 18" (non-turn)
- ▶ 2-1/4" male connector
- ▶ 1/4" male coupler
- ▶ 1/4" female coupler
- ▶ Gauge guard

S878 Standard Duty Air Hammer Kit

Heavy-Duty Kits

Features Heavy-Duty Hammer with longer piston stroke for more powerful cutting action. Includes non-turn and turn-type chisels.

- ▶ Hammer for .401-in. shank tools
- ▶ Retainer
- ▶ Regulator
- ▶ Moil Point (turn type)
- ▶ 2-Double blade panel cutter (non-turn)
- ▶ 2-Kwik Cutter (non-turn)
- ▶ Gauge guard
- ▶ Steel kit box
- ▶ 4 oz. oil
- ▶ 2-Kwik Cutter, 18" (turn type)
- ▶ Ripper chisel (turn type)
- ▶ 15 ft. 1/4" Hose
- ▶ 2-Kwik Cutter, 18" (non-turn)
- ▶ 2-Panel Cutter (turn type)
- ▶ 2-Kwik Cutter (turn type)
- ▶ Male connector (2)
- ▶ Male coupler
- ▶ Female coupler

AJ318 Heavy-Duty Air Hammer Kit



Steel box included in all kits

S878



AJ318




Maxiforce G2 Air Lifting Bags

Maximum Force Where You Need It Most!

The Maxiforce Air Lifting bag is a thin, strong, molded envelope. It is made from a neoprene-covered Aramid reinforcement and has the power to lift, move or shift weights up to 80 tons. Of course there is more to a lifting bag system than the bag itself. The control equipment and components play a critical role in successful lifting bag use. Unlike other lifting bag systems, Paratech manufactures all of its major control components. This assures the quality of the lifting bag system from inflation to deflation.

- ▶ Made of the highest quality neoprene and embedded with 3 layers of Aramid fiber reinforcement on each side
- ▶ Each bag has been subjected to a stringent factory pressure test
- ▶ Small, molded, raised dimples provide an interlocking surface for stacking 2 lifting bags (no more than 2 bags may be stacked)
- ▶ Recessed air inlet is threaded to receive a brass nipple
- ▶ The thinner the bag, the better! Maxiforce Air Lifting bags range in thickness from 3/8" to 1"
- ▶ Inflate from any air source
- ▶ Operating pressure 150 psi
- ▶ No corrosion and easy-to-repair
- ▶ Technical data molded into the bag and the famous "X" marks the center of the load

PARATECH



Individually Priced Air Bags

Cat#	Description	Dimensions	Capacity	Height	Weight
BG131	KPI-1	6" x 6" x 3/4"	1.5 tons	3" Lift	1.2 lbs.
BG132	KPI-3	6" x 12" x 3/4"	3.5 tons	3.5" Lift	2.3 lbs.
BG133	KPI-5	10" x 10" x 3/4"	5.4 tons	5.4" Lift	3.1 lbs.
W163	KPI-12	15" x 15" x 7/8"	13.7 tons	8.1" Lift	8.8 lbs.
W164	KPI-17	15" x 21" x 7/8"	19 tons	9" Lift	12 lbs.
W165	KPI-22	20" x 20" x 7/8"	25.6 tons	10.8" Lift	15.9 lbs.
BH153	KPI-28	20" x 26" x 7/8"	34 tons	11.8" Lift	20.1 lbs.
W166	KPI-32	24" x 24" x 7/8"	38 tons	13" Lift	22 lbs.
W167	KPI-35L	15" x 42" x 7/8"	39.5 tons	9.5" Lift	24.5 lbs.
W168	KPI-44	28" x 28" x 7/8"	52.7 tons	15.3" Lift	30 lbs.
W169	KPI-74	37" x 37" x 1"	89.2 tons	20" Lift	58 lbs.

Lifting Air Bag Sets - Control Packages Not Included

Cat#	Description	Bag Quantity	Contents
AF387	Model 234	7 Air Bag Set	1 Each of Bags W163 - W169
AF388	Model 117	8 Air Bag Set	1 Each of Bags W163 & W167, 2 Each of W164 - W166
BK412	Model 48	3 Air Bag Set	1 Each of Bags W164, BH153 and W166
BG135	Model 92	9 Air Bag Set	1 Each of Bags BG131 - BG133, W163, W165, 2 Each of W164 and W166
BG136	Model 245	10 Air Bag Set	1 Each of Bags BG131 - BG133 and W163 - W169



Telescoping Aluminum Support Systems

Designed primarily for stabilizing motor vehicles involved in crashes, the TASS is a patented, 3-tiered telescoping aluminum support system. Like all Prospar product, the TASS has been designed to be simple to use and incredibly strong. Independent testing by the University of Illinois, shows the TASS to be one of the strongest vehicle stabilization products in the world.

Includes:

- ▶ Telescoping aluminum supports 26" - 48" span
- ▶ Baseplate - 10" with detent pins
- ▶ Baseplate shoring adapters
- ▶ Vehicle adapters
- ▶ V-Grip attachments
- ▶ Conical-shaped attachments
- ▶ Ratchet straps - 20" with hook cluster

BC028	Telescoping Aluminum Support Kit 26"-48"
BL623	Telescoping Aluminum Support Kit 43"-102"
BL624	Telescoping Aluminum Support Kit, Combined BC028 & BL623

Control Packages

The Paratech Control packages are essential to your Maxiforce Air lifting bag needs! Included in these packages is everything that you need to operate your Maxiforce Air lifting bags. Whatever the job, these control packages will meet your needs!

AF391 Includes:

- ▶ Dual deadman safety relief & control valve
- ▶ Pressure regulator - 6,000-135 psi (414-9 bar) CGA 347/346 inlet
- ▶ Black air hose (3/8"D x 16'L)
- ▶ Yellow air hose (3/8"D x 16'L)
- ▶ Red air hose (3/8"D x 16'L)

BG134 Includes:

- ▶ Dual deadman safety relief & control valve
- ▶ Pressure regulator - 6,000-135 psi (414-9 bar) CGA 347/346 inlet
- ▶ 4 - Inline relief valves
- ▶ Black air hose (3/8"D x 16'L)
- ▶ Blue air hose (3/8"D x 16'L)
- ▶ Yellow air hose (3/8"D x 16'L)
- ▶ Red air hose (3/8"D x 16'L)
- ▶ Green air hose (3/8"D x 16'L)
- ▶ 2 - Paratech nipple with 1/4" NPTM
- ▶ 2 - Paratech nipple with 1/4" NPTM
- ▶ 2 - Paratech nipple with 1/8" NPTM
- ▶ Paratech nipple with tire chuck
- ▶ Shutoff adapter nipple with industrial
- ▶ 2 - "Y" with 2 couplings and 1 nipple
- ▶ Shutoff adapter nipple with twist lock
- ▶ Custom carrying case

AF391	Control Package, 6,000-135 psi
BG134	Control Package, 6,000-135 psi




AF391



PARATECH

Working Air® Cart

- ▶ Continuous regulated air supply for airbags, rescue support systems & portable impact tools
- ▶ Lightweight and portable
- ▶ One - 200 psi and one - 300 psi low pressure regulators
- ▶ 3-way diverter valve allows for switching between cylinders
- ▶ Shut-off valve and high pressure manifold permit access to alternative air sources
- ▶ Low pressure alarm sounds at 400-500 psi



PARATECH

Cat#	Description	Weight
BD040	Working Air® Cart	139 lbs.

Working Air® Cylinder

These are lightweight, sturdy cylinders, ready to use. Have an economical air supply on hand. Made of strong, high density aluminum; stand-up design allows more convenient vertical storage. They take the rough handling at an emergency scene without the concern for costly fiber damage to your SCBA cylinder. Best of all, they cost much less than new high-pressure breathing air cylinders. This means that your department can economically maintain a high-capacity air system without tapping SCBA resources. *Note: not for breathing air. Ship. wt. 10 lbs.*



PARATECH

AC630	Working Air® Cylinder / 13 cu. ft.
-------	------------------------------------

SCBA / Rescue Bag - One Bag, Two Uses!

This bag can be used as an SCBA cylinder bag or as a rescue bag. It has two handles and an over the shoulder strap, a silver reflective stripe for low visibility situations.

Rescue Bag Features:

- ▶ One bag makes up one complete, easily accessible rescue kit
- ▶ Holds up to 3 mini rescue bags & 1-2 small bags
- ▶ Holds three 50' coils of air supply hose
- ▶ 9" dia. insert holds controller & regulator
- ▶ 9" dia. insert holds 45 or 60 min. air bottle

SCBA Cylinder Bag Features:

- ▶ Safe storage and transport of SCBA cylinders
- ▶ Holds 2 cylinder inserts per bag
- ▶ Insert have 9" diameter tube w/hard plastic bottom and rigid side walls to keep cylinders protected & upright

BH034	SCBA/Rescue Velcro® Closure w/Two 30min. LP Bottle Inserts
BH035	SCBA/Rescue Velcro® Closure w/Two 45-60min. LP Bottle Inserts
BH036	SCBA/Rescue Zipper Closure w/Two 30 min. LP Bottle Inserts
BH037	SCBA/Rescue Zipper Closure w/Two 45-60min. LP Bottle Inserts




Fire Tiger Tooth Blades

Fire Tiger Tooth and Safety Diamond Blades outlast abrasive cutting discs 100 to 1, saving valuable time replacing abrasive blades as they wear down. Fits on 4", 4 1/2" hand-held grinders, 7" circular saws, 12"-14" gas saws, and chop saws. Includes 22mm bushing.

Uses:

- ▶ Masonry
- ▶ Concrete
- ▶ Roof tile
- ▶ Dry wall
- ▶ Stainless steel
- ▶ Copper pipe
- ▶ Steel
- ▶ Plastic
- ▶ Stucco
- ▶ PVC
- ▶ Rebar
- ▶ Wood
- ▶ Tile backer board
- ▶ Corrugated roofing
- ▶ Polyethylene pipes



Cat#	Description	Diameter	Arbor	Width
BE273	Fire Tiger Tooth Blade	12"	1"	.125
BE274	Fire Tiger Tooth Blade	14"	1"	.125

Maxiblade

Carbide Tip Rescue Blade For Rescue Saws

Rescue Blades for Rescue Saws: A deep gullet, 14", 30 tooth carbide tip blade for rescue saws emergency use with excellent cutting characteristics. The deep gullet clears chips and other debris from the cut faster, increasing cutting performance from less powerful rescue saws (70 - 80cc). Ship. wt. 5 lbs.

*Note: Certain saw manufacturers do not allow use of carbide blades under any circumstances. Check manufacturers' position regarding use of carbide blades prior to purchase.

Cat#	Description	Diameter	Arbor	Blade Thickness
BL460	Maxiblade	14"	1"	.095

TEAM
EQUIPMENT, INC.



Warthog™ Ventilation Blade


The Last Roof Ventilation Blade You'll Ever Buy

The aggressive tooth design of the Warthog™ blade easily and quickly cuts through roofing materials, wood flooring and siding. Heavy-duty construction helps prevent tip loss, which is the major problem with standard carbide tipped blades. The tip is mounted to the blade by a special process. This process cushions the tip mounting and makes this blade the most durable, and probably the last, ventilation saw blade you will ever buy. Ship. wt. 7 lbs.

- ▶ It doesn't bind. Due to the aggressive tip angle, all you have to do is feed the blade into the surface to be cut and it does the rest.
- ▶ It doesn't clog. Even when going through multiple layers of roofing paper and tar. The deep tooth design deposits cut materials outside the blade guard, keeping cutting performance high.
- ▶ It lasts like no other blade; the heavy-duty tips are a full 3/8" wide and 5/8" tall.
- ▶ Tip loss is a problem of the past. It is proven by fire departments all over the USA to be a dependable, high-performance blade like no other

Blade comes standard with 1" arbor (center) hole.
AS269 - 20mm to 1" spacer (Stihl and other saws with 20mm arbors)
AS268 - 7/8" to 1" spacer (saws with 7/8" arbors)

AJ572	Warthog™ Blade
AS268	Warthog™ Blade 7/8" to 1" Spacer
AS269	Warthog™ Blade 20mm to 1" Spacer



Piraya Diamond Blades

For years the fire service has requested "one blade that cuts all materials" for rescue saws. The Piraya Diamond Blade is as close to meeting this requirement as is technically possible in today's Diamond Blade industry. The Piraya Diamond Blade is vacuum-braided using high-quality grade diamonds for fast, smooth cutting and long blade life. Fits all rescue saws using 12" and 14" diameter blades.



Uses:

- ▶ Concrete
- ▶ Masonry
- ▶ Metal
- ▶ Plastic
- ▶ Wood
- ▶ Copper
- ▶ Glass block
- ▶ Windshields
- ▶ Auto parts
- ▶ Aluminum
- ▶ Stainless steel
- ▶ Corrugated roofing

TEAM
EQUIPMENT, INC.

BG238	12" Piraya Diamond Blade
BG239	14" Piraya Diamond Blade

Rescue Saws, Kits, Blades & Accessories

AM083 Contains: Partner/Husqvarna K-12 FD 94cc 14" fire rescue saw, full size steel case or aluminum space saver case, fire-department carbide tipped blade, two combination steel/concrete rescue abrasive wheels, safety gas can, hearing protector, goggles, spare belt and air filter, air filter oil, 2-cycle engine oil, can of gasoline stabilizer, combination screwdriver/wrench and instruction manual.

AR179 Contains: Modified 94cc Partner/Husqvarna K970 94cc active 2 cycle gas engine. Fire Department modifications include: constant on "READY START" ignition switch, large "D" Handle starter grip, chrome plated blade guard with welded "D" ring for attaching saw sling and saw carrying sling.

AW198 Contains: Partner/Husqvarna K-12 FD 94cc 14" saw, diamond plate aluminum case, Maxi blade, four rescue abrasive wheels for cutting both steel and concrete, safety gas can, hearing protector, goggles, spare belt and air filter, air filter oil, 2-cycle engine oil, can of gasoline stabilizer, combination screwdriver/wrench and instruction manual.



Blade sold separately

Features:

- ▶ 94cc 2-cycle gas engine
- ▶ Lightweight - 22.7 lbs.
- ▶ Chrome blade guard
- ▶ Large "D" handle starter
- ▶ Carrying sling
- ▶ Reflective lettering

Kit Includes:

- ▶ Partner/Husqvarna K-12 FD 94cc 14" saw
- ▶ Steel case
- ▶ Carbide tipped blade
- ▶ 2-Rescue abrasive wheels
- ▶ Safety gas can
- ▶ Hearing protector
- ▶ Goggles
- ▶ Spare belt & air filter
- ▶ Air filter oil & engine oil
- ▶ Gasoline stabilizer
- ▶ Combo screwdriver/wrench
- ▶ Instruction manual



Aluminum Case



Steel Case

TEAM
EQUIPMENT, INC.

AM083	K-12 FD Standard 14" Rescue Saw Kit with Full Size Steel Case
AR179	K-12 FD Fire Department Rescue Saw 14" Guard 95cc Gas Engine
AW198	K-12 FD Mega 14" Rescue Saw Kit with Full Size Aluminum Case
BE278	14" Lightning Diamond Blade - Use/Metal and Masonry

Pro-Saw/Cut Off Saw


Cut Through Virtually Any Material

The Pro-Saw/Cut Off Saw can cut virtually any material—brick, steel, concrete. You name it, we can cut it. The perfect fire service saw. Ergonomically designed to work in confined spaces. Light weight and powerful for easy and safer operation. Built tough to meet your rugged demands.

- ▶ Highest power-to-weight ratio
- ▶ Ergonomically designed half wrap handle
- ▶ Large "D"-ring for easy starting
- ▶ Superior torque and lower emissions
- ▶ Advanced 5-stage air filtration system



Blade sold separately



Multi-Purpose Blade

USAR Diamond Metal Cutting Blade

Metal Cutting Blade

Masonry Blade

AZ412	Pro-Saw 12" Cutoff Saw
AZ413	12" Multi-Purpose Blade
AZ414	12" USAR Diamond Metal Cutting Blade
AZ415	12" Metal Cutting Blade
AZ416	12" Masonry Blade

T-Rex Metal Cutting Saw

The Next Generation of Forcible Entry, Extrication and Collapsible Rescue Saws

- ▶ Cuts steel as easily as cutting plywood
- ▶ Cuts most building materials effortlessly
- ▶ Specially designed cover collects chips & sparks
- ▶ Five times faster and cleaner than other saws
- ▶ Spindle lock for fast, easy blade changes
- ▶ 2" depth of cut with adjustable angles up to 45°
- ▶ Retractable blade guard
- ▶ Overload switch



AZ417	Metal Cutting Rescue Saw with AZ418 Blade and Case
AZ418	7" Mild Steel Blade
AZ419	7" Variety Aluminum Blade
AZ420	7" Stainless Steel Blade

High Speed Rescue Saw Blades

P834	14" Metal Cutting Blade
P835	14" Concrete/Masonry Blade
P836	14" 48 Tooth Wood Cutting Blade



Super VC3 Power Pro Cutoff Saw



Rescue operations demand fast and reliable cutting equipment. Super Vac's response is the SVC3 Power Pro Cutoff Saw, a high-performance saw designed for the fire and rescue service. The SVC3's rugged, lightweight engine turns an industrial diamond blade that's voracious enough to cut through a variety of materials including residential roofing, concrete and rebar, and sheet metal - all without the use of water. Fire and rescue features include a multi-position cutting arm, blade safety shield that adjusts without having to fumble with hard-to-grasp knobs, D-ring pull handle, and a manual compression release for quick starts. A water tube dust suppression system is standard.

- ▶ Fast and easy starting
- ▶ Blade cuts through anything
- ▶ 2 cutting arm positions

Cat#	Dimensions	HP	Bar	Diam.	Weight
BG206	12.5"Hx13"Wx33.5"D	5.7	14"	14"	21.8

BG206 14" Cutoff Saw with Tiger Tooth Blade

BG207 14" Cutoff Saw, Full Kit, Tread Plate Box

Super Power Pro V3 Ventilation Saw



With a powerful Dolmar 6.3 HP engine that turns at 13,500 RPM, your department can rely on the Super Vac SV3 Power Pro Saw for venting and rescue operations. With a full-wrap handle designed for maximum versatility, this saw tackles a variety of operations with ease, including cutting through residential roofing, removing downed trees, and ripping through various building materials. With a quick-start compression release and an "always on" ignition, the SV3 is ready-to-go when you are.

- ▶ Chisel chain/depth gauge
- ▶ Airmaster filtration
- ▶ D-ring handle

BG208 16" Saw with Guard/Depth Gauge

BG209 Chisel Chain Loop for 16" Bar

BG210 16" Vent Saw, Full Kit, Tread Plate Box

BG211 20" Saw with Guard/Depth Gauge

BG212 Chisel Chain Loop for 20" Bar

BG213 20" Vent Saw, Full Kit, Tread Plate Box

Cat#	Dimensions	HP	Bar	Weight
BG208	11.25"Hx13"Wx34.5"D	6.3	16"	20.8
BG211	11.25"Hx13"Wx38.5"D	6.3	20"	21.6

Quick Silver Saw & Accessories

BK097 & BK099 Include:

- ▶ Saw with D-Ring handle
- ▶ Pair safety glasses
- ▶ Pair ear plugs
- ▶ Container 2 cycle oil
- ▶ Gallon metal safety gas can
- ▶ Set manuals
- ▶ Carbide chisel chain
- ▶ Dolmar Filter Set
Consisting of:
 - Air filter cartridge
 - 5 - pre filters

BL096	16" Saw with Q/S Depth Gauge (Installed)
BL097	16" Saw Kit with Q/S Depth Gauge (Installed)
BL098	20" Saw with Q/S Depth Gauge (Installed)
BL099	20" Saw Kit with Q/S Depth Gauge (Installed)
BL094	Billet Aluminum Pull Handle
BL095	Billet Aluminum LED Flashlight Holder (Includes Light)



BL096



BL094



BL095

Team/HUSQVARNA K-12 FD 74cc Rescue Saw

Contains: K-12 FD 74cc 12" fire rescue saw. Modified 74CC Partner/Husqvarna K760 Active 2 cycle gas engine. Fire Department modifications include: constant on "READY START" ignition switch, large D Handle starter grip, chrome plated blade guard with welded "D" ring for attaching saw sling and saw carrying sling.

DON'T MISS

More blades
on page 103

Features:

- ▶ Air-cooled 2-stroke engine
- ▶ Active Air Filtration™
- ▶ X-Torq®
- ▶ SmartCarb™
- ▶ DuraStarter™
- ▶ EasyStart™
- ▶ Reversible cutting arm
- ▶ Easy-adjust blade guard
- ▶ Wet Kit
- ▶ Replaceable arbor bushing



TEAM
EQUIPMENT, INC.

Blade and sling
sold separately

BL100	Team/HUSQVARNA K-12 FD 74 Rescue Saw
BL101	Optional Sling Assembly
BG238	12" Piraya Blade

Concrete Chain Saw Kit

The newly designed chain saw uses a diamond segment chain to cut concrete, brick and masonry. This unique saw offers several cutting features not found on conventional circular blade rescue saws. It is an invaluable tool for use in emergencies such as earthquakes, building collapse and terrorist incidents.

Features:

- ▶ Large "D" handle starter grip - Replaces standard rubber grip, easier to use especially with heavy gloved hands
- ▶ Heavy-duty brass couplings - Replaces standard plastic water hose couplings for added durability
- ▶ Water hose restraint strap - Use of water with this saw is essential, the installed water hose restraint strap is permanently mounted to the rear handle of the saw, simply slip the hose through the nylon strap and the water hose is kept out of the way during saw operation
- ▶ Saw carrying sling - Easy-to-use and store, handy when use of both hands for balance and climbing are required

Includes:

- ▶ K950 chain saw
- ▶ Diamond segment chain
- ▶ Diamond plate aluminum case
- ▶ Brass water connectors
- ▶ Water hose restraint strap
- ▶ Wrench/screwdriver
- ▶ Safety gas can
- ▶ Operating instructions
- ▶ Bar & chain guard
- ▶ Carrying sling
- ▶ Hearing protectors
- ▶ Goggles
- ▶ Air filter oil
- ▶ 2-cycle oil
- ▶ Spare air filter



TEAM
EQUIPMENT, INC.

BD107	Concrete Chain Saw Kit with 14" Bar and Diamond Segment Chain
BD108	Concrete 14" Chain Saw with 14" Bar and Diamond Chain

VentMaster™ Heavy-Duty Fire Rescue Saws

The new VentMaster™ Fire Rescue Saws are the TOUGHEST fire rescue chain saws on the market today.

- ▶ **NEW VentMaster COBALT Guide Bar:** Features COBALT alloy inserts at wear points. This alloy is extremely hard with excellent wear, galling, and impact resistance. It will retain these properties at very high operating temps.
- ▶ **IMPROVED KIS-40 Depth Gauge:** The simplest and most durable depth gauge design. Adjusts cutting depth from 1/4" to 6". Can be removed in seconds without tools for full-length cutting.
- ▶ **Raptor Carbide Chain:** Features an "open dual raker" design to protect the carbide cutters and control the depth of cut. Will quickly cut through lightweight building materials.
- ▶ **IMPROVED Plated Steel Splash Guard:** Strong and durable to protect the saw during extreme cutting operations. Mounted with aviation-style star washers to prevent loosening due to vibration.
- ▶ **Other Features:** Professional-grade Husqvarna engine, glove-grip starter handle, ergonomic full-wrap handle, air-injection filtration system, scrench tool mounted on handle, one-step choke/start/stop switch



Shown with
BK202

TEMPEST

BC064	VentMaster™ 576HD w/16" Guide Bar & Depth Gauge, .404 Pitch
BC065	VentMaster™ 576HD w/20" Guide Bar & Depth Gauge, .404 Pitch
AM115	Raptor Carbide Chain, 16" with .404 Pitch
AM116	Raptor Carbide Chain, 20" with .404 Pitch
BK202	Optional LED Light

Ventmaster™ Upgrade Kits

TEMPEST

Give Stihl, Echo, Cutters Edge (Jonsered) or many other saws the performance advantage of a VentMaster™ Fire Rescue Saw! Each kit includes guide bar, chain, sprocket and depth gauge.

Adjustable Depth Gauge - The KIS-40 depth gauge provides maximum safety for roof ventilation, allowing smoother, faster cuts without "rolling rafters" - rest the weight of the saw on the gauge, not the firefighter! It can be installed, adjusted from 0" to 6" depth or removed in just seconds, and won't trap debris or heat.

High Alloy Guide Bar - Designed for "plunge cuts" and maximum carbide chain performance. The bar has a precision-milled guide groove, hardened railsand totally integrated sealed nose bearings. Available in 16" and 20" lengths, slotted to accommodate KIS-40 Depth Gauge.



Cat#	Description	Available for These Saws
AS116	16" Guide Bar, .404/.063 Chain	Stihl .046 and Larger
AS114	16" Guide Bar, .404/.063 Chain	Husqvarna, Poulan, Jonsered, Echo QV8000
AW173	20" Guide Bar, .404/.063 Chain	Husqvarna, Poulan, Jonsered, Echo QV8000

Univent Pro-Saw

The Univent Pro-Saw is ideal when your compartment space is limited. It has the best power to weight ratio compared to any other saw in its class. This is virtually the safest saw ever built with our exclusive spring loaded depth gauge. It also gives the operator more reach and comfort while using the saw, and eliminates cutting rafters out from under you. The Pro-Saw was designed and engineered just for the rugged demands of the fire service with features no other saw can offer.

- ▶ Large D-ring handle
- ▶ Smart start
- ▶ Full wrap handle is standard
- ▶ 71 cc (4.5 cubic inch)
- ▶ 6.5 hp
- ▶ 13,500 rpm
- ▶ 13 lbs. (without bar or chain)



BD043	Univent Pro-Saw 16" with Depth Gauge/Sabretooth FD Chain
BD044	Univent Pro-Saw 16" with Depth Gauge/Cobra Chain
BD045	Univent Pro-Saw 20" with Depth Gauge/Sabretooth FD Chain
BD046	Univent Pro-Saw 20" with Depth Gauge/Cobra Chain



Extrication Rescue Glove with Barrier

- ▶ Pre-curved glove with two-way stretch
- ▶ Air flow Cordura® and accordion style back
- ▶ Interior fleece lining and "Snuggler" with taslon debris blocker wrist area
- ▶ Hipora waterproof barrier and breathable insulation
- ▶ Kevlar® reinforced palm, finger tips and knuckles
- ▶ Armor-Dillo knuckle protection
- ▶ Cotton terry brow wipe
- ▶ Reinforced rubber pull with hidden cord carabineer loop
- ▶ Reflective finger tips and trim

SPECIFY SIZE: S-XL, Jumbo

BK092 Extrication Rescue Glove w/Barrier



911 Barrier Extrication Gloves

- ▶ Waterproof and breathable Hipora® barrier to protect hands from micro-organisms such as TB, Hepatitis, Staph and HIV
- ▶ O.S.H.A. Bloodborne Pathogens Standards (29CFR 1910.1310)
- ▶ Molded TPR (Thermal Plastic Rubber) knuckles reduce impact and increase dexterity
- ▶ Boxed finger tip design for better fit and comfort
- ▶ Cut resistant Kevlar® palm, thumb, finger and side panels



SPECIFY SIZE: S-XXL

BD141 911 Barrier Extrication Gloves



Rescue Gloves

Featuring Patented SuperCuff Technology with Protection and Dexterity Like Never Before!

- ▶ Kevlar® palm panels with anatomic cutouts create maximum cut resistance without restricting grip
- ▶ 6mm segmented padding across the knuckles creates padding that moves with you
- ▶ 3M reflective markings for increased visibility and increased safety
- ▶ Gel padding reduces vibration and decreases injury



SPECIFY SIZE: S-XXL

BE280 Rescue Gloves



Hybrid Extrication Hi-Vis Gloves

Built with the best materials and product construction and the highest degree of safety in mind. Thermal Plastic Rubber (TPR) is strategically placed through sonic welding and durable stitching on the top of hi-vis green outer shell in the finger, knuckle and dorsal regions for extra protection. The Ringers' patented SuperCuff™ technology tops off the glove for a non-binding, non-restrictive easy-open cuff for quick entry.

- ▶ SuperCuff™ technology for full range of motion
- ▶ CE Certified puncture and cut protection



SPECIFY SIZE: S-XXL

BK277 Hybrid Extrication Hi-Vis Gloves

Impact-X™ Gloves

Abrasion resistant materials have been strategically placed to maximize hand protection and supply superior grip and dexterity. Our quality craftsmanship and ergonomic design provide for unprecedented comfort during extended wear. Mechflex gloves are highly functional, comfortable and fashionable. **Ship. wt. 1 lb.**

- ▶ Durable synthetic leather palm and fingers
- ▶ Shock-absorbing gel padded palm
- ▶ Anti-slip palm and fingertip patches
- ▶ Neoprene knuckle protector
- ▶ Not for fire fighting

SPECIFY SIZE: S-XXL

BK217 Impact-X™ Gloves



Rope Rescue Gloves

RINGERS rappelling gloves are the most technically advanced rappelling gloves available. These gloves were developed in harmony with local and government agencies to satisfy the requirements of today's rescue and tactical needs. These gloves are also excellent for any kind of rope handling work. **Ship wt. 1 lb.**

- ▶ Unique gel padded rope control channel
- ▶ Clarino® palm and fingertip patches do not get slippery when wet
- ▶ Pittards Amortan palm for improved wear
- ▶ Incredible fingertip dexterity



SPECIFY SIZE: S-XXL

AW124 Rope Rescue Gloves



Extrication Gloves

Are you still using firefighting gloves for extrication? This superior glove is made specifically to protect you from the hazards of extrication without compromising flexibility and design. This anatomic design features Genuine Nash Clarino®, a state-of-the-art material that's abrasion resistant with great grip, sensitivity and dexterity. Totally machine washable to remove blood-borne pathogens, hydraulic fluids etc. and will not harden after it gets wet. **Ship. wt. 1 lb.**

- ▶ Tough Armortex® reinforced index finger and thumb joint
- ▶ Tough Armortex® puncture resistant palm pads
- ▶ Double Kevlar® Stitched palm pads
- ▶ Anatomically designed palm pads for unparalleled freedom of movement



SPECIFY SIZE: S-XXL

AW123 Extrication Gloves Long Cuff

BG508 Extrication Gloves Short Cuff



Xtrication® Rescue Gloves

- ▶ Kevlar® reinforced palm and fingers
- ▶ Injection molded TPR padding covering back of hand and knuckles
- ▶ Cotton terry brow wipe and lining
- ▶ Reinforced rubber pull with hidden cord carabineer loop
- ▶ Custom finger-back rubber guards
- ▶ Reflective finger tips
- ▶ Pre-curved glove with two-way stretch
- ▶ Air flow Cordura® back
- ▶ Soft cotton terry lining with "Snuggler" and Taslon debris blocker

SPECIFY SIZE: S-XXL

AW121 Xtrication® Rescue Gloves





new



new



Darley Multi-Purpose Utility Gloves

Great for extrication, mop-up, as a general work glove around the fire scene, the firehouse and at home. New design includes comfortable Spandex fabric that keeps elasticity even after multiple washings. Tough deerskin palm and fingers remains soft and pliable even after drying. A great Darley value!



SPECIFY SIZE: S-XL

BL292 Darley Multi-Purpose Utility Gloves

Armorcore™ Extrication Gloves

Complies with ANSI and CE Safety Standards

For use by fire, safety and rescue professionals, this super-duty glove represents the ultimate combination of advanced protective technology and highest quality materials. Our proprietary cut and puncture resistant fabric lines the palm side of the glove and is reinforced with genuine goatskin leather in high wear and gripping areas. The top of the hand is protected by a Kevlar® outer shell as well as TPR knuckle and full-length finger protection. Combined with reflective materials throughout the top of hand and fingertips, this glove has it all.



Molded hard knuckle TPR and finger guards protect against impacts.



Armorcore™ fabric meets or exceeds ASTM/CE Level 5 for cut and puncture resistance.

SPECIFY SIZE: S-XXL

BL431 Armorcore™ Extrication Gloves

Extrication Leather Gloves

Fire, safety and rescue professionals all can use the hand protection offered by the Leather Extrication glove. Premium Cowhide Leather protects the palm and between fingers while reinforced Kevlar® panels add grip and puncture resistance. The top of the hand is protected by a Kevlar® outer shell as well as TPR knuckle and finger protection. An elastic gaiter cuff keeps debris out, making this glove versatile enough for everything from extrication to overhaul.



TPR knuckle and flexible finger TPR's guard against impacts.



Premium Cow Hide leather with Armortex® reinforcement panels.

SPECIFY SIZE: S-XXL

BL432 Extrication Leather Gloves

FR Cotton Extrication Suit

- ▶ Stand up collar with hook & loop closure: Bi-swing back, hook and loop
- ▶ Adjustable straps at wrist, 12" leg zipper with hook and loop
- ▶ Adjustable straps at ankle: brass zipper front with hook and loop storm flap, lined sleeves, padded elbows, forearms, knees and shins
- ▶ 2 rear patch pockets with flaps
- ▶ Side-entry pockets with pass through hook & loop closures, semi-bellows pockets with flap on each thigh
- ▶ Radio pocket with flap & utility strap
- ▶ Mic clip above radio pocket
- ▶ Hook and loop take-up straps at wrist
- ▶ Large pocket on right chest with utility loop, pencil pocket on left sleeve, scissor pocket with strap on right semi-bellows pockets
- ▶ Glove strap with clip in waist band on right side
- ▶ Reflective trim around upper sleeve, lower legs and across upper back



Lakeland
INDUSTRIES, INC.

Sizing				
Size	Waist	Inseam	Chest	Sleeve
Small	32"	29"	36"-38"	33"
Medium	36"	29"	40"-42"	34"
Large	41"	29"	44"-46"	35"
XL	45"	29"	48"-50"	36"
2XL	50"	29"	52"-54"	37"
3XL	54"	29"	56"-58"	38"
4XL	58"	29"	60"-62"	39"
5XL	62"	29"	64"-66"	40"

SPECIFY SIZE: S-5XL

SPECIFY COLOR: Navy, Royal Blue, Red, Khaki

BK123 9 oz. FR Cotton Extrication Suit

FR Indura® Cotton Coveralls

new

- ▶ 9.0 oz. per square yard Indura®
- ▶ Heavy-duty, two-way brass zipper
- ▶ Nickel plated brass snaps
- ▶ 2 patch breast pockets, pencil slot in left pocket
- ▶ Two hip pockets with a snap closure on the left
- ▶ 2-in-1 utility/tool pocket on right leg
- ▶ Side access to pants with snap closure
- ▶ Adjustable cuffs with snap closures
- ▶ Sewn throughout with Nomex® thread



TOPPS
FIRE PROTECTIVE TECHNOLOGIES

Tan Navy

- ▶ Short: 5'4" - 5'7"
- ▶ Regular: 5'7½" - 5'11"
- ▶ Tall: 5'11½" - 6'3"

Chest	36	38	40	42	44	46	48	50	52	54	56
Short	•	•	•	•	•	•	•				
Regular	•	•	•	•	•	•	•	•	•	•	•
Tall		•	•	•	•	•	•	•	•	•	

SPECIFY SIZE

SPECIFY COLOR: Navy or Tan

BL461 FR Indura® Cotton Coveralls

RESCUE TOOLS

Technical Rescue Boots

Some of the finest leather fire boots made. When your job gets tough, these boots perform for you, giving you lightweight comfort and protection. Made of waterproof, flame and cut-resistant leather with tempered steel safety toe and scuff-resisting "sharkskin" leather toe covering. Heavy-duty, non-marking lug sole is oil, heat, and slip-resistant and features a stainless steel puncture-resistant bottom plate. Other features include Kevlar® laces, heat and corrosion-resistant eyelets, lace-in duty zipper, comfort weave lining, removable cushion footbed, total boot membrane by Sympatex® and double rubber insole. *Ship. wt. 6 lbs.*

- ▶ Metatarsal protection
- ▶ Meets NFPA for Structural, T.R.I. and Wildland

SPECIFY WIDTH: M, W or XW

SPECIFY SIZE: 5-14, 15, 16, 17, 18

BH086 Technical Rescue Leather Boots

Thayer
SHOES



Vertex® Vented Helmet

Ventilated Helmet for Work at Height and Rescue

- ▶ Six-point mesh liner conforms to the shape of the head for improved comfort
- ▶ Shock absorption achieved through deformation of the outer shell
- ▶ CenterFit adjustment system ensures centering and optimal stability of the helmet on the head
- ▶ Adjustable ventilation holes with sliding shutters
- ▶ Side slots for mounting hearing protection
- ▶ Inserts for accepting a VIZIR face shield
- ▶ Slot for mounting a PIXA headlamp
- ▶ Four clips for mounting a headlamp with an elastic headband
- ▶ Chin strap designed to limit risk of losing helmet during a fall (strength greater than 50 daN)



SPECIFY COLOR: Red, White, Yellow or Black
BK351 Vertex® Vented Helmet

SAR All Risk Helmets

- ▶ Search and rescue / confined space / CBRN environments
- ▶ Water rescue / swift water / marine / ribs / hovercraft
- ▶ Forestry fire fighting
- ▶ Ambulance / E.M.S.
- ▶ Wildland fire fighting / general search area
- ▶ Maritime rescue / coastal border security
- ▶ Working at height / urban climbing
- ▶ Meets the Requirements of:
NFPA 1951:2007,
NFPA 1952:2010
& ANSI Z89.1
Type 2 Class C



SPECIFY COLOR: Red, White, Yellow or Black
BL410 SAR All Risk Helmet
BL411 Helmet Vent Covers-Photo Illuminescent
BL412 Clear Full Marine Visor

Advent® Search and Rescue Helmet

Made to help protect against the hazards encountered by paramedics, emergency medical technicians and search and rescue personnel. Offers top, front, side and rear impact and penetration protection with polycarbonate outer shell and ABS inner shell. It's easy to size to your head with the Sure-Lock® ratchet headband and 8-point suspension. Chin strap with quick-release buckle is permanently attached. *Decals not included. 6" Poly-carbonate faceshield sold separately. Meets ANSI, CSA and OSHA standards. Ship. wt. 3 lbs.*



SPECIFY COLOR: Yellow, Blue, Orange, Red, or White

AC380	EMS Helmet
AC381	Search & Rescue Helmet
AC390	6" Faceshield
BB175	Hardware for AC390

USRX Urban Search & Rescue Helmet

The USRX, a dual purpose urban search and rescue and structural firefighting helmet, is the result of 50 years of Bullard thermoplastic technology, engineering expertise and market responsiveness. The USRX is designed to protect first responders in every USAR application, from high angle to confined space rescue. The outer shell of the USRX is made of high-heat Ultem® thermoplastic. The Bullard Sure-Lock® ratchet headband offers both a quick-turn of the knob head size adjustment and a new, unique 3-position height adjuster for balance and comfort. The USRX comes standard with a new, unique 3-point chin strap, ESS goggles and Bullard's Quick-Attach Blade mounting system. The USRX is designed for comfort, safety, and cost-effective maintenance. *NFPA 1951-2013 and NFPA 1971-2013 compliant. Ship wt. 5 lbs.*

- ▶ Urethane impact liner
- ▶ M-Pact shell
- ▶ Sure-Lock® ratchet suspension
- ▶ Black rip-stop Nomex® ear/neck protector
- ▶ Quick-Attach™ faceshield
- ▶ Quick release 3-point chinstrap
- ▶ Edge beading
- ▶ Leather ratchet cover



SPECIFY COLOR: White, Red, Yellow, Black, Blue, Lime-Yellow
BC075 USRX Urban Search & Rescue Helmet

SuperStatic2™ and HTP™ Static Rope



Sterling Rope revolutionized the production of static rope with the creation of its SuperStatic2™ Rope, the original 48 carrier static rope (1/2" and 7/16"). The smoother sheath finish reduces vibration, allowing for more control during lowering and extrication procedures. HTP™ (High Tenacity Polyester) has a very low elongation of less than 1% stretch per 300 lb. load. It provides greater resistance from UV and certain chemicals, and has the highest tensile strengths for their size. SuperStatic2™ and HTP™ Static certified to NFPA 1983-2012 edition by UL. Available in Blue w/Tracer, Yellow w/Tracer, White w/Tracer, and Red w/Tracer. 5/8" SuperStatic2™ is only available in solid colors: Red, Blue, and Black.

3/8" (9.5-10mm) SuperStatic2™/HTP™ Static

Single person rescue/rappel rope. Ideal for anchors, low stretch rescue, rappelling and confined space operations. Great for SAR teams, fire and police departments, and rescue squads. *Specify length and color combination.*



Cat#	Description	Tensile
AW404	SuperStatic2™ Nylon 150'	5,396 lbs.
AW405	SuperStatic2™ Nylon 200'	5,396 lbs.
AW406	SuperStatic2™ Nylon 300'	5,396 lbs.
AW407	HTP™ Static 150'	5,981 lbs.
AW408	HTP™ Static 200'	5,981 lbs.
AW409	HTP™ Static 300'	5,981 lbs.

1/2" (13mm) SuperStatic2™/HTP™ Static

General use rescue rope. Used in mainline rescue and belay line systems. Suitable for low stretch/high strength rescue, low and steep slope rescue, high angle safety work, window washing, industrial safety and confined space operations. *Specify length and color combination.*



Cat#	Description	Tensile
AW392	SuperStatic2™ Nylon 150'	9,241 lbs.
AW393	SuperStatic2™ Nylon 200'	9,241 lbs.
AW394	SuperStatic2™ Nylon 300'	9,241 lbs.
AW395	HTP™ Static 150'	9,084 lbs.
AW396	HTP™ Static 200'	9,084 lbs.
AW397	HTP™ Static 300'	9,084 lbs.

7/16" (11-11.5mm) SuperStatic2™/HTP™ Static

Single-person rescue/rappel rope. Ideal as a one-man assault line. Great for police and security tactical teams, military operations, wilderness rescue, window washing and rappelling. *Specify length and color combination.*



Cat#	Description	Tensile
AW398	SuperStatic2™ Nylon 150'	6,744 lbs.
AW399	SuperStatic2™ Nylon 200'	6,744 lbs.
AW400	SuperStatic2™ Nylon 300'	6,744 lbs.
AW401	HTP™ Static 150'	7,667 lbs.
AW402	HTP™ Static 200'	7,667 lbs.
AW403	HTP™ Static 300'	7,667 lbs.

5/8" (15.5-16mm) SuperStatic2™/HTP™ Static

Single-person rescue/rappel rope. Ideal as a one-man assault line. Great for police and security tactical teams, military operations, wilderness rescue, window washing and rappelling. *Specify length and color combination.*



Cat#	Description	Tensile
BE001	SuperStatic2™ Nylon 150'	10,701 lbs.
BE002	SuperStatic2™ Nylon 200'	10,701 lbs.
BE003	SuperStatic2™ Nylon 300'	10,701 lbs.
BE004	HTP™ Static 150'	11,962 lbs.
BE005	HTP™ Static 200'	11,962 lbs.
BE006	HTP™ Static 300'	11,962 lbs.

F4 FireTech Escape System

The F4 FireTech Escape System offers a reliable, easy to use system for personal escape. This system includes the FireTech 32, the proven rope of FDNY. This kit also includes:

- ▶ 50' FireTech
- ▶ F4 Escape Device
- ▶ SAFE-D three-stage carabiner
- ▶ Crosby FireFighter anchor hook

\$1 from each system goes to the National Fallen Firefighters Foundation.



BL291	F4 FireTech Escape System
BL426	Lightning™ GT Hook
BL427	Lightning™ Hook
BL428	F4™ Fire Tech Escape System with Lightning™ GT Hook



Marathon™ Dynamic Ropes



The Marathon™ Dynamic Ropes are the most technically advanced ropes in the world. The trademark of the Marathon™ rope is its high denier sheath construction and incredible durability. Marathon ropes are perfect for professional and high abuse applications like training and mountain warfare operations. Engineered for performance in the field and featuring Sterling Rope's exclusive DryCore™. DryCore™ helps maintain the core fibers properties in wet and icy conditions. UIAA and CE EN 892 certified.



8.8 mm Half Dynamic Rope

Perfect for ice, ski mountaineering, and glacier travel.

SPECIFY COLOR: Olive Drab Green, Yellow, Purple or Orange

ML482	8.8mm x 165' Half Dynamic Rope
ML483	8.8mm x 200' Half Dynamic Rope
ML484	8.8mm x 230' Half Dynamic Rope

10.1 mm Pro Dynamic Rope

Durable marathon sheath and lightweight at 63 g/M.

SPECIFY COLOR: Olive Drab Green, Red, Yellow, Green or Orange

ML479	10.1mm x 165' Pro Dynamic Rope
ML480	10.1mm x 200' Pro Dynamic Rope
ML481	10.1mm x 230' Pro Dynamic Rope



11 mm Mega Dynamic Rope

The most durable dynamic rope available.

SPECIFY COLOR: Olive Drab Green, Purple, Burnt Orange or Black

ML476	11mm x 165' Mega Dynamic Rope
ML477	11mm x 200' Mega Dynamic Rope
ML478	11mm x 230' Mega Dynamic Rope

1/2" (12.7mm) Safety Glow Rope

Two-person rescue rope with reflective yarns makes it highly visible in low light to dark situations. Suitable for confined space rescue, caving, night rescues, and industrial safety applications.



SPECIFY LENGTH: 150', 200', 300'

Cat#	Description	Tensile
BE010	1/2" 12.7mm Rope	9,500 lbs.

Utility Rope

Sterling's economy utility rope is perfect for many non-life safety applications such as hauling tools and equipment, lashing gear, etc. It is easy to tie knots with and is not too stretchy. White with tracers. Not for rappelling or life safety use.



SPECIFY LENGTH: 300' or 600'

Cat#	Description	Tensile
BE007	3/8" (10mm) Utility Rope	2,200 lbs.
BE008	1/2" (13mm) Utility Rope	5,000 lbs.

Prusik Cords

Prusik cords serve many functional purposes in the field and are a must have for technical rescue teams. They are extremely versatile in tandem prusik belays, load release devices, as ratchets in pulley systems, and anchor systems. Sterling Rope's prusik cords are made of 100% nylon and have a construction that gives great durability, suppleness and handling.

SPECIFY LENGTH: 165', 330'

SPECIFY COLOR: Blue w/Tracer, Red w/Tracer, Orange w/Tracer, or Tan w/Tracer

Cat#	Description	Tensile
AW412	7mm Cord	2,878 lbs.
AW413	8mm Cord	3,754 lbs.



Tubular Webbing

1" Mil-Spec webbing is a must have for rescue personnel. It can be used for building anchors, making improvised harnesses, lashing litters, and many other uses. Mil-Spec webbing is rated to 4,000 lbs.



SPECIFY COLOR: Blue, Yellow, Red, or Orange

AW411	1"x300' Tubular Webbing
-------	-------------------------

CMC Fire-Rescue Harness

UL Classified to NFPA 1983 - Class III and ANSI Z359.1

Enhanced with a new Fall Arrest Indicator and work-positioning side D-rings, the Fire-Rescue Harness remains the most versatile, multiple-use harness in fire rescue. Used by fire department rescue teams, USAR teams, helicopter crews, and wilderness SAR teams, this extremely popular harness features multiple D-ring attachment points, and our JackBack™ removable padding with breathable D3 cloth, which keeps shoulder straps separated, and makes donning and doffing a breeze. The dorsal D-ring allows adjustment for different size rescuers, but stays in place when loaded, greatly increasing comfort. The front waist D-ring allows a comfortable, stable sitting position for rappels and the sternum D-ring works well for helicopter hoists. Gear loops have been improved for easier access, and quick-connect shoulder straps and leg loops make donning the harness simple and fast. Pads on the leg loops can be adjusted to the most comfortable position. The front lift assembly accepts screw links for adding a chest ascender or safety lanyards. Attachment points: front waist, sternal, dorsal, sides. Available in two sizes. *Ship wt. 4 lbs.*



Size	Waist
Small/Medium	28" - 34"
Large/X-Large	34" - 46"

SPECIFY SIZE: Small/Medium, Large/X-Large

BA082 CMC Fire-Rescue Harness (28"-34")

BA083 CMC Fire-Rescue Harness (34"-46")

CMC Rescue Harness

UL Classified to NFPA 1983 - Class II

Designed for rope rescue and rappelling. Back in 1983 CMC Rescue designed the Rescue Harness to meet the needs of search and rescue better than a recreational climbing harness. The D-ring attachment point made connecting carabiners easy even when hanging in the harness. Extra wide waist and leg loops created more of a "work platform" than the slim profile of a climbing harness. Today's harness has waist and leg pads with breathable D3 cloth for greater comfort, a rear waist D-ring for travel restraint, and gear loops on each side. With more than a 35 years of use-inspired evolution, the Rescue Harness continues to set the standard for superb comfort and performance. *Ship wt. 3 lbs.*



SPECIFY SIZE: Regular or X-Large

AJ338 Padded Rescue Harness

CMC ProSeries Harness Combo

UL Classified to NFPA 1983 - Class III

Designed for rope rescue, rappelling, and confined space rescue, the CMC ProSeries Harness Combo consists of the ProSeries Rescue Harness and ProSeries Chest Harness, which together make a Class III full-body harness. The chest harness can be removed to allow the seat harness to be used alone. If your primary need is a Class III harness, but you want the flexibility of also having a seat harness, the Combo is the perfect fit. *Ship wt. 8 lbs.*

- ▶ Rear attachment point
- ▶ Built-in lumbar support
- ▶ Web-Keepers™ secure loose ends of the web coming out of the buckles
- ▶ 1¾" web adjusting strap wraps completely around for stronger harness
- ▶ Chest harness attaches to front and back
- ▶ Larger front D-ring easily accepts three rescue carabiners
- ▶ Molded padding with breathable D3 cloth provides a better fit with greater comfort and lighter weight
- ▶ D-rings on sit harness
- ▶ Front chest D-ring transfers load to the sit harness, increasing comfort in a vertical lift
- ▶ Quick-fit buckles on the legs make donning the harness easy and quick



Size	Waist
Small	26" - 30"
Regular	30" - 44"
X-Large	42" - 46"

SPECIFY SIZE: Small, Regular, X-Large

AZ587 Harness Combo (Chest and Rescue Harness)



SMC Locking Rescue Carabiners

SMC Rescue Carabiners are state-of-the-art in steel rescue carabiners. The D shape increases strength necessary for rescue situations. The locking mechanism used on these carabiners locks on the gate, not on the body of the carabiner. This allows you to tighten the knob, load the carabiner and not have to retighten the knob. The large size has a gate opening of 1.12", adequate to fit over the rail of a stokes litter. The X-Large size has an opening of 1.40" and will fit standard 1.25" diameter ladder rung. The parts of these carabiners are meticulously finished and plated prior to assembly, insuring smooth free gate action. Meets NFPA 1983-2012-General use where listed.

- ▶ Aluminum Locking D
- ▶ High strength
- ▶ Lightweight
- ▶ 6,000 lb. Rating
- ▶ NFPA 1983-2012 - Light Use



Cat#	Description	Finish	MBS
AW215	SMC NFPA Locking D	Brite Anodized	6,069 lbs.
AW216	SMC NFPA Locking D	Black Anodized	6,069 lbs.

SMC Locking Carabiners

- ▶ Stainless steel
- ▶ Large and X-Large Locking D
- ▶ High strength
- ▶ Smooth operation
- ▶ Better resistance to corrosion
- ▶ Sleeves lock on gate to prevent jamming or vibrating loose



Cat#	Description	Finish	MBS
AJ329	Large Locking D	Brite	10,566 lbs.
AW217	NFPA Large Locking D	Brite	10,566 lbs.
AJ330	NFPA Large Locking D	Black	10,566 lbs.
AJ332	NFPA Large Stainless Steel D	Brite	10,341 lbs.
AJ333	Large Aluminum Locking D	Brite	7,643 lbs.
AW218	NFPA XL Steel Locking D	Brite	12,814 lbs.

SMC Locking Lite D Steel Carabiners

- ▶ Lite D steel
- ▶ Compact size
- ▶ High strength



Cat#	Description	Finish	MBS
AW219	SMC NFPA Lite Locking D	Brite Alloy Steel	9,667 lbs.
AW220	SMC NFPA Lite Locking D	Black Alloy Steel	9,667 lbs.

CMC ProSeries Pulleys

UL Classified to NFPA 1983 - General Use

Basic Building Blocks of Most Rescue Systems. No detail has been overlooked in these high-efficiency pulleys. These compound or complex system workhorses feature precision sealed ball bearings to minimize loss of mechanical advantage. The large carabiner hole supports multiple carabiners, and the smooth, rounded edges on the high-strength aluminum side plates minimize rope fraying. The bottom is shaped for maximum efficiency with Prusik hitches but also works well with Gibbs-type ascenders. Large anodized aluminum sheaves provide efficiency, and low-profile axle fasteners reduce snags when the pulley is moving.



Ship. wt.

BA162	Blue ProSeries Single Pulley	1 lb.
BA076	Gold ProSeries Double Pulley	2 lbs.

KOOTENAY Pulley


The large space between the top of the side plates and sheave allow for passage of knots and the large diameter (76 mm) sheave creates excellent efficiency. The locking pins on the sheave allow the pulley to be used as an anchor. For use with ropes from 8-19 mm. Safe working load: 10kN. CE certified EN12278. Ship. wt. 1 lb.



BH057 KOOTENAY Pulley

Gibbs Ascenders

Gibbs ascenders provide excellent performance under the most adverse conditions, even with muddy or iced ropes. They're widely used by rescue teams as mechanical Prusiks in systems and rappels. The spring-loaded model will support its own weight when there is no load on the cam. Gibbs ascenders feature a high-quality forged cam, which provides a product with no cast parts. The 1/2" ascenders have undergone several rescue performance improving changes. The shell bottom has been modified creating a curved interface, which improves the holding power. Also, the shell thickness has been increased by 50%. Ship. wt. 2 lbs.



BA077	Aluminum Gibbs Ascenders
BA078	Stainless Gibbs Ascenders

CMC Anchor Plate

UL Classified to NFPA 1983 - General Use

A Classic CMC Rescue Innovation. An original design that has withstood the test of time, the CMC Rescue Anchor Plates keep the carabiners holding the different parts of your rescue system from jamming together. The hardware becomes easier to see, making safety checks more accurate. It can also keep you from clipping a carabiner into the wrong loop of the anchor web. For anchor systems, it makes an excellent collection point. These Anchor Plates are used in CMC Rope Rescue classes, which allows students to set up systems faster with fewer mistakes. Hole diameters: small – 7/8" (22 cm), large – 2" (51 cm). *Ship. wt. 1 lb.*



AW214 CMC Anchor Plate

CMC Rescue 8 Descenders

UL Classified to NFPA 1983 - General Use

Machined from 1/2" (12.5-mm) plate, the CMC Rescue classic Rescue 8 design has been refined for even better performance with today's selection of rescue rope. Descenders no longer routinely use 16-mm (5/8") rope, so the smaller dimensions of the Rescue 8 provide greater control. The proprietary finish on the aluminum model provides outstanding wear resistance, while the nickel-chrome-plated steel model excels in high-wear situations, such as sandy, gritty environments. The extended carabiner hole accommodates multiple carabiners. *Ship. wt. 6.6 oz.*



AW222 CMC Steel Rescue 8

BA079 CMC Aluminum Rescue 8

SMC NFPA Brake Bar Rack

With the large diameter brake bars and the addition of the SMC Tie-Off Bar, the SMC Brake Bar Rack passes the test for general use rating without the use of a connector bar. This improvement maintains the rack's performance while greatly increasing the ability to adjust the friction. Assembly required, instructions included. NFPA 1983-2012 - General Use. NFPA 3 sigma MBS: 4,946 lbs. *Ship. wt. 2 lbs.*

- ▶ Tie-off bar
- ▶ 5 aluminum bars
- ▶ 6 bar rack frame
- ▶ 6,000 lb. rating

AW223 NFPA Brake Bar Rack

BH029 NFPA Rack 90° Eye



SMC 2" Prusik Minding Pulleys

This mid-sized minding pulley is the perfect choice for rigging with 7/16" (11 mm) rope or when you don't have room for a 3" pulley. *Ship. wt. 1 lb.*



- ▶ Precision machined aluminum side plates and sheaves
- ▶ Sealed bearings
- ▶ Double pulleys include a becket




SPECIFY COLOR: Green or Black

Cat#	Description	Tread
BH050	Single SMC 2" Prusik Minding Pulley	1.5"
BH051	Double SMC 2" Prusik Minding Pulley	1.5"

Grappling Hook

Made of 1/2" forged steel eyebolt welded with 5-chrome alloy steel tines, which are heat treated and coated with tough epoxy for long lasting protection. *Ship. wt. 10 lbs.*

AA932 Grappling Hook



SMC/RA Pulleys

These pulleys were designed for rescue operation by Russ Anderson. The sideplates are made of stainless steel. They rotate freely allowing the pulley to be installed on the rope at any point. Pulley models accept 3/4". Double pulleys have one becket with a 3/4" diameter hole for ease in rigging block and tackle systems. Available with oilite bronze bushing or with sealed ball bearing. *Ship. wt. 1 lb.*



AW211 2"x1/2" Oilite Pulley

AW212 2"x1/2" Double Oilite Pulley

AW213 4"x5/8" Double Oilite Pulley

Petzl I'D Self-Braking Descenders

It's auto-locking feature combined with a locking position for the handle make the Petzl I'D an excellent descender for working on rope. Additional safety features include an anti-panic function that stops the descent if the handle is pushed too far and an anti-error safety catch that reduces the risk of an accident from the incorrect installation on the rope. Maximum descent distance: 660' (200m). The small model has a safety clip on the swinging side plate that reduces the risk of dropping the device when removed from the rope, such as when passing intermediate anchors. *UL classified to NFPA 198 EN 341 Class A.*



Cat#	Description	Finish	NFPA Rating
BG121	Self-Breaking Descender	Gold	Light Use
BG122	Self-Breaking Descender	Red	General Use

CMC Rescue Steel Locking D Carabiners

UL Classified to NFPA 1983 – General Use

This proven workhorse of General Use carabiners is available in both Screw-Lock and Auto-Lock gates. On the Screw-Lock models the nut locks against the gate to prevent jamming. Auto-locking carabiners decrease the possibility that the user will forget to lock the gate or that the gate will vibrate unlocked while in use. With the safety of a three-stage auto-locking gate that can be easily opened with one hand, these compact models maximize strength yet allow a gate opening wide enough to fit over most litter rails. Every carabiner is proof loaded.



BG271



BG272

BG273



Cat#	Gate Type	Finish	MBS
BG271	Auto-Lock	Gold	8,992 lbs.
BG272	Screw-Lock	Gold	8,992 lbs.
BG273	Screw-Lock	Black	8,992 lbs.

Traverse 540° Rescue Belays

UL Classified to NFPA - General Use

Developed specifically to meet the needs of rescue system belays, the 540° Rescue Belay is a self-locking device that meets demanding drop-test criteria - able to hold falling loads quickly while limiting the peak force. This well-engineered device is easy to rig and the symmetrical design reduces the risk of improper loading. A built-in release lever releases the tension on the belay rope, eliminating the need for a release hitch. *Designed for use with kernmantle rescue ropes from 11.5 to 13mm. 3 MBS: 8,093 lbs. Passes the BCCTR Rescue Belay Competence Drop Test Criteria. Ship. wt. 3 lbs.*

Cat#	Description	Rope Size
BG267	Small 540° Rescue Belay	10.6-11.5mm (7/16")
BG268	Large 540° Rescue Belay	11.5-13mm (1/2")



Lightweight Rappel Gloves

Often copied, never equaled! Leave it to the rope experts to come up with the best gloves for rope work. Lightweight, pliable goatskin provides excellent finger dexterity while two extra layers of cowhide across the palm maximize protection where you need it most. *Ship. wt. 1 lb.*



SPECIFY SIZE: S-XXL

BH023 Lightweight Rappel Gloves

SMC Edge Roller

Reduce friction when going over the edge with the versatile RA/SMC Edge Roller. Two edge rollers connected by quick links will lay over a right angle such as a rack wall or edge of a building. This efficient 4" wide single edge roller ships with screw links for connecting two or more rollers together. *Ship. wt. 5 lbs.*

- ▶ 5/8" steel axle
- ▶ Rubber on bottom
- ▶ Two 3/16" quick links included
- ▶ 4" wide aluminum roller



AZ586 SMC Edge Roller

ProSeries Anchor Straps

UL Classified to NFPA 1983 - General Use



Our popular ProSeries Anchor Straps are used by all types of rescue agencies to quickly set strong, secure anchors. Our straps are sewn with all the care and quality we put into our CMC harnesses. The D-Ring allows the use of high-strength web without compromising carabiner strength. One end is larger so the other end can pass through allowing the strap to be rigged in a Girth Hitch. Remember to avoid triaxial loading on any carabiner to maintain system strength. *End-to-end configuration: 6,000 lbs.*


BG270	5' Blue Anchor Strap (Medium)
AZ580	7' Blue Anchor Strap (Large)

Personal Escape Rope

Sterling's Personal Escape Ropes are manufactured to yield a perfect balance of strength, abrasion resistance, and handling so they perform flawlessly the moment they are needed. The escape ropes are designed with tough sheaths and the proper elongation to help absorb impact force during a "bail out." The 8mm diameter has a high tensile strength and a great hand for packing into turnout gear or drop bags. Available in neon yellow or orange. Certified to NFPA 1983, (2012) edition for Escape Rope. **Ship. wt. 2 lbs.**

SPECIFY LENGTH: 50', 75'

Cat#	Description	Tensile
BE009	Nylon Escape Rope	3,754 lbs.



CMC Rescue Rope Bags

Solid performers for years, the popular CMC Rescue Rope Bags feature a variety of innovative elements. Contoured backpack-style shoulder straps offer greater comfort when carrying a heavy bag. Bag tops are made of rugged pack cloth for easier closing. Handles, just inside the top, can be used to hold the bag open for quicker stuffing or to carry the bag from the top, haul-bag style. A soft rubber side-carrying handle is comfortable on the hand. The bottom of the bag has a large grommet to pass the rope through, plus sewn web loops to tie the rope end off inside or outside of the bag. The #1 Rope Bag is all Cordura® nylon and features an external web handle. **Color: Orange.**



BB056



Cat#	Description	Rope Capacity
AZ590	CMC Rescue Rope Bag	200'
BB056	CMC Rescue Rope Bag	250'-300'

F4 Descender Escape Device

The F4 descender is a new innovative escape device that gives firefighters an advanced, yet simple tool for emergency egress. The F4's sleek, light-weight design (6 oz.) is certified with Sterling's escape ropes. It is engineered to allow for easy horizontal movement. The auto-locking feature adds security and confidence for a hands-free exit of a structure. The F4 can be used by all sizes of firefighters. The low profile shape packs easily in many bags and styles UL certified to NFPA, 1983-2012 Edition for Escape. **Ship. wt. 1 lb.**

- ▶ Weight - 6 oz.
- ▶ Length - 6", width - 2"
- ▶ MBS - 3,035 lbs.
- ▶ Approved Ropes:
 - RIT 500 - AW410
 - Personal Escape Rope - BE009

SPECIFY COLOR: Red or Black

BH186	F4 Descender Escape Device
-------	----------------------------



RIT Heat Resistant Search Line and Escape Rope

Rapid Intervention Teams (RIT) face the most demanding and extreme conditions during search operations. Overcoming extreme heat, ground obstacles, and poor visibility are just some of the hurdles faced when searching for and rescuing trapped firefighters or civilians. Firefighter safety and survival has become an important focus and Sterling RIT Lines are an integral rescue tool in search and bailout operations.

RIT 900 6.8mm - 100% aramid fiber search line. Designed with a supple hand to enable long lengths of cord to be stuffed in a pocket or bag, deployed efficiently, and easily tied with directional knots. Heat resistant to 932F.

RIT 500 8mm - Heat resistant escape rope or search line. Aramid sheath provides heat and cut resistance and nylon core gives flexibility for packing and handling with gloved hands. Sheath is heat resistant to 932F. 5436lbs Tensile. Certified to NFPA 1983-2012 edition for Escape Rope.

SPECIFY LENGTH: 150', 200' 300'

Cat#	Description	Tensile
AS277	RIT 900	4,200 lbs.
AW410	RIT 500	5,486 lbs.

CMC Rescue RIT Kits

UL Classified to NFPA 1983 – General Use

Improved! Often the solution to navigation in an unknown structure with poor visibility is a small cord attached at the entrance and deployed as a firefighter moves through the building, so he can retrace his steps to the entry point or be located by a Rapid Intervention Team. With a carabiner on each end, a partner's line can be attached to yours to extend the distance. The 50 ft. length works well for residences and small structures. The 150 ft. length is a good choice for larger commercial buildings. These kits include CMC Rescue's new reflective RIT Line and two bright orange ProTech™ Manual-Lock Carabiners with keeper pins.



Cat#	Length	Weight
AZ582	50'	1 lb. 11 oz.
AZ583	150'	2 lbs. 10 oz.

CMC MPD Rope Rescue Truck Cache™ Kit

When setting up systems, this well-organized kit provides efficient access to all the rigging hardware needed to set up a main line and belay. The case can be laid on the ground or suspended from the side of a vehicle with integrated gutter hooks, yet when closed, fits easily into a vehicle cabinet or behind the seat.

Kit Includes:

- ▶ UltraPro 4 edge protector
- ▶ 2- FastLink anchor strap
- ▶ 2- Short prusik loop
- ▶ 2- Double swivel pulley
- ▶ 5- ProSeries manual lock
- ▶ 2- Anchor strap sleeve
- ▶ Truck cache
- ▶ 2- MPD 13mm
- ▶ 1" web - 40' (2x20')
- ▶ XL Edge pad
- ▶ 3- Single swivel pulley



BL023 CMC MPD Rope Rescue Truck Cache™ Kit

CMC MPD Rope Rescue System

UL Classified to NFPA 1983 – General Use

More than nine years of research and development went into CMC Rescue's patent-pending Multi-Purpose Device (MPD), which features major innovations in advanced technical hardware for rope rescue professionals. The MPD's high-efficiency pulley, with an integral rope-grab mechanism, means it can be used as a lowering device on the main line and belay line systems and be quickly changed over to a raising system without switching out or replacing hardware. The combination of essential features into a single device simplifies on-scene rigging, expediting the rescue.



Benefits:

- ▶ Reduced weight
- ▶ Fewer components
- ▶ Faster rigging
- ▶ Quicker changeovers
- ▶ Simplified training
- ▶ Lower risk

Features:

- ▶ Variable-friction descent control device for rescue systems and rappels
- ▶ High-efficiency pulley with integral rope-locking mechanism (ratchet) for a haul system
- ▶ Built-in becket allows cleaner rigging and more efficient pulley systems
- ▶ MPD allows main line and belay line rigging to be mirror images of one another
- ▶ One device functions as both a lowering brake and ratcheting pulley for raising
- ▶ Converts rapidly to a retrieval line for confined space operations to a retrieval line
- ▶ Meets BCCTR Rescue Belay Competency Criteria



SPECIFY COLOR: Red or Slate (Blue)

BL022 CMC MPD Rope Rescue System

Sling-Link MAST™

Multiple Application Service Tool (MAST)

The MAST™ is a tool that should be carried in the bunker pant pocket or the specially designed pouch...and absolute must while on the fire floor. The Sling-Link MAST™ has the versatility of a rope with the convenience and speed of a sling.



AW503 - The "Personal Pocket Tool" is a must for every firefighter. This tool has a minimum break strength of 4,500 lbs. and is excellent for the firefighter's bunker pant pocket. The MAST™ is an OSHA approved lifting sling and meets NFPA 1983 as Personal Use or General Use Auxiliary Harness. *Dimensions: 1" wide, five 2' loops for a total of ten feet long. Ship. wt. 1 lb.*

AZ398 - This tool has a minimum break strength of 7,500 9,000 lbs. and is the tool most often found in the RIT Pak or carried by heavy rescue personnel. This MAST™ is a rated commercial grade lifting sling. *Ship wt. 1 lb.*

AW503 Sling-Link MAST™ (Personal Pocket Tool)

AZ398 Sling-Link MAST™

AZ399 MAST™ Bag for AZ398



AZ399

CMC USAR Task Force Kit

A good package for a truck or engine company that responds to over-the-side rescues or needs a vertical lift capability for trench or confined space rescues, this kit contains the primary rope rescue equipment on most of the FEMA and USAR requirements lists.

- ▶ 2 - #2 rope bags
- ▶ 2 - Fire-Rescue harness
- ▶ Rectangular litter
- ▶ One-Piece patient Tie-In Sys
- ▶ 2 - Rescue 8
- ▶ 4 - Adjustable litter strap
- ▶ 4 - ProSeries manual-lock
- ▶ Etrier with Tie-In
- ▶ ProSeries litter harness
- ▶ 2 - Edge Pad - XL
- ▶ 2 - FastLink anchor strap
- ▶ Truck cache
- ▶ 1" web - 72' (6x12')
- ▶ 1" web - 90' (6x15')
- ▶ 5 - ProSeries Pulley
- ▶ Anchor plate
- ▶ 11 - ProSeries screw-lock
- ▶ Long prusik loop
- ▶ Shasta gear bag
- ▶ Litter pack
- ▶ Rectangular litter insert
- ▶ Pelvic harness
- ▶ 2 - gibbs ascender
- ▶ FastLink pick-off strap
- ▶ ProTech auto-lock
- ▶ 5 - Short prusik loop
- ▶ ProSeries litter harness bag
- ▶ UltraPro 4 edge protector
- ▶ 2 - Anchor strap sleeve
- ▶ 2 - 1/2" rescue lifeline - 200'
- ▶ 1" web - 30' (6x5')
- ▶ 1" web - 120' (6x20')
- ▶ 2 - ProSeries load release strap
- ▶ Rescue rack
- ▶ ProTech oval
- ▶ 2 - Short prusik loop



BD050 CMC USAR Task Force Kit

CMC Rope Rescue Team Kit - Rigging

Containing the minimum equipment required to handle most high or low-angle rope rescue responses, this kit includes a main line with mechanical advantage for raising and a descent control device for lowering, a belay line, a litter with a patient-packaging system, and gear for setting up anchors.

- ▶ Rectangular litter
- ▶ One-Piece Patient Tie-In Sys
- ▶ Litter pack
- ▶ ProSeries litter harness bag
- ▶ ProTech auto-lock carabiner
- ▶ 4 - ProSeries manual-lock carabiners
- ▶ 5 - Short prusik loop
- ▶ 2 - FastLink anchor strap
- ▶ 4 - Adjustable litter strap
- ▶ 1" web - 40' (2x20')
- ▶ 1/2" Rescue lifeline - 200'
- ▶ UltraPro 4 edge protector
- ▶ Shasta gear bag
- ▶ 2 - #2 rope bag
- ▶ 2 - Load release Strap
- ▶ 5 - ProSeries pulley
- ▶ Long prusik loop
- ▶ Rectangular litter insert
- ▶ Pelvic harness
- ▶ Lifesaver victim harness
- ▶ ProSeries litter harness
- ▶ 2 - Gibbs ascender
- ▶ 11 - ProSeries screw-lock
- ▶ ProTech manual-lock carabiner
- ▶ FastLink pick-off strap
- ▶ 2 - Anchor strap sleeve
- ▶ Etrier with tie in
- ▶ 1" web - 24' (2x12')
- ▶ 1/2" rescue lifeline - 200'
- ▶ 2 - Edge pad - XL
- ▶ Truck cache
- ▶ Rope rescue manual
- ▶ Anchor plate
- ▶ Rescue rack
- ▶ ProTech oval
- ▶ 3 - Short prusik loop



BD051 Rope Rescue Team Kit

CMC CSR Pulley Kit

The patented locking mechanism in our CSR Pulley is easy to release under load, creating much greater efficiency with the lowering and raising necessary to a confined space rescue. The machined aluminum swivels at both ends of the system eliminate any potential twisting of the lines. This system is also an excellent choice for confined space entry or rope access work where a heavy-duty pulley system is desired.

- ▶ 200' - 1/2" Static-Pro Lifeline
- ▶ CSR pulley
- ▶ CSR double pulley
- ▶ 2 - ProSeries aluminum manual-lock carabiner
- ▶ #3 rope bag

BG274 CSR Pulley Kit



SKED-EVAC™ CSR Kit

Confined Space Rescue System

- ▶ Sked-Evac™ tripod
- ▶ Sked-Evac™ tripod bag
- ▶ Sked basic rescue system
- ▶ Oregon Spine Splint II
- ▶ Stifneck cervical collar kit
- ▶ Skedco 4:1 rescue kit
- ▶ 2 - Full body adjustable rescue harnesses
- ▶ Tag line
- ▶ Belay line
- ▶ Skedco 12"x3" anchor sling
- ▶ Continuous loop sling
- ▶ Handled ascender
- ▶ Skedco rescue stirrup with screw link
- ▶ Rope pad
- ▶ 24" RAVEN rope guard
- ▶ 6 large locking "D" steel carabiners
- ▶ 2 PETZL industrial helmets



Cat#	Description	Ship. wt.
AS448	Skedco Sked-Evac™ CSR Kit 25' Depth	158
AS449	Skedco Sked-Evac™ CSR Kit 50' Depth	168
AS450	Skedco Sked-Evac™ CSR Kit 75' Depth	178
AS451	Skedco Sked-Evac™ CSR Kit 100' Depth	188

SKED-EVAC™ Tripod

The Sked-Evac™ Tripod extends to ten feet high at the three anchors which are available to clip into. Each of the anchors is anodized red for easy identification, and all are equally well centered to handle a load. The anchors, header, and legs are interconnected with 1/2" stainless steel bolts to provide maximum strength. The header limits the distance the legs can spread. When at full extension, this tripod allows you to bring the patient in a stretcher completely out of the hole. It is rated to handle an NFPA rescue load. Included with the tripod is a chain which passes through the feet to provide greater strength and stability. The legs are adjustable in 5" increments, and Skedco provides safe working load data for each tripod height on each tripod. Brackets are available for mounting most popular winches. **Ship. wt. 74 lbs.**



AS441	Sked-Evac™ Rescue/Entry Tripod
AS442	Sked-Evac™ Tripod Carrying Case

Rescue Hauler 4:1 Pulley Device

This ingenious device combines a 3" double pulley with a cam. The rope can move in only one direction when the cam is engaged. It allows you to raise a load by pulling on the tail end of the rope, releasing it, and getting another grip. The cam can be released manually by pulling on the attached cord. The cam is guaranteed for life. There are no hidden parts to this device, facilitating minimal maintenance and easy inspection in the field. The pulley sheaves and body of the Rescue Hauler and matching pulley are anodized. The Rescue Hauler accommodates rope sizes from 3/8" to 1/2". Maximum recommended load at the cam is 2,300 lbs. Minimum break strength when in use is 12,000 lbs. When used with a separate double pulley, it gives you a 4:1 mechanical advantage.



AS443	Skedco Rescue Hauler
-------	----------------------

Skedco Rescue System

This litter is designed for use in mass casualty incidents. These incidents could be airline crashes, terrorist incidents, Haz-Mat or any other incident where large numbers of people must be evacuated. The HMD Sked® is extremely versatile. It can be dragged over virtually any terrain including stairways. It requires less effort from rescuers wearing level A protection. The two inch side release buckles on all straps are easy to handle with the thick gloves on level A or B suits. The straps are polypropylene for resistance to chemicals. They have sewn loops on the ends for quick attachment and removal.



BA091	HMD Sked® Rescue System
BA092	HMD Sked® Body Only
BA093	HMD Sked® Strap Kit
BA094	HMD Sked® Rapid Deployment Case

SKED® Basic Rescue System

The original and still the best solution for confined space, high angle or technical rescue, and traditional land based applications. The Sked® stretcher is a revolutionary design which provides outstanding patient protection and security. The Sked® comes equipped for hoisting by helicopter in horizontal position spaces. When the patient is packaged, the stretcher becomes rigid. The durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces. The stretcher is rolled for storage in a tough Cordura® backpack which is included with the system. The system ships at 19 lbs. and comes complete for most applications. *Available in International Orange.* **Ship. wt. 19 lbs.**



AS452	Sked® Basic Rescue System
-------	---------------------------

Universal Swift Water Rescue Vest

Industry Leading Universal PFD for Swift Water Rescue



- ▶ 25 lbs. (111 N) buoyancy
- ▶ Drag handle and D ring
- ▶ Quick donning with 7 adjustment tabs to create a customized fit for chest sizes from 30" - 52"
- ▶ Layered flotation
- ▶ MOLLE® webbing on both shoulders and back
- ▶ Velcro® panel on back for ID patches
- ▶ 2 large self draining pockets provide ample storage options
- ▶ Durable harness with 2" webbing
- ▶ Quick release belt
- ▶ 500 denier, Cordura® outer shell
- ▶ Over 62 sq. in. of SOLAST™ tape



BL462

Universal Swift Water Rescue Vest

Water Rescue Throwline Bag Set

An inexpensive alternative to the high-performance throwline bags. The Redi-Line Throwline Bag is ideal for the shore based rescuer arriving first on scene. If your response area has water hazards, there should be a throwline in every patrol car, municipal truck, and fire apparatus. The Redi-Line Bag Set makes preparedness affordable. Available in 50' and 75' lengths. The pack cloth bags have our quick-release strap and top handle for easy throwing. An Ethafoam disc provides flotation.



AZ591 50' Rescue Redi-Line Throwline Bag Set

AZ592 75' Rescue Redi-Line Throwline Bag Set

Get The Full View With Wide-Angle Binoculars



AW093



Whether you use your binoculars for fun or professionally, you know that good binoculars make a difference. While several binoculars may be optically equal, some are better than others. No matter what the need may be, these wide-angle binoculars offer the advantage of a wider field of view perfect for forestry firefighting. Binoculars backed by a lifetime warranty. Available in two powers. Ship. wt 2 lbs.

AW093 Wide-Angle Binoculars, 7x35

AW094 Wide-Angle Binoculars, 10x50

Water Cascade Helmet

The Cascade is a superior quality swiftwater helmet which provides a high level of protection. Extra foam padding provides an ergonomic fit and makes the Cascade a multiple impact helmet. Includes three crown pads for a custom fit to your head. Patent pending neck-strap system holds the helmet firmly in place. Unique "rain-gutter" front drains water away from your face. Special side slots make wearing sunglasses more comfortable. Guaranteed for life. Ship. wt 1.5 lbs.



DON'T MISS

More helmets on page 112

SPECIFY SIZE: M-XL

SPECIFY COLOR: White, Red or Yellow

BL398

Water Cascade Helmet

Stearns SAR Mesh PFD Vest

The "Mesh" PFD provides added comfort in warm weather conditions. The soft, lightweight mesh provides a high level of ventilation. Soft Aquafoam™ and durable Crosstech® foam provide comfort as well as the flotation. Two large pockets close with hook and loop fastener. Zippered front is backed by three 1-1/2" belts. USCG Approved Type III. Color: International Orange.

Size	Waist
Small	36"-38"
Medium	40"-42"
Large	44"-46"
XLarge	48"-50"
3XLarge	50"-52"



SPECIFY SIZE

BA086

Stearns SAR Mesh PFD Chest Vest

Rescue Kit 1 with Power Talk Box

The CON-SPACE Rescue Kit 1 with Power Talk Box is configured for a team of five rescuers consisting of two primary rescuers, two standby rescuers and a hole watch/team leader, for entries of 100' (maximum distance 1500'). They system can be configured for up to fourteen people using available modules and accessories. The command module is battery-powered, compact and lightweight making it completely portable. Three 1.5v alkaline "C" cells provide 400 hr. life on standby and all electronics are fuse protected. A low battery LED indicator gives 12 hr. warning battery replacement. System and accessories are waterproof. Molded fiberglass enclosures, knobs, and cables are impervious to a wide range of chemicals.

Includes:

- ▶ CSI-2100 command module
- ▶ CSI-2131 power talk box
- ▶ Cable splitter - Double w/mic mute switch
- ▶ Operator headset single-side, 32"
- ▶ 4 - Rescue facemask com set with universal speaker
- ▶ 4 - Speaker harnesses
- ▶ 1' operator cable w/mic mute switch
- ▶ 20' operator cable w/mic mute switch
- ▶ 50' cable with connectors
- ▶ 4 - 100' cable with connectors with strain relief/snap hook
- ▶ Cable coiler
- ▶ Cable bag for 100'-300' of cable
- ▶ 2000 carrying case



AZ400 Rescue Kit 1 with Power Talk Box

FireCraft® trACer™ Non-Contact AC Voltage Detector

- ▶ Detects AC voltage at a safe distance
- ▶ Pinpoints direction of downed lines
- ▶ Detects power in unused outlets
- ▶ Fits in pocket for hands-free use
- ▶ Audio and visual signals
- ▶ Storage case and DieHard® battery included
- ▶ MADE IN THE U.S.A.
- ▶ Patent Pending



Case included



BL253 FireCraft® trACer™

Victim Locator Kit

The Victim Locator Kit is lightweight, portable, battery-powered and can be operated by a single rescuer. Multiple kits can be deployed simultaneously on the same site without interfering with each other. Completely stand alone system that gives a single rescuer the ability to search a collapse. On location of a victim, 2-way voice communication is established immediately. Attaching a metal or PVC pipe to the back of the probe allows rescuers to push it deeply into a collapse through holes and cracks.

Includes:

- ▶ CSI-1100 mini module
- ▶ Rescue probe
- ▶ Probe behind-head headset-double w/mute
- ▶ 25' probe interface cable
- ▶ Rope coupler for probe
- ▶ Pipe coupler for probe
- ▶ 50' probe cord/snap hook
- ▶ Carrying case



AR314 Victim Locator Kit

HotStick Voltage Detector High Sensitivity Detector For Emergency Responders

The HotStick provides warning of exposed high voltage AC from a safe distance without the need to contact the surface carrying the current. It gives early audible ("beeping") and visual (flashing LED) warnings, and beeps and flashes more rapidly the closer it comes to the voltage. Comes with a built-in self test so there is no doubt about it functioning properly.

- ▶ CONFIRM power shutdown, lockout, tag out, disconnects
- ▶ FIND hidden sources of dangerous AC from a safe distance
- ▶ DETECT power line back feeds from motor generators and energized pools of water
- ▶ ENSURE a safe environment for your vehicular rescue
- ▶ PROTECT the life of your first responders
- ▶ CHECK IT trust is good – checking is better



Case included

BL318 HotStick Voltage Detector

FLIR Thermal Camera Kits

The new FLIR K40 and K50 Fire Service TICs are simpler to use and make it easier to see under the most challenging conditions. A larger 4" LCD display shows FLIR's renowned thermal image quality with extra clarity. Five imaging modes help speed tactical decisions and the search for survivors. Oversized buttons allow effortless gloved-handed operation. The K-Series also provides capture for up to 200 jpeg IR snapshots. You can review them later from the onboard archive or export to your computer via USB to generate reports. The K-Series has been ruggedly designed, with IP67 rating, to withstand a 2 meter drop onto concrete as well as water submersion. And FLIR's innovation and manufacturing economies of scale make the K40 and K50 the most affordable thermal imaging cameras (TICs) in their class, putting more thermal imaging power into the hands of more first responders.

Kits Include:

- ▶ Thermal imaging camera (TIC)
- ▶ Tabletop charger with power supply
- ▶ Tripod adapter (UNC 1/4"-20)
- ▶ Hard case
- ▶ 2 - Li-Ion batteries
- ▶ USB cable
- ▶ Retractable lanyard
- ▶ Neck strap
- ▶ FLIR tools software (scratch cards)



BL504

RESCUE TOOLS



BL503	FLIR K40 Thermal Camera Kit 240x180
BL504	FLIR K50 Thermal Camera Kit 320x240
BL505	Truck Charger

Argus® 4 Thermal Imager

The Argus® 4 is the next generation of highly successful Argus® Thermal Imaging Camera (TIC) from e2v. It uses an uncooled high-resolution 320x240 pixel, Amorphous Silicon (ASI) Microbolometer Detector. The camera has been specifically designed to help fire fighters to see through smoke, identify and rescue casualties and locate hot spots or the seat and spread of the fire.

- ▶ Scene colorization - user selectable choice of color palettes
- ▶ Direct Temperature Measurement (DTM)
- ▶ SceneSave™ digital image capture - 100 image capacity
- ▶ Tri-Made sensitivity
- ▶ Customizable start-up screen
- ▶ Ambient temperature measurement
- ▶ Digital double zoom
- ▶ On-Screen time and date

BK189	Argus® 4 Thermal Imager
BK190	Truck Battery Charger
BL559	Argus® 4 Rechargeable Battery



argus®
thermal imaging from e2v