

ProPolymer® Flashlights

The professional's choice for high-performance alkaline powered flashlights. The ProPolymers® are completely waterproof (submersible to 200'), extremely tough and incredibly bright. Their powerful Xenon or LED beams produce a brilliant pre-focused beam that can be activated by a tail switch. Made of nonconductive polymer case with thermoplastic elastomer grip, making it perfect for wet grip handling or gloved hands. Features rubber face cap for impact and shock resistance. Yellow only. UL Class I, Division I listed for use in hazardous locations. *Ship. wt. 2 lbs.*

Cat#	Description	Length	Output
AM276	2 "AA" Xenon	6.06"	4,000 cp
AM277	4 "AA" Xenon	6.5"	11,000 cp
AM278	3 "C" Xenon	8.55"	16,000 cp
AW354	4 "AA" LED	6.5"	67 lumens
BC016	3 "C" LUX	9.3"	3,500 cp



AM276



AM277



AW354



BC016



BK114

POLYTAC® LED Flashlight

With its virtually indestructible nylon polymer housing, and piercing brightness of its unbreakable C4®, this tactical light will be by your side for a long time.

Features:

- ▶ Powered by two 3v CR123A lithium batteries
- ▶ Up to 9,500 candela and 275 lumens measured system output
- ▶ Run-Time: Continuous 3 hours
- ▶ Length: 5.34"
- ▶ Waterproof up to 1 meter for 30 minutes
- ▶ Ten Tap programmable switch

BK224 Includes:

- ▶ POLYTAC® LED flashlight (yellow)
- ▶ Lithium batteries
- ▶ BlackJack mount
- ▶ Helmet band

BK114 SPECIFY COLOR: Black or Yellow

BK114 POLYTAC® LED Flashlight

BK224 POLYTAC® LED Flashlight (Yellow) with Mounting Kit



BK224



Helmet not included

3AA ProPolymer® HAZ-LO® Helmet Lighting Kit

new

Universal lighting kit fits both traditional and modern style firefighting helmets. It is a low-profile, lightweight, economical alternative for securely mounting a flashlight to almost any style fire helmet.

Includes:

- ▶ 3AA ProPolymer® HAZ-LO® with alkaline batteries
- ▶ Streamlight helmet mount and rubber helmet strap

Features:

- ▶ C4® LED technology - impervious to shock with a 50,000 hour lifetime - runs 6.5 hours; regulated run time
- ▶ 4,200 peak beam cp, 100 lumens
- ▶ High-performance, anti-static, thermoplastic material resistant to chemicals and solvents
- ▶ O-ring sealed, dust-proof, water-tight enclosure
- ▶ IP67 rated for dust-tight and waterproof to 1 meter for 30 minutes
- ▶ IPX4 for water spray
- ▶ 3 meter impact resistance tested
- ▶ 7"; 7.5 oz. with batteries (included)
- ▶ ATEX-approved for Category 1 (Zone 0) locations
- ▶ For use where an explosive gas atmosphere (other than mines susceptible to firedamp) is continually present or for longer periods
- ▶ Maximum operating temperature of <135°C.

COLOR: Yellow

BL584 3AA ProPolymer® HAZ-LO® Helmet Lighting Kit



Helmet not included





3315 Compact LED Flashlight

The new 3315 LED flashlight is a lightweight, compact design housing only 3AA batteries powers a single LED for 113 lumens of super bright LED light. Safety approved for the most volatile work environments, the 3315 LED flashlight is safe, and one of the most efficient flashlights on the market today.

- ▶ Compact, using 3AA batteries
- ▶ Safety Approved - CI II III Div 1, ATEX Zone 0, IECEx
- ▶ Economical
- ▶ Includes security lanyard
- ▶ Lumens: 113
- ▶ Run-Time: 9.75 hours
- ▶ Peak Beam Intensity: nearly 6,000



new



BL464

SPECIFY COLOR: Black or Yellow

BL464 3315 Compact LED Flashlight

SabreLite™ 2010 Recoil LED™

- ▶ Tested lumen value 65
- ▶ 1 watt luxeon LED using Recoil LED Technology™
- ▶ 3 C alkaline batteries (not included)
- ▶ 50 hrs. battery burn time
- ▶ O-ring sealed w/twist-on shroud
- ▶ Rugged ABS body
- ▶ Submersible to 500'
- ▶ Polarity battery guard tray included
- ▶ Approvals: Class I, II, III, Div. 1 Gp. DFG T4, Class I, Div. 2, Gp. ABDCD T4 CE II 3 GD T135°C EEx nL IIC T4

SPECIFY COLOR: Black or Yellow

BE045 SabreLite™ 2010 Recoil LED™



BE045



AK112

Super SabreLite®

The SabreLite®'s Laser Spot™ Xenon lamp produces a tightly focused 12,000 CP white beam. Submersible to 500 feet with an unbreakable ABS body and high-impact polycarbonate lens. Comes complete with convenient carrying package: belt spring clip, stainless steel split ring and lanyard. Requires 3 C-cell batteries (not included). FM, CSA, MSHA and AUS approved nonincendive; UL approved, Class I Division I approved. Ship. wt. 1 lb.

SPECIFY COLOR: Black or Yellow

AK112 Super SabreLite®



AK112

Universal Helmet Light Holder

- ▶ Allows for dozens of configurations
- ▶ Tough Polymer construction w/brass inserts and stainless steel hardware
- ▶ Fits all models of fire helmets
- ▶ Fits 17 Pelican flashlight models
- ▶ Ship. wt. 1 lb.



BE046 Universal Helmet Light Holder

StealthLite™ - One-Hand Operation

- ▶ Tested lumen value 25.0
- ▶ Precision aluminum, Xenon fired lamp module
- ▶ 4AA alkaline batteries (included on select packaging)
- ▶ Unbreakable Lexan body with a hi-impact nylon lens
- ▶ One-handed safety switch
- ▶ 4.0 hrs. battery burn time
- ▶ Submersible to 500'
- ▶ Double shock mounted battery compartment
- ▶ Adjustable wrist lanyard

SPECIFY COLOR: Black or Yellow

AK113 StealthLite™

NITEX® PRO eLED Rechargeable Flashlight

The Class 1 Div 2 certified Nitex® PRO eLED Rechargeable Flashlight is the smallest and brightest in its class. The unbreakable nylon helmet clip allows for pinpoint positioning of the light beam and is easy to remove. For use as a handheld flashlight, for close-up or inspection work. At 4.6" it is remarkably lightweight, and fully loaded with features.

- ▶ Proprietary Compound Path Optics (CPO) permits high efficiency and compact size
- ▶ Thermal Recovery System recycles heat from the LED to warm batteries for improved performance in low temperatures
- ▶ Beam pulses briefly to indicate low battery level below 10%
- ▶ Waterproof design for all weather use
- ▶ Large push-button switch works with heavy gloves
- ▶ High impact ABS, LEXAN®, polyurethane rubber and aluminum construction
- ▶ Beam produces a bright spot with almost no peripheral light
- ▶ Charges in less than 4 hours
- ▶ Brightness: 90 lumens
- ▶ Burn Time: 4 hrs.
- ▶ Distance: 500'
- ▶ Lamp: High intensity white LED
- ▶ Batteries: 1 rechargeable Lithium-Ion
- ▶ Dimensions: 4.6"x1.4"x1.4"
- ▶ Weight: 3.6 oz.

COLOR: Safety Yellow

BL629 NITEX® PRO eLED Rechargeable Flashlight

LED Rechargeable Flashlight

Designed for professional and consumer use, the Mag-Lite® Mag Charger Flashlight combines beauty, reliability, and beam adjustability. Featuring a powerful LED and an electronic switch that includes an array of user-configurable function sets. The Mag Charger is built to withstand extreme temperatures and is water resistant. The environmentally friendly NiMH battery pack has more storage than the previous NiCd battery pack and works with any Mag Charger. Improved Spot-to-Flood quick focus system requires less than 1/4 turn of the head. Charging cradle, 120 volt converter, 12 volt power adapter, NiMH rechargeable battery pack, and mounting brackets included.

- ▶ Beam Distance: 417 meters - Over 1/4 mile
- ▶ Light Output: 680 lumens
- ▶ Peak Beam Intensity: 43,667 cp
- ▶ Two brightness levels plus strobe
- ▶ Run-Time: Low: 16 hours; high: 4 hours 30 mins.
- ▶ Weather resistant
- ▶ Impact Resistance: 1 meter

BL607 LED Rechargeable Flashlight

Stinger® LED Rechargeable Flashlight

- ▶ Case Material: Machined aircraft aluminum with non-slip rubberized comfort grip and anti-roll rubber ring
- ▶ Length: 8.41", 12.4 oz.
- ▶ Light Source: C4® LED technology, impervious to shock with 50,000 hr. lifetime
- ▶ Light Output: Up to 24,000 candela (peak beam intensity); up to 350 lumens
- ▶ On/Off: Dual switch technology: Independent working push button tailcap switch or head switch
- ▶ Charging: 10 hours to fully charge
- ▶ High, medium and low brightness modes

BK020 Stinger® DS LED Flashlight

AE597 Stinger® Xenon Flashlight

AF230 Replacement Battery

AF231 Replacement Bulb

Rechargeable Batteries

AZ221 Responder Battery

AZ222 Vulcan® Battery

AZ223 Survivor® Battery

AZ224 Superstinger Battery

AZ225 Stinger® Battery

AZ226 SL35/35X Battery

AZ227 SL20XP Battery

AZ228 SL15X Battery

AZ229 Scorpion® Battery

AZ230 Lite Box® Battery

AZ231 SL20/20X Mag-Lite® Battery

UK Underwater Kinetics

new



MAG-LITE®



Dual Switch TECHNOLOGY

C4 LED




STREAMLIGHT



FoxFury Command 20

Ultra-Slim 20 LED Fire Helmet Light

Fits ALL fire helmets with goggles, Bourke eyeshields, EZ-Flips, and Defender visors, and external faceshields. Meets NFPA fire resistant requirements (500°F for 30 minutes). *Ship. wt. 1 lb.*



LED / Light Output:

- ▶ 60 lumens
- ▶ 20 LEDs: 18 white, 2 green

Durability:

- ▶ Polycarbonate housing
- ▶ Fire and impact resistant
- ▶ Waterproof to 20'

Battery:

- ▶ 4 AA batteries
- ▶ Life: 7 to 12 hrs.

Features:

- ▶ 3 modes
- ▶ Optimized blend of focused, distance, and panoramic light
- ▶ Rear safety LED (Red)
- ▶ Tap on/off switch
- ▶ Dimensions: 4.8"Wx0.7"Dx1"H

BK367 Command 20 Fire Helmet Light

Petzl DUO® LED Headlamp

- ▶ Durable construction
- ▶ Waterproof down to -5 meters
- ▶ Halogen light for long-range, focused lighting
- ▶ 5 LEDs for flood beam lighting with a long burn time
- ▶ Adjustable and comfortable elastic headband
- ▶ Lockable on/off switch
- ▶ Light body can be tilted
- ▶ Spare halogen bulb in the light body of the headlamp
- ▶ Operates on 4 AA/ LR6 batteries (included)



BA084 Petzl DUO® LED Headlamp

BA085 DUO® Halogen Bulb

FoxFury Discover Tasker

Powerful Ultra-Slim LED Fire Helmet Light

Fits ALL fire helmets with goggles, Bourke eyeshields, EZ-Flips, and Defender visors, and external faceshields. Meets NFPA fire resistant requirements (500°F for 30 minutes). *Ship. wt. 1 lb.*



LED / Light Output:

- ▶ 100 lumens
- ▶ 3 white LEDs

Durability:

- ▶ 6061 aluminum housing with stainless steel sidepods
- ▶ Fire and impact resistant
- ▶ Waterproof to 10'

Battery:

- ▶ 4 AA batteries
- ▶ Life: 7 to 12 hrs.

Features:

- ▶ 2 Modes: low (45%), high (100%)
- ▶ Removable lens - can be replaced if damaged
- ▶ Uniform horizontal beam
- ▶ Rear safety LED (Red)
- ▶ Tap on/off switch
- ▶ Dimensions: 2.8"Wx0.7"Dx0.6"H

BK368 Discover Tasker Fire Helmet Light

BlackJack Helmet Flashlight Mount

- ▶ **Tough:** Built from aircraft grade 6061 aluminum
 - ▶ **Necessary:** Superior under brim patented design securely holds light on the helmet where you put it, where you need it
 - ▶ **Adaptable:** Fits most firefighting helmets, both traditional and modern styles from SureFire, Pelican, UK, Streamlight & Bright Star 4AA Lights
- Ship. wt. 1 lb.*



SPECIFY LIGHT: SureFire, Pelican, UK, Streamlight, or Bright Star 4AA Lights

BD077 BlackJack Helmet Flashlight Mount

Vantage® Helmet-Mounted Light

Compact, Powerful, Shock-Proof, & Virtually Indestructible

- ▶ Lightweight, compact, low profile design easily attaches above or below full brim on fire helmets
- ▶ Anodized aircraft aluminum, high impact, chemically resistant engineering polymer LED housing
- ▶ Fits both traditional and modern style helmets & hard hats
- ▶ Solid-state current regulation for consistent illumination
- ▶ IPX7 rated, waterproof up to 1 meter for 30 minutes
- ▶ Up to 7,000 cp central intensity; 115 lumens measured system output
- ▶ 6 hrs. of continuous runtime to the 10% output level
- ▶ Meets NFPA 1971-8.6 (2007) requirements
- ▶ Length: 3.26"
- ▶ Ship. wt. 1 lb.



C4 LED is 2-3x brighter than previous generation LEDs



Ultra-bright blue taillight LED

BG518 Vantage® Helmet-Mounted Tactical Light

Trident® LED Headlamp

The durable, multi-purpose, ultra-bright Trident® headlamp provides the broadest range of lighting applications for close-up and distance work. Ship. wt 1 lb.

- ▶ 4,000 cp beam intensity; 80 lumens; 126m beam distance; 5 hr. run time
- ▶ 1 ultra-bright white 5mm LED for extended run-times and when less intense beam is ideal: 120 cp beam intensity; 11 lumens; 22m beam distance; 53 hr. run-time
- ▶ 3 ultra-bright white 5mm LEDs for bright light and longer run-time: 385 cp beam intensity; 35 lumens; 39m beam distance; 10 hr. run-time
- ▶ IPX4 rated for water resistance; 2 meter impact resistance tested
- ▶ 90° tilting head features a robust ratcheting system; prevents neck fatigue
- ▶ Includes elastic head strap and rubber hard hat strap
- ▶ Powered by 3 AAA alkaline batteries (included)
- ▶ Low-level battery indicator flashes red



Streamlight



AW283 Trident® LED Headlamp

Vizion™ 3AAA eLED Headlamp

- ▶ Waterproof design for all weather use
- ▶ 3 selectable beam patterns: spot, diffuse, and red diffuse
- ▶ Large push button control switch works with heavy gloves
- ▶ Powered by 3 alkaline or lithium AAA cells
- ▶ Rotating beam angle adjustment knob, no hinge to break
- ▶ Great for clearing brush in wildland firefighting operations
- ▶ Made in the USA
- ▶ Ship. wt. 1 lb.

UK Underwater Kinetics



BG506 Vizion™ 3AAA eLED Headlamp - 65 Lumen

UK Helmet Lights

- ▶ ABS body won't crack, dent, corrode or conduct electricity
- ▶ Bright, narrow beam with a Xenon halogen or LED bulb
- ▶ Helmet clips offer hands-free illumination with a swivel head
- ▶ FM approved (Class I, Division for use in hazardous locations)
- ▶ Batteries included
- ▶ Ship. wt. 1 lb.

UK Underwater Kinetics

COLOR: Yellow

AZ110 4AA Xenon - 38 Lumen

BE088 4AA eLED Zoom Light - 77 Lumen

AZ111 Stainless Steel Helmet Clip

BH048 Low Profile Rylee Clip



BE088



AZ111



BH048

Survivor® C4 LED Flashlight

One of the Brightest, Right-Angle LED Flashlights in the World!

- ▶ 4 Modes of Operation: High, Low, Moonlight and Flash
 - Flash mode runs 8 hours continuous
 - Moonlight mode runs 20 days continuous
- ▶ High Beam: Up to 36,000 candela peak beam intensity; 175 lumens
- ▶ Low Beam: Up to 12,000 candela peak beam intensity; 60 lumens
- ▶ Run-Times:
 - Ni-Cad: High - 3.5 hrs., Low - 13+ hrs., Flash - 7+ hrs.
 - Alkaline: High - 4 hrs., Low - 15+ hrs., Flash - 7+ hrs.
- ▶ Rechargeable model includes back-up alkaline battery pack
- ▶ Charger meets NFPA 1901-14.1.11.2 (2003) mounted in any position
- ▶ Limited lifetime warranty
- ▶ UL listed



FLASHLIGHT COLOR: Orange

BD203	Survivor® LED Rechargeable with AC/DC
BD204	Survivor® LED Rechargeable with AC
BD205	Survivor® LED Rechargeable with DC
BD206	Survivor® LED (Alkaline Model)



The Responder Right Angle Flashlight Lets You Choose the Power

Rechargeable Ni-Cad or Alkaline Battery-Powered Responder

A unique and revolutionary design that features an interchangeable power supply and a 4.8-volt Ni-Cad rechargeable pack, the Responder provides more than two hours of continuous light and a quick charge time of two hours. Should you not have time to recharge, simply replace the rechargeable battery pack with four C-cell Alkaline batteries and you immediately have five more hours of light. Easily snaps into charger/storage unit and features one-handed release. Rugged, impact-resistant polycarbonate housing is lightweight (entire light weighs less than one pound), water-resistant and can be clipped to your belt. Pre-focused beam comes from the super-bright halogen bulb producing 45,000 cp with Ni-Cad battery and 60,000 CP with Alkaline batteries. Oversized push button switch allows easy, one-handed operation with gloves. Comes with a two spare bulb holder (spare bulbs sold separately). Survives 30' drop test, UL/CUL/CSA certified for hazardous locations. Responder (Division 1) Orange, Responder (Division 2) Yellow. Ship. wt. 3 lbs.

- ▶ Rechargeable Ni-Cad or Alkaline
- ▶ Oversized On/Off glow labels
- ▶ Quick change bulb
- ▶ Charges in 2 hours



AS052	Orange Rechargeable Responder, Div. 1
AS053	Yellow Rechargeable Responder, Div. 2

Non-Rechargeable Alkaline Battery-Powered Responder

- ▶ Lens Ring: Flame-retardant Santoprene
- ▶ Lens: Polycarbonate
- ▶ Bottom Cap: Super-tough nylon
- ▶ Switch: Super-tough nylon
- ▶ Tube: Super-tough nylon
- ▶ Reflector: Ultem 1000
- ▶ Contact: Foam mesh bag (for alkaline batteries)
- ▶ Dimensions: 2 1/2" Lx3"Wx7"H
- ▶ Survives 30' drop test
- ▶ Push-button switch
- ▶ Waterproof
- ▶ 2 hour charge time
- ▶ Lightweight (1 lb.)
- ▶ 60,000 cp and 5 hr. burn time with Alkaline batteries (6.0v)
- ▶ Spare bulb compartments
- ▶ Halogen bulb



BG107	Orange Non-Rechargeable Responder, Div. 1
BG108	Yellow Non-Rechargeable Responder, Div. 2

LED Responder Right Angle Flashlight

BL404:

- ▶ Interchangeable power supply
- ▶ Easily switch from rechargeable to alkaline
- ▶ Wide-eye lens
- ▶ Oversized push button switch
- ▶ Stainless steel clip
- ▶ 30" drop

BL405:

- ▶ First right angle with Lithium Ion battery technology
- ▶ Extremely lightweight
- ▶ Battery charge indicator
- ▶ Slim and compact to keep it close to your body
- ▶ LED charge status indicator

BL404 Alkaline LED Responder Right Angle Flashlight

BL405 Rechargeable LED Responder Alkaline Right Angle Flashlight

LED Right Angle Flashlight

Pelican leads the way yet again with its new right angle light. Featuring downcast LEDs for illuminating your path, this new LED light also features 174 lumens (high) and 95 lumens (low), and a signaling mode. Another first is a built in battery life indicator so you will know your light's battery level before you go in. Compact, rugged, and lightweight, this new LED light contains the latest technology, Pelican's legendary build quality and lifetime guarantee of excellence.

- ▶ Run-Time: High: 4h 45m low: 8h 30m
- ▶ Light Output: High: 174 lumens
low: 95 lumens
- ▶ Beam Distance: High: 278 meters
low: 175 meters
- ▶ Length: 5.36"

COLOR: Yellow

BL200 LED Right Angle Flashlight

BL295 LED Right Angle Rechargeable Flashlight

BL295



Big Ed™ Flashlight

Pelican packs the brightness of up to 65,000 cp and long run times into its Big Ed™ flashlights. Their chemical-resistant, unbreakable Xenoy® bodies and heavy-duty stainless steel clothing clips provide unbeatable durability. Included back-up lamps ensure the flashlights' long life. A quick-change battery ejection button makes battery removal simple. Color: Yellow.

Big Ed™ Rechargeable

Provides 65,000 cp for two hours and 15 minutes, along with the back-up option of four hours at 45,000 cp. The double charger can handle both the primary light and spare battery pack simultaneously. Offers 150-hour lamp life. Ship. wt. 9 lbs.

AS005 Big Ed™ Rechargeable with
110V Fast Charger

Big Ed™ Alkaline 4C

Offers choice of 2 hrs. at 55,000 cp (primary) or 4hrs. 45m at 45,000 cp (back-up). 100 hr. lamp life. Requires 4 C-cell batteries. Ship. wt. 5 lbs.

AS004 Big Ed™ Alkaline 4C



Little Ed™ Recoil™ LED with Photoluminescent Shroud

Don't be fooled by the name. This right angle light packs a punch. The Little Ed™ is made of ABS resin that's extremely strong, light weight, corrosion-proof, resistant to extreme temperatures, and is outfitted with our Recoil LED™ module. The Little Ed™ uses a 1 watt LED that's aimed backwards into the reflector.

100% of the light is captured and aimed forward as a tight collimated beam that's as bright as an incandescent. The Little Ed™ with photoluminescent shroud is outfitted with a lens ring that emits a bright glow in the dark. The new generation photoluminescent material in the plastic absorbs the energy from any light source - fluorescent lights, the sun, or even the flashlight's own beam. No more fumbling in the dark for your flashlight. For hands-free use, a stainless steel clip is built-in. Attach the Little Ed™ to your turnout coat or work shirt. It is powered by 4 AA alkaline cells (included). Approvals: Class I, Div. 2 Gp. ABCD T4A; Class II, Div. 2 Gp. FG.

- ▶ Light Source: Recoil LED™
- ▶ Tested Lumen Value: 84.0
- ▶ Tested Lux Value: 4,300
- ▶ Batteries: 4 AA alkaline (included)

- ▶ Battery Burn Time: 32 hrs.
- ▶ Watts: 1, Voltage: 6
- ▶ Length: 7.51"
- ▶ Ship. wt. 1 lb.



BE308	Little Ed™ Recoil™ LED
BE309	Little Ed™ Recoil™ LED with Photoluminescent Shroud
BC049	Little Ed™ Recoil™ LED Rechargeable



BE308

UK Unilite Right Angle Light

- ▶ Universal right angle head rotates 360° allowing the light beam to be pointed in any direction
- ▶ Includes a removable heavy-duty polycarbonate belt clip/pocket clip and split ring with clip for attaching to turnout gear
- ▶ Waterproof to 10' in wet conditions
- ▶ Tough, non-corroding ABS and polycarbonate plastic construction
- ▶ O-Ring seal to prevent dust and dirt invasion
- ▶ Safety rating Class 1 Division 2 for hazardous locations
- ▶ Ergonomic shape
- ▶ As bright as the C-cell competition
- ▶ Withstands 6-foot drop to concrete
- ▶ Brightness: 37.7 lumen
- ▶ Lamp: 2.1 watt, high brightness Xenon filled
- ▶ Burn Time: 4-5 hours
- ▶ Batteries: 4/AA



UK Underwater Kinetics

BB002	UK Unilite Right Angle Light - 38 Lumens
BL046	4AA LED Right Angle Light - 77 Lumens

PolyTac® 90 Compact Flashlight

Strobe Runs for 6 Hours

This new fixed right-angle back-up light with D clip is now available with or without a Gear Keeper accessory. This versatile right angle compact tactical flashlight can clip onto turnout gear, ACH or onto our new elastic head strap for a headlamp. It's super bright, can be operated easily with gloves and is encased in a virtually indestructible nylon polymer housing.

- ▶ 90° head
- ▶ 1 meter impact resistance tested
- ▶ O-ring sealed; IPX7 rated design; waterproof to 1 meter for 30 minutes
- ▶ Integrated carabiner style D-ring for a variety of attachment methods
- ▶ Fully rotatable/reversible/removable clip to allow a variety of mounting positions
- ▶ LED Solid State Power Regulation provides maximum light output throughout battery life
- ▶ Individually serialized for positive identification
- ▶ BK380: Gear Keeper option with tether features spectra nylon line with 36" extension; 6 oz. retraction force
- ▶ 7,000 cd; 170 lumens, high: 3.75 hrs. low: 30 hrs.

Head mounted push button switch

C4® LED technology, shock-proof w/50,000 hr. lifetime

High-impact, super tough nylon polymer



COLOR: Orange

BK379	PolyTac® 90 Flashlight with Lithium Batteries
BK380	PolyTac® 90 Flashlight with Gear Keeper and Lithium Batteries

Knucklehead® Spot Light

Designed to Put Light Where You Need it, the Knucklehead® is the Most Versatile Light You Will Ever Own.

- ▶ Shockproof C4® premium LED technology combined with a deep dish parabolic reflector produces a focused beam for longer distances – 210 meters on high beam
- ▶ Durable spring-loaded clip for easy attachment to turnout gear and uneven surfaces
- ▶ 210° articulating head that rotates a full 360°
- ▶ 4 Modes: High, Low, Moonlight and Flash
- ▶ Dual Power Source: Accepts rechargeable NiCd battery pack or 4 "AA" alkaline batteries
- ▶ Rubber dome push-button actuator
- ▶ Removable magnet with 135 lb. pull strength features a replaceable rubber boot
- ▶ Optimized electronics provide regulated intensity
- ▶ High-impact, super-tough nylon polymer construction for exceptional durability
- ▶ 2 meter impact-resistance tested
- ▶ IPX4 rated for water-resistance
- ▶ Serialized for positive identification
- ▶ 9.2" (23.4 cm); NiCd 23.1 oz. (655 grams); Alkaline 18.3 oz. (519 grams)
- ▶ Assembled in USA

new



COLOR: Orange

BL496 Knucklehead® Spot 120V AC/12V DC Light

BL497 Knucklehead® Spot Alkaline Light

E-FLOOD™ and E-Spot™ LED Lanterns

The E-Flood™ and E-Spot™ models are industrial-duty, rechargeable, portable lanterns featuring power LED technology for high brightness, long runtime and high reliability. The E-Flood™ models use 6 LEDs and wide pattern reflectors to produce a uniform flood pattern.

BK226



- ▶ C4® LEDs, impervious to shock with a 50,000 hr lifetime
- ▶ Optimized electronics provide regulated intensity
- ▶ 2 Levels of Lighting: High: 4,000 candela, 615 lumens, up to 8 hrs., Low: 2,150 candela, 330 lumens, up to 18 hrs.
- ▶ Zero-maintenance, 6V, 12 amp-hr sealed lead acid battery is rechargeable up to 500 times
- ▶ High impact ABS thermoplastic housing
- ▶ Rubberized impact bumper, lens ring and cushioned-grip handle
- ▶ Fits existing LiteBox® chargers
- ▶ IPX4 Rated for weather resistant operation

E-Spot™ Features:


- ▶ 2 user programmable ultra-bright blue tail-light LED's
- ▶ C4® LED technology for high brightness
- ▶ 2 Levels of Lighting: High: 55,000 candela peak beam intensity, 540 lumens, up to 7 hrs., Low: 32,000 candela peak beam intensity, 330 lumens, up to 15 hrs.
- ▶ Shoulder strap



BK047



STREAMLIGHT
Never Tired Streamlight



COLOR: Orange

BK047	E-Flood™ LiteBox® Standard System with AC/DC, Shoulder Strap and Mounting Rack
BK048	E-Flood™ LiteBox® Firebox Vehicle Mount System with DC, Shoulder Strap
BK049	E-Flood™ FireBox® Standard System with Dual Rear LED's, AC/DC, Shoulder Strap and Mounting Rack
BK050	E-Flood™ FireBox® Vehicle System with Dual Rear LED's, DC, Shoulder Strap
BK226	E-Spot™ FireBox® with 120V AC/12V DC
BK227	E-Spot™ FireBox® with Vehicle Mount System
BK228	E-Spot™ LiteBox® with 120V AC/12V DC
BK229	E-Spot™ LiteBox® with Vehicle Mount System
BK370	E-Spot™ Upgrade Kit
BK371	E-Flood™ Upgrade Kit

Vulcan®

Industrial-Duty, Lightweight, Rechargeable, Waterproof Lantern; It's Virtually Indestructible.

- ▶ High-intensity halogen bi-pin bulb
- ▶ 8 watt spot provides up to 80,000 candela (peak beam intensity), 150 lumens typical
- ▶ Up to 3.25 hrs. continuous run time per charge
- ▶ Zero-maintenance 4.5 amp-hour sealed lead acid battery is rechargeable up to 500 times
- ▶ Red and green LEDs give charge status
- ▶ Serialized for positive identification
- ▶ High-impact ABS thermoplastic housing with rubberized cushioned grip handle
- ▶ Waterproof
- ▶ Dimensions: 7.5"x5"x6.5"
- ▶ Assembled in USA
- ▶ Ship. wt. 4 lbs.

NFPA



AK277	Vulcan® AC/DC System
AK278	Vulcan® Vehicle Mount System

Vulcan® AC/DC System

120-volt AC & 12-volt DC charger, shoulder strap & charging rack

Vulcan® Vehicle Mount System

Truck mountable 12-volt DC direct wire charging rack & shoulder strap

Fire Vulcan® Lanterns

Available in Halogen or LED Rechargeable

The Fire Vulcan® is the brightest, lightest and smartest lantern in its class. The life-saving taillights are just part of what makes the Fire Vulcan® such a critical firefighting tool. In fact, this versatile lantern is ideal for the many roles of a firefighter. It provides all the benefits of the original Vulcan® (powerful, lightweight, and waterproof), but now offers even more. The LED rechargeable features new C4 LED technology and our special reflector makes it 5x brighter than competing lights. *Meets NFPA requirements.*

AZ116 Features:

- ▶ Ultra-bright blue taillight LEDs offer 2 modes: "steady" and "blinking"
- ▶ Easy-to-operate toggle switch
- ▶ High-visibility orange
- ▶ Compact and lightweight
- ▶ **Extremely Powerful:** 80,000 cp, 150 lumens
- ▶ Rugged, high-impact thermoplastic housing
- ▶ Waterproof
- ▶ Fits existing Vulcan® chargers
- ▶ Ship. wt. 4 lbs.

BG522 Features:

- ▶ Up to 80,000 candela peak central intensity; 145 lumens
- ▶ 2 lightweight lithium ion nanotechnology cells: recharges in 5 hrs.
- ▶ Charger base meets requirements of NFPA 1901
- ▶ IPX7 rated design - waterproof to 1 meter for 30 minutes
- ▶ Deep-dish parabolic reflector produces a tight beam with optimum peripheral illumination
- ▶ Rated product, Class I Division 2 Groups A, B, C, D, Temperature T4A; Class II Division 2 Groups F, G, Class III, Temperature T-54°C (T6)
- ▶ Run times: Steady high LED & taillights: up to 3 hrs to the 10% output level; low: up to 6 hrs
- ▶ C4 LED, impervious to shock with a 50,000 hr lifetime
- ▶ 8 programmable functions
- ▶ About 45% lighter than the halogen Fire Vulcan®
- ▶ Ship. wt. 3 lbs.

AZ116	Fire Vulcan® Halogen Standard System
AZ117	Fire Vulcan® Halogen Vehicle Mount System

BG522	Fire Vulcan® LED Standard System with AC/DC
BG523	Fire Vulcan® LED Vehicle Mount with 12v DC
BG524	Fire Vulcan® LED without Charger



BG522



VULCAN™



HAND-HELD LIGHTS

The All-Purpose LiteBox®

One of the most popular, rechargeable portable lanterns on the market. The LiteBox® is a world class rechargeable lantern that sets the standard for power, longevity and strength. Features an innovative swivel neck that pivots up to 90° and a 360° rotating head for hands-free use. Made of non-conductive, tough high-impact ABS thermoplastic housing with black rubberized impact bumper, lens ring and cushioned grip handle. Battery is guaranteed for up to 500 recharges. The LiteBox® standard system includes the light, shoulder strap, rechargeable battery, 120v AC and 12v DC chargers and mounting rack that is truck-mountable. Mounting rack meets NFPA requirements mounted in any position. Ship. wt. 9 lbs.



NFPA

COLOR: Orange

X481A	Standard System, 8w Spot
X481	Standard System, 20w Flood
AG626	Vehicle Mount, 8w Spot
AG627	Vehicle Mount, 20w Spot
AF22802	Lite Box® Spare Battery, 6v
AK207	Bi-Pin Spot Bulb
AK208	Bi-Pin Flood Bulb
AF22901	Sealed Beam Spot Bulb
AK209	Sealed Beam Flood Bulb


Note: Sealed Beam replacement bulbs are only for LiteBoxes® purchased before August 1997.

FIREBOX® Rechargeable Lantern

Industrial-duty, rechargeable, portable lantern featuring a halogen bi-pin bulb and 2 programmable ultra bright blue tail-light LEDs.



- ▶ High intensity 8 watt halogen
- ▶ Two ultra bright blue LED taillights
- ▶ Taillight LEDs and main lamp function in selectable "steady" or "blink" modes
- ▶ Fits existing LiteBox® chargers
- ▶ Toggle switch and reinforced D-rings
- ▶ Meets NFPA 1901 for mounting on fire apparatus
- ▶ Bi-pin bulb
- ▶ Run-Time: Up to 9 hours
- ▶ Ship. wt. 8 lbs.



COLOR: Orange

BC115	FIREBOX® Lantern (Light Only)
BC116	FIREBOX® Lantern 120v AC/12v DC
BC117	FIREBOX® Lantern Vehicle Mount 12v DC

E-Flood® LiteBox® HL™

The E-Flood® LiteBox® HL™ is an Industrial-duty, rechargeable, completely portable high lumen flood light. The E-Flood® LiteBox® HL™ uses six LEDs and wide pattern reflectors to produce a uniform flood pattern with two selectable beam widths and three light output intensities. Integral D-rings allow attachment of the included shoulder strap.

- ▶ Run-Time: 8 hrs. at 1,200 lumens
4 hrs. at 2,400 lumens
2 hrs. at 3,600 lumens
- ▶ Fits existing LiteBox® chargers
- ▶ Runs indefinitely from 12v source
- ▶ Weight With Battery: 10.4 lbs.
- ▶ Streamlight's Limited Lifetime Warranty



Longer Reaching



Ultra-Wide



COLOR: Orange

BL498	E-Flood® LiteBox® HL™ Standard System 120v AC/12v DC, Shoulder Strap & Mounting Rack
BL499	E-Flood® LiteBox® HL™ Vehicle Mount System 12v DC Direct Wire Rack, Shoulder Strap
BL500	E-Flood® LiteBox® HL™ without Charger

Pelican LED Lantern

At just 3 pounds and 710 lumens, the new Pelican LED Lantern packs the power without the weight. Four LEDs, powered by the latest generation NiMH batteries illuminate a distance of 450 yards (411.5 meters). Whether you're on a USAR team or the 3rd shift at a refinery, you'll appreciate the compact size and high output of the new Pelican LED Lantern. It's loaded with innovative technology and features.



- ▶ 120° rotating head
- ▶ Burn Time: Low - 4.75 hrs., High - 1.75 hrs.
- ▶ Battery status indicator
- ▶ 3 mode switch (high, low, flashing)
- ▶ Approved to NFPA 1901



SPECIFY COLOR: Yellow or Black
BK181 Pelican LED Lantern

Lighthawk Lanterns

Available in Xenon or Super-Bright LED

The Lighthawk LED is super-bright, lightweight, durable and is constructed of chemical and heat-resistant nylon. The Lighthawk MAX (BC130) is powered by lithium ion technology and features a long life Xenon bulb. The Lighthawk LED (BG146) uses state-of-the-art LED technology, producing a piercing beam of usable lights to make it the brightest lantern on the market. *Ship wt. 4 lbs.*



BC130

BG146
Green



- ▶ 4-cell battery pack
- ▶ Lightweight
- ▶ Burn to Charge Ratio: BC130-1:1, BG146-2:1
- ▶ BC130: Long life Xenon bulb
- ▶ BG146: Bright lantern at 100 lumens; 4,000 + Lux at 7'
- ▶ Low battery indicator lets you know there are 30 min. of power remaining

	Burn time	Bulb Type	Bulb Life
BC130	Up to 3 hrs.	12 watt (Xenon)	50 hrs.
BG146	Up to 7 hrs.	LED	30,000 + hrs.

BC130 Orange Lighthawk MAX
BG146 Green Lighthawk LED

NightBlaster® Cordless Rechargeable Spotlight

Many Times More Powerful Than Your Car's Headlamps!

- ▶ 2,000,000 cp rechargeable spotlight
- ▶ 100-watt quartz halogen bulb
- ▶ Cordless operation
- ▶ Easy access battery
- ▶ Charge or operate with 12-volt cord
- ▶ Operates with internal battery removed; less weight



AW267 NightBlaster® Cordless Rechargeable Spotlight