### Interceptor<sup>®</sup> Level A Deluxe Suit

Interceptor<sup>®</sup> is the apex of Lakeland Industries' chemical protective clothing line. There is an Interceptor<sup>®</sup> suit for your needs; gas, vapor, aerosol, liquid or particulate protection. Interceptor<sup>®</sup> offers dependable protection, superior performance and patented garment features that have been proven over a broad range of chemical challenges in a wide range of environments. Available in encapsulating and nonencapsulating configurations.

- Patented ShurSeal Teflon® visor process permanently seals the visor into the suit with no sewing involved so that liquids can't penetrate the visor edge
- Teflon<sup>®</sup> outer layer on visor prevents impairment of vision due to chemical contact
- > Seams sealed inside and out for maximum protection



👙 Lakeland

Boots not included

#### SPECIFY SIZE: S-XXL

BL067	Interceptor <sup>®</sup> Level A Deluxe Wide-View Suit
BL068	Interceptor® Level A Deluxe Suit

### ChemMAX® 3 Coverall

Ideal for the industrial environment as well as emergency responders and law enforcement, ChemMAX<sup>®</sup> 3 uses the latest technology to produce a superior product. Durable and lightweight, ChemMAX<sup>®</sup> 3 provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants. The multi-layer film is applied to a heavy polypropylene non-woven for increased strength and durability. The barrier film is significantly softer than other products on the market, resulting in a quiet, more comfortable garment. Put your trust in a ChemMAX<sup>®</sup> 3 garment and you will feel confident that you are doing your best to protect your team from the dangers lurking around them.



SPECIFY SIZE: S-XXL BL069 ChemMAX® 3 Coverall

### ChemMAX® 4

#### Heavy Duty Chemical Splash Protection that is High in Performance and Comfort!

This line of high performance chemical protection can be used in work environments where hazardous or non-hazardous contaminants may be present. ChemMAX<sup>®</sup> 4 is at the top of the ChemMAX<sup>®</sup> line of clothing. ChemMAX<sup>®</sup> 4 features a 6 layer protective barrier that will stand up to the toughest of hazardous chemical environments.

SPECIFY COLOR: Yellow, Tan or Dark Green SPECIFY SIZE: S-XXL BL070 ChemMAX® 4 Coverall

ChemMAX<sup>®</sup> 4 Encapsulated Suit

BL071



HAZMA

### Frontline® 500 NFPA 1991 Chemical Suit

Now get triple assurance with a single suit certified to NFPA 1991 base plus optional Flash Fire and Liquified Gas requirements. Frontline® 500 offers three-way protection - broad chemical holdout, plus flame resistance and superior radiant heat protection for the additional hazards encountered in a chemical flash-fire. Chemical, flash, radiant - three hazards, one suit. With Frontline® 500, Kappler's got your back - and your front.

#### Features:

- Single garment eliminates need for typical 2-suit NFPA 1991 configuration
- Combines chemical, flash-fire and radiant heat protection in a single suit
- Seams are sewn and double heat-sealed/taped for added protection
- Large, expanded-view face shield improves field of vision
- ► Unique 2N1<sup>™</sup> glove system prevents inner glove inversion when removing hands

#### Sizing:

- Small/Medium: 5'3" 5'7", 120-160 lbs.
- Large/X-Large: 5'7" 6'2", 160-220 lbs.
- > 2X-Large/3X-Large: 6'2" 6'5", 220-300 lbs.

SPECIFY SIZE: S/M, L/XL & XXL/XXXLBL630Frontline® 500 Suit

### Zytron<sup>®</sup> 500 Totally Encapsulating Suit

Zytron<sup>®</sup> 500 is top of the class - and the classic responder choice for hazmat and other demanding situations. It's tough, built for mobility, and based on patented technology that created the first material to survive eight full hours against the ASTM F1001 Test Battery with no breakthrough. With that kind of Kappler heritage built into the fabric, it's no wonder that responders around the world trust Z500 garments for ultra-demanding applications.

- Double-taped seams
- Large, expanded-view face shield of 40 mil PVC
- Easy-to-reach 48" gas-tight PVC zipper, with double storm flap and hook-and-loop closure
- Two covered one-way exhaust valves
- Attached sock boots with boot flaps for added protection
- BL103: Glove system includes field replaceable Butyl gloves
- Roomy tapered sleeves and ergonomic garment design

### SPECIFY COLOR: Orange or Charcoal SPECIFY SIZE: S-XXXL

BL102	Zytron <sup>®</sup> 500 Totally Encapsulating Level B Suit Rear Entry
BL103	Zytron <sup>®</sup> 500 NFPA 1994/2007 Edition Class 2
	Certified Totally Encapsulating Suit Front Entry

### Tychem<sup>®</sup> Encapsulated Suit

#### **Inner Suit:**

- Double taped seams
- Three layer EX faceshield
- (PVC 40 mil/Teflon<sup>®</sup> 5 mil/PVC 20 mil) Gas-tight zipper closure
- Double storm flaps
- Four exhaust valves
- Four exhaust valve
- Expanded back
- Attached three layer gloves (Neoprene/EVOH film/KEVLAR<sup>®</sup> knit)
- Attached sock boots
- Outer boot flaps

#### SPECIFY SIZE: M-XL

BK011	Tychem® TK Front Entry Encapsulated Suit
BK030	Tychem® TK Rear Entry Encapsulated Suit

### Outer Suit:

- Aluminized fiberglass
- Sewn NOMEX® seams
- EX faceshield (Lexan® 20 mil)
- Hemmed wrists
- Velcro<sup>®</sup> closure
- Storm flap
- Four exhaust vents
- Expanded back



Boots not included

> Boots not included

Flashover protection

> Boots not included

### Universal Pressure Test Kit

The Universal Pressure Test Kit is designed for periodic air pressure testing on all Level A fully encapsulated suits. This compact, lightweight kit is completely self-contained, requiring no external air supply. *Ship. wt. 10 lbs.* 



BL073 Universal Pressure Test Kit

### **PPE Drying Stand**

**Designed for Chemical Suits or Wet and Dry Dive Gear** 

- Tough epoxy powder coat finish
- Naturally air dries suits and gear
   Durable steel construction
- Accepts all suit styles and sizes
   Corrosion-resistant
- Economically priced

BC097 Personal Protective Equipment Drying Stand

### ChemMAX<sup>®</sup> 2 Encapsulated Suit

#### **Quality, Value, Durability and Proven Protection**

ChemMAX<sup>®</sup> 2 is the second level of barrier protection in the new ChemMAX<sup>®</sup> line of products from Lakeland Industries. ChemMax<sup>®</sup> 2 is a superior and economical chemical protective suit developed using the knowledge and expertise that you have come to expect from Lakeland. The unparalleled strength and softness of ChemMAX<sup>®</sup> 2 features Dow Saranex<sup>®</sup> 23P film on two layers of a unique bi-component spunbond nonwoven substrate and provides protection for chemical mixing and handling, environmental clean up, hazardous materials remediation and response, pharmaceutical manufacturing, spray painting and general industry.



SPECIFY SIZE: S-XXL BL072 ChemMAX® 2 Encapsulated Suit/Case of 3

### **ONESuit® Flash Hazmat Suit**

ONESuit<sup>®</sup> Flash is designed to meet the real-world needs of those who work in the most dangerous environments. Our decades of experience in advanced fabric technology, combined with input from people who actually wear hazmat suits, enabled us to create this lightweight, single-skin protective garment that protects the wearer from chemical/vapor form. ONESuit<sup>®</sup> Flash provides an additional level of protection against chemical fires.

- NFPA 1991 (2005 ed.) certified highest level of protection: flash fire, liquefied gas
- Maximum protection against C/B agents
- No overcover
- Lightweight design for remarkable user comfort
- Life cycle twice that of other suits, no shelf life
- Reusable and decontaminable
- Detachable secondary visor
- Internal belting system
- Knee reinforcements and integral booties
- Includes ONEGlove® Hazmat Glove (BG531)

SPECIFY SIZE: S-XXXL

BG530	<b>ONESuit</b> ®	Flash	Hazmat Suit
-------	------------------	-------	-------------







Boots not included

### Silver Shield/4H Gloves

North uses a five-layer technology compacted into 2.7 millimeters in its Silver Shield/4H glove. Each layer acts as a barrier against various epoxies and industrial chemicals, together safeguarding against over 280 chemicals. This superior protection makes the gloves ideal for emergency response and hazmat clean up. Additionally, for applications where cuts, punctures, or abrasions can occur, the Silver Shield/4H can be used as a permeation-resistant liner under a protective glove. *Ship. wt. 1 lb.* 



 SPECIFY SIZE: S-L

 AS088
 Silver Shield/4H Gloves

### Nitrile Rubber Gloves

Gloves are 15 mil. thick Nitrile Rubber (unsupported). Gloves offer excellent resistance to most solvents, acids, animal fats and alcohols. Measures 13" long, unlined. *Comes in Green color. Sold per dozen. Ship. wt. 1 lb.* 

Textured grip

SPECIFY SIZE: S-XXL AM033 Nitrile Gloves/dz.

### **Guardian Neoprene Gloves**

When you work with dangerous chemicals, you want your glove to protect exactly as promised, with uncompromising consistency. You want a glove to be comfortable and rugged with total performance features. The Guardian is all of this plus it's fire retardant. It's made with painstaking precision and each glove is "solution dipped" for maximum chemical impermeability. Manufactured to the NFPA 1992 Splash Garment Specifications Level "B". When worn over the Silver Shield gloves, they meet the NFPA 1991 Standard on Vapor Protective Suit for Hazardous Chemicals Level "A". *Ship. wt. 1 lb.* 



14" extra long gauntlet

SPECIFY SIZE: S-L AC970 Guardian Neoprene Gloves

### **ONEGlove® Hazmat Gloves**

OneGlove® is the revolutionary protective glove that combines incredible dexterity with superior protection against cuts and punctures, chemical/biological agents, industrial solvents and chemicals, and flash fires. Our decades of experience on the leading edge of fabric technology enabled us to create a lightweight, one-piece hazmat glove that's easy to put on and take off, works with virtually all protective suits, and is so flexible that carrying out manual tasks is much easier than with standard multi-glove systems.

- Certified to NFPA 1991, 2005 edition; NFPA 1992, 2005 edition; and NFPA 1994, 2007 edition
   Universal cuff
- Outstanding dexterity compared to multi-glove systems
- Integrated construction for comfort and safety
- Superior protection from hazardous materials
- Universal suit compatibility
- Water resistant, cut and puncture resistant
- CHALLENGE<sup>®</sup> Chemical Protective Barrier
- Moisture Management made from Nomex<sup>®</sup>

SPECIFY SIZE: S-XXL BG531 ONEGlove® Hazmat Gloves



### HAZMAX® Boots

#### The Finest Boot Made for Hazardous Materials Handling

#### AW038:

- Steel toe, shank and midsole for complete protection
- One-piece injection molded construction, eliminates seams

#### BD023:

- One-piece injection molded
- Excellent slip resistance
- Steel toe, shank, and midsole



### **Chem-Tape**<sup>®</sup>

An innovative solution for added protection in liquid chemical situations. It has been tested and proven against warfare agents and many other chemicals. *Ship. wt. 1 lb.* 



### HazProof® Boots

With the growing reality that chemical warfare agents are now a threat to the civilian population, domestic preparedness programs are developing rapidly. The HazProof® boot, made of special polymer material, has also been tested to Military Standard 282 and will provide protection against certain chemical warfare blister and nerve agents! Certified to NFPA 1991, 2005 Edition for chemical and hazmat cleanup, emergency response, and domestic preparedness.

- Injection molded seamless construction for 100% liquid-proof protection
- Larger foot area is engineered to accommodate the extra bulk of an encapsulated suit, for comfortable fit
- Smooth exterior surface for easy decontamination
- Stretch fastener closure system allows for easy on/off while wearing gloves
- Meets ANSI spec. Z41 PT99 M I/75 C/75 EH, for steel toe impact and compression, and electrical protection
- Steel mid-sole meets and exceed ANSI Z41 PT 99 PR
- Steel shank provides firm arch support
- Blown closed cell EVA mid-sole for all day cushion comfort
- Sure grip cleated outsole has excellent abrasion and slip resistance
- Bright orange color for high visibility



# HAZMAT



#### SPECIFY SIZE: 7-13 BH108 HazProof® Boots

Isotherm® Cool Vest

Bullard's revolutionary Isotherm® technology offers unparalleled cooling power, helping to reduce the chance of heat-related illnesses that some-times occur in today's difficult work environments. Specially engineered to maintain a constant 55°F, the vest will provide cooling for approximately two and a half hours. Uses an interchangeable front/back cool pack system and is fully adjustable. Comes in dark blue in a large size only. *Ship. wt. 2 lbs.* 





Isotherm<sup>®</sup> Cool Vest







Designed with durability and comfort in mind, the GasAlert Extreme reliably monitors for any single gas hazard within its wide range of available toxic gas models. With easy on/off operation, this single gas detector offers extended longevity with a two year fieldreplaceable battery. A wide range of user options, multi-language display and data-logging functionality make the GasAlert Extreme an ideal for many applications.

- Direct, real-time readings on large LCD
- Operates through consecutive shifts exceptional battery run-time
- Secure and accurate history with data-logging



BK051 GasAlert Extreme CO Gas Detector

### GasAlertClip Extreme Gas Detector

As the world's most popular and widely used zero-maintenance gas detector, the GasAlertClip Extreme offers continuous, reliable protection. This single gas detector requires no calibration, sensor replacement, or battery charging. The simplicity of the GasAlertClip Extreme combined with minimal training requirements and negligible maintenance costs, make the GasAlertClip Extreme one of the most cost-effective PPE solutions for facility workers and on-site contractors.

- Durable, reliable and easy to use with no downtime
- Record keeping is accurate and easy with automatic event logging



Exceptionally	IOW	cost	OT	ownersnip	

BK052	GasAlertClip Extreme H2S Gas Detector
BK053	GasAlertClip Extreme CO Gas Detector
BK054	GasAlertClip Extreme SO2 Gas Detector
BK055	GasAlertClip Extreme O2 Gas Detector

### **GasAlertQuattro**

With the GasAlertQuattro's easy to identify bump test and calibration icons, power options to outlast your shift, one-button simplicity and IntelliFlash that provides continuous visual confirmation of detector operation and compliance, seeing is believing.

- Alkaline pack with three AA batteries
- Charger wall plug with rechargeable battery
- Calibration cap and tubing
- Reversible screwdriver



BK056	GasAlertQuattro 4-Gas Detector (%LEL, O2, H2S, CO)
BK057	GasAlertQuattro 3-Gas Detector (%LEL, O2, CO)

#### **GasAlertMicro 5 PID Detector with Pump** H2S, CO, O2, Combustibles & VOCs

- Integral concussion-proof boot
- Powered by rechargeable lithium batteries
- Triple alarms (audible, visual and vibrating)
- Multi-language support in English, French, German, Spanish and Portuguese
- Large, user selectable backlit LCD
- ▶ 4 alarm levels: Low, High, TWA and STEL
- Wide range of user selectable field options including password protection, safe and stealth modes
- Self-Tests: Full function self-test confirms sensor, battery and circuitry integrity and audible/visual alarms on activation



BL320

AUTHOPIZED



20

### MAXIWEDGE Kit

This kit offers greater versatility by increasing leak sealing solutions to problems resulting from punctures, gashes, slits and slashes in tanks, cylinders and containers both mobile and stationary. Gas, liquid and bulk material leaks can now be controlled until more permanent solutions are available. When soaked in liquid, softwood will slightly swell forming a tighter seal.

#### Wedges Included:

#### **Plugs Included:** 10 - 1"x3"

10 - 2"x4"

10 - 3"x8"

1"x5"x10"

- 7 <sup>5</sup>/<sub>8</sub>"x1"x8" 5 - 1<sup>1</sup>/<sub>2</sub>"x10"x10" 7 - <sup>5</sup>/8"x2"x8" 3 - 4"x4"x18" 7 - <sup>5</sup>/<sub>8</sub>"x3"x8" 7 - 2<sup>1</sup>/<sub>2</sub>"x3"x12" 7 - 2<sup>1</sup>/<sub>2</sub>"x1"x12"
- 7 2<sup>1</sup>/<sub>2</sub>"x2"x12"
- 7 1<sup>1</sup>/<sub>2</sub>"x2"x10"
- 7 1<sup>1</sup>/<sub>2</sub>"x1"x10"
- 7 1<sup>1</sup>/<sub>2</sub>"x 3"x10"
- **Also Includes:** Non-spark mallet
  - Carrying crate
  - Kit (Case) Dimensions: 24"x15.5"x15.5" Kit Weight: 39 lbs.
- TER M

BK124

MAXIWEDGE Kit

### Offset T Patch Kit "A-1"

This new universal leak control kit has components to repair punctures, cracks, gashes or surface rotting of all containers, just as our universal kits you may already have. Additionally, this new kit will allow you to patch some holes that previously were more difficult, such as cracks close to the edge of tanks or supports, and cracks that toggle wings will not fit into. All necessary tools and hardware are included.

#### **Includes:**

- Large twin T patch with offset T-bolts
- Taper surface with offset T-bolts
- Ladder patch with <sup>3</sup>/<sub>4</sub>" foam backing instead of 1/4" hard rubber
- Offset T patches for holes and cracks near edge of tank

BH016 Offset T Patch Kit "A-1"

### Wedges, Putty & Stop-It (WPS) Spill Control Kit

#### **Includes:**

- Plug-N-Dike Plug rug
- Plug-N-Dike premixed putty Wooden wedges
- Fix Styx
- Lead wool
- Stop-it-pipe repair system
- Toolbox





TERM

HAZ-MAT WEDGES












### Plug & Wedge Kit

With this kit, gashes and punctures in tanks, cylinders, gas lines, etc. can easily be plugged to stop or control liquid, gas, or bulk material leaks. Made from softwoods, these plugs and wedges will swell when saturated and slightly conform to the area being sealed.

#### Includes:



### Drum Repair Kit

Contains the items you need to repair punctures, cracks, gashes or surface rotting of containers. From installation tools to OSHA approved barricade tape to mark off the area of a hazardous leak, you'll find a variety of items included in Drum Repair Kit series "D".

#### **Includes:**



### Hazardous Materials Patch & Plug Response Kits

The Series "AE" is a collection of over 40 common components for emergency and temporary leak stoppage due to punctures, gashes, cracks and surface rotting. Series "C-1" Pipe Plugger with Valve Kit - Allows hazardous materials to be temporarily contained, piped off to alternate location or flared. Series "C-2" External Pipe Leak kit - Has unlimited uses in municipalities, chemical plants, manufacturing facilities or anywhere a pipe line is used. Contains pipe bandages covering nominal pipe sizes from 1/2" to 4".

#### Series "AE" Kit Includes:

- Sheet metal screws with neoprene compression seals
- Tubeless tire repair kit
- SHA-approved 200" roll of barricade tape
- 8"x12" piece of solid neoprene
- > 22" piece of foam material
- Lead wool epoxy putty that hardens like steel, hot or cold hose repair tape, basic tool set for patching
- Twin "T" stainless plate with foam
- 8x2" stainless backed neoprene patch-hardwood cribbing
- 2 22' nylon straps and buckles
- > 2 "T" bolt crack patches
- 6 Surface plugs for curved surfaces, wedged wooden plugs covered with felt
- 2 Ball plugs
- Carrying case
- Ship. wt. 33 lbs.

#### Series "C-1" Kit Includes:

- 20' vinyl tube, tool kit
- 10 Standard pipe plugs
- <sup>3</sup>/<sub>4</sub>" regulating valve
- Carrying case
- Ship. wt. 35 lbs.

#### Series "C-2" Kit Includes:

- 10 Pipe bandages for covering pipe sizes from <sup>1</sup>/<sub>2</sub>" to 4"
- Soft and hard neoprene liner material and comes complete with your choice of standard or non-sparking tools
- Carrying case
- Ship. wt. 33 lbs.

AB975	Series "AE" Kit
AF132	Series "AE" with Non-Sparking Tools
AB976	Series "C-1"
AF032	Series "C-2" with Standard Tools
AF105	Series "C-2" with Non-Sparking Tools

## **Chlorine Institute Emergency Kits**

### Emergency Kit "A"

#### For 100-150 lb. Chlorine Cylinders

The emergency kit "A" contains devices to stop leaks at the valve, fusible plug, and in the side walls of chlorine 100 and 150 lb. cylinders which conforms to specification DOT 3A480. Two instruction booklets explaining application of each device are included. Includes accessory equipment and tools which are labeled and color coded. Kit is packaged within a heavy-duty plastic box measuring 35"x13'/4"x14". *Ship. wt. 115 lbs.* 

AF033 Emergency Kit "A"

### Emergency Kit "B"

#### For One-Ton Containers

The emergency kit "B" contains devices to stops leaks at the valves, fusible plugs, and side walls of chlorine one-ton containers which conform to specifications DOT 106A500X. Two instruction booklets explaining application of each device are included. Will contain leaks in container valves, will seal leaks in container side wall and will contain leaks in container fusible plugs. Includes accessory equipment and tools which are labeled and color coded. Packaged in a heavy-duty plastic box measuring 35"x13<sup>1</sup>/<sub>4</sub>"x14". *Ship. wt. 113 lbs.* 

AF034 Emergency Kit "B"

### **Emergency Kit "C"** For Tank Cars & Tank Trucks

The emergency kit "C" contains devices to stop leaks at the safety valve or angle valves of chlorine tank cars and trucks. Conforms to DOT 105A500W and MC331 specifications, for chlorine service. Two instruction booklets explaining application of devices are included. Will contain leaks in tank car angle valves and safety relief valve. Includes accessory equipment and tools which are labeled and color coded. Kit is packaged within a heavy-duty plastic tool box measuring 36"x18<sup>1</sup>/<sub>2</sub>"x20". *Ship. wt. 168 lbs.* 

AF035 Emergency Kit "C"

### Gasket Kits (Not Shown)

All gaskets are molded from EPDM elastomer. The AF767 kit is for application with kit "A" to stop leaks in SO2 containers. The AF768 kit will stop leaks in one-ton containers when using kit "B" and the AF769 kit will stop leaks in tank cars when using kit "C". *Ship. wt. 6 lbs.* 

AF767	Sulfur Dioxide Cylinder Gasket Kit with 4 Gaskets
AF768	Sulfur Dioxide One-Ton Container Gasket Kit with 6 Gaskets
AF769	Sulfur Dioxide Tank Car & Tank Truck Gasket Kit with 4 Gaskets

### Tank, Pipe, Drum Sealing Kit

Paratech's Leak Sealing Bags shut down leaks on pipes, tankers, railroad tank cars quickly, simply, and safely. Just strap a Paratech chemical resistant reinforced neoprene air bag over the leak, then adjust and tighten the ratchet belts and inflate. *Ship. wt. 70 lbs.* 

#### Features:

BD024

- Special harness design allows the bag to slide into position easily
- Applies up to 22 psi over the damaged area to stem the flow, seal the leak, and reduce contamination fast
- Crews can work away from the hazard zone with the provided 16' hose
- Works effectively on both smooth and rough surfaces

Tank, Pipe, Drum Sealing Kit

#### **Includes:**

- Leak sealing bag 24"x24"
- 30' orange ratchet belt
- > 30' yellow ratchet belt
- Extension belt 20' orange
- Extension belt 20' yellow
- 2 16' orange hose
- 6"x6" leak sealing bag
- Single controller 22 bypass with 2 couplings
- 6"x12" leak sealing bag
- 10"x10" leak sealing bag
- 15"x21" leak sealing bag
- 3 8' wrap around Velcro® strap
- 2 4' wrap around Velcro<sup>®</sup> strap











### 17-Piece Tool Kit

- Shoe handle brush
- 9" crate opener
- 16 oz. claw hammer with fiberglass handle
- Common knife 5<sup>3</sup>/<sub>4</sub>" blade, 7<sup>3</sup>/<sub>4</sub>" OAL
- Deck scraper, 1<sup>1</sup>/<sub>2</sub>" blade x 15" long
- Spray booth scraper, 3" blade x 9<sup>1</sup>/<sub>4</sub>" long
- Standard screwdriver -<sup>5</sup>/<sub>16</sub>" tip, 6" blade
- 12" groove joint pliers
- #3 phillips screwdriver
- 12" tin snips
- ▶ 8" adjustable wrench
- 12" adjustable wrench
- 14" pipe wrench (aluminum)
- 12" bung wrench (fits <sup>3</sup>/<sub>4</sub>"x2")
- 7" long nose pliers with cutters
- 8" combination pliers
- Ship. wt. 20 lbs.

AF040

17-Piece Tool Kit

### 11-Piece Tool Kit

- 8" combination pliers
- Shoe handle brush
- Putty knife (stiff) 1<sup>1</sup>/<sub>4</sub>"x3<sup>9</sup>/<sub>16</sub>", blade 7<sup>3</sup>/<sub>4</sub>" OAL
- Common knife 3<sup>1</sup>/<sub>8</sub>" blade,
- 6<sup>3</sup>/4" OAL
- 10" groove joint pliers
- #2 phillips screwdriver
- Standard screwdriver -5/16" tip, 6" blade
- 16 oz. claw hammer w/fiberglass handle
- 6" adjustable end wrench
- 10" adjustable end wrench
   10" adjustable pipe wrench
- Ship. wt. 11 lbs.



### 6-Piece Tool Kit

Standard screwdriver - 5/16" tip
61/2" combination pliers
8" adjustable end wrench
9" crate opener
#2 phillips screwdriver
#10 groove joint pliers
Ship. wt. 4 lbs.

AR088 6-Piece Tool Kit



HAZMAT



#### **Yes-Tool Does The Job of Six Tools** For hazmat, vehicle rescue and fire fighting, we offer one tool that does it all! The non-sparking Yes-Tool offers the combination

of six tools in one. This tool is made of high strength beryllium copper. *Ship. wt. 7 lbs.* 

- Crash axe
- Hydrant wrench
- Spanner wrench
- Pry bar
- Hand pick
- Gas shut-off

AA808 Yes-Tool

### Hazmat Hooligan Tool



was designed for emergency service personnel operating in the presence of hazardous vapors. Combining the design of one of the world's most popular forcible entry tools and manufactured from spark-resistant material makes this an important addition to your hazmat team. Features duckbill and your choice of standard or metal cutting claw. Standard Claw is gently curved for maximum prying leverage and machine sharpened with recessed nail puller. Claw will fit over locks, hasps and many gas shut-offs. Metal Cutting Claw combines the capability of prying and cutting heavy-gauge metal and composites. Ship. wt. 13 lbs.

#### Heavy-duty

- Spark-resistant material
- Standard or metal cutting claw

AC622	Hazmat Hooligan Tool,
	Standard Claw
AC623	Hazmat Hooligan Tool,
	Metal Cutting Claw

### Syntho-Plug Football

Syntho-Plug is a football shaped, polyurethane impregnated, water activated foam plug used to temporarily stop the flow from a leak in anything from spill containment and marine thru-hull damage. Initially pliable to insert into a void and quickly expands and hardens to fill the void. It can even be applied below the water line.







COLOR: Yellow Syntho-Plug Football BL406

### Plug N' Dike Pre-Mix

Non-toxic material which forms an immediate seal to control flammable and/or hazardous leaks and spills.

It is a combination of a polymer in a bentonite base that produces a seal against penetration of fuels and chemicals. No surface preparation needed. Plug N' Dike Pre-Mix is a plugging material; it does not absorb. Ship. wt. 10 lbs.



#### X878 10 lbs./1 gal. 1 lb. Container X877

### Plug N' Dike Granules

Available in 5 gal. or 10 lb. container. It works! Just knead with water to form a sticky paste. An excellent





ľ

it to plug fuels and most chemicals, to dike pressurized or large spills, and to seal off drains. Can be used to keep leaking equipment operating without complete shutdown. Ship. wt. 10 lbs.

AC644	Granules - 10 lbs.	
X879	Granules - 5 gal.	
AC64401	Granules Carton	
4-10 lb. cor	tainers per carton	

### First Step: Identify the Spill

With these classifier kits, chemicals or elements of waste water can be classified quickly. Each kit uses classifier strips which change color when in contact with the unknown liquid. Just match that color on the classifier color chart to classify the type of chemical present. Each kit contains six classifier strips, polypropylene thread, one pair of nitrile gloves, and a reusable classifier chart, all in a convenient carrying tube. Ship. wt. 1 lb.



SPIL FYTER®

nev

**Darley Code Red Emulsifier** 

Chemical Classifier

Wastewater Classifier

Darley Code Red Emulsifier is a non-flammable emulsifier that works to emulsify petroleum spills to reduce the hazard of combustion. By emulsifying the petroleum products the spill is rendered into a non-flammable biodegradable solution.

Multi-purpose

AA803

AB912

- All natural, environmentally friendly
- Non-hazardous
- Excellent detergency
- Non-flammable

Darleu



SOLD IN 5-GALLON CONTAINER

BL437 Darley Code Red Emulsifier/gal.

### DrainProtector™

DrainProtector<sup>™</sup> prevents spills from entering grates, manholes and large drains. Flexible, chemical-resistant polyurethane products can be cleaned easily with warm, soapy water and used over and over again. Ship wt. 8-51 lbs.

NOTE: 2-PIECE	MINIMUM	ON 18"	AND 24"
1016.211606		011 10	

AS096	18"x18"x1⁄₂" DrainProtector™
AS097	24"x24"x1/₂" DrainProtector™
AS098	36"x36"x¹/₂" DrainProtector™
AS100	48"x48"x¹/₂" DrainProtector™

### Safety Sorbent The Fast Economical Response

Natural ingredients that absorb liquids quickly and effectively by chemical hydration, which retains and eliminates secondary spills caused by leaking. Non-biodegradable, inert and insoluble in common liquids; contains no "freesilica" or other hazardous material in accordance with EPA guidelines. Ship. wt. 51 lbs.




Acids, caustics, oils, solvents, toxic liquids

AK190	Safety Sorbent, Case of 12/40 oz. cartons
AK191	Safety Sorbent, 25 lb. Bag
AK193	Safety Sorbent, 40 lb. Box



- Absorbs 16x its own weight
- Use in, under and around machinery for a clean workspace
- Absorb spills such as oils, coolants, solvents, and water
- Ship wt. 13 lbs.



Pads

Socks

### Keep A Set Of Clean-Up Tools With Your Spill Kits

### Hazmat Clean-Up Brush & Handle

AB961: Clean-Up Brush is made with tough, resilient polyester brush bristles that are chemical resistant and non-sparking brush block. Lightweight, rust and corrosion-resistant and withstands a wide temperature range with low moisture absorption. Totally sterilizable. Measures  $2^{1}/_{2}$ "x19".

AB964: One piece, 51" long fiberglass handle. Ship wt. 3 lbs.

AB961	Clean-Up Brush Only
AB964	Fiberglass Handle Only

### **Chemical Resistant Squeegees**

Use spill squeegees for quick and easy cleanup of chemical spills. They are made of corrosion-resistant high-density polyethylene and will not rust. These lightweight, nonsparking squeegees are available in bench and floor models. **Bench model:** 8" with blade; 12" handle. **Floor model:** 18" with blade; 53" handle. *Ship. wt. 3 lbs.* 

4	Ľ	E/		Ν	Ŀ	Ł	D
P	R	0	D	U	C	T	S

DONIT

Mounting brackets in

App. Equip. (p185-208)

EAGU

AB905

AB905	Bench Spill Squeegee
AB906	Floor Spill Squeegee

### Polypropylene Non-Sparking Shovels

An excellent shovel to be used in chemical spill situations. The green scoops of these shovels are protected with an anti-static agent which minimizes surface charges. They are designed in two pieces for easy storage in spill kits. Lightweight, non-rusting and virtually unbreakable. *Both shovels feature two-piece construction, D-grip and anti-static. Ship. wt. 4 lbs.* 



D-Grip Handle

AA810 AA811 Non-Sparking Shovel (38<sup>1</sup>/<sub>2</sub>"L x10<sup>1</sup>/<sub>2</sub>"Wx14"H) Non-Sparking Shovel (40<sup>1</sup>/<sub>2</sub>"Lx14"W x18"H)



### Overpac<sup>®</sup> Salvage Drum

High density polyethylene drum provides a safe, economical means for transport and temporary storage of damaged or leaking hazardous liquids containers, including PCBs. With a capacity of 95 gallons, it will accept all steel drums up to 55-gallon size. The twist-on lid incorporates a closed cell polyethylene gasket and is easily secured without tools. Polyethylene drum is nestable for convenient storage. *Ship. wt. 50 lbs.* 

AB188 Overpac® Salvage Drum

### All-Steel Salvage Drums

Designed to fully enclose damaged or leaking containers. All units have a removable cover with rubber gasket, 12-gauge bolt ring closure and exclusive multilingual salvage drum logo. Interior is coated with mild corrosive inhibitor; epoxy-ph nolic lining is optional (except 8 and 10 gallon sizes). Try our **Quad-Pak** that includes a selection of four drums that conveniently fit inside each other for storage. *UN & DOT Certified for Hazardous Materials.* 

SPECIFY: Unlined or Lined

Salvage	Druilis	Ship. wt.
AM045	85-Gallon Drum	80 lbs.
AM046	55-Gallon Drum	60 lbs.
AM047	30-Gallon Drum	35 lbs.
AF290	10-Gallon Drum	15 lbs.
SPECIFY:	Unlined or Lined	
Quad-Pa	k Salvage Drums	Ship. wt.
AM040	Quad-Pak:8, 20, 55 & 85 gal. Drums	181 lbs.
AM043	Quad-Pak:10, 30, 55 & 85 gal. Drums	189 lbs.

HAZMAT

AB906

AA810

### **Decon Showers and Accessories**

The BA068 is a three-line wide (4', 5', 4'), 3 or 4-station mass casualty Decon Shower System which handles two or three parallel lines of casualties at the same time in three or four sequential stations - (1) undress, (2) detergent shower #1 - (3) rinse shower #2 OR handle 2 personnel in separate showers simultaneously in each lane, (4) redress. This unit deploys in under two minutes, and when configured as a three-line system, it processes up to six ambulatory persons at a time or 3 non-ambulatory persons on stretchers simultaneously - or any combination. When configured as a 2-line system (this is accomplished by removing the two center divider curtains that make the unit a 3-line unit and hanging the middle divider curtain) this unit processes two non-ambulatory patients on stretchers or up to 4 ambulatory personnel in a two-line wide (6.5', 6.5') configuration.

The BA069 is a four-line (43.5" x4 Lines W), 3 or 4-station mass casualty decon shower system which handles four parallel lines of casualties at the same time in three or four sequential stations - (1) undress, (2) detergent shower #1 - (3) rinse shower #2 OR handle 2 personnel in separate showers simultaneously in each lane, (4) redress. This unit deploys in under three minutes, processes four non-ambulatory patients on stretchers or up to 8 ambulatory personnel at a time and/or any combination of the above.



Ship. wt.



BA069

#### DECON SHOWERS

DECONS	ITO WERS	0
BA068	10'Wx10'Lx9'H Hazmat Decon Shower System	95 lbs.
BA069	13'Wx23'Lx9'H Hazmat Decon Shower System	350 lbs.
BA070	Hazmat Decon Elevation Grid 3'Wx2'Lx2 <sup>7</sup> /8"H	15 lbs.
BA071	1/4 HP Electric Submersible Pump	20 lbs.
ACCESSO	RIES	
BA072	Conveyer Roller System Adj. 2' - 9' Length	151 lbs.
BA073	Conveyer Roller System Adj. 3' - 12' Length	151 lbs.
BA074	"CLIMAT 40 A" Heating System with 10 gal. Fuel Tank	275 lbs.
BA075	13,200 BTU 110-volt Air Conditioner	165 lbs.

#### Portable Decon Spray Hoop Fast, Convenient, Cost-Efficient Decon System

The Portable Decon Hoop has dozens of decontamination applications. The hoop design concentrates water at the area being decontaminated, minimizing the amount of water required and offers better control. It's constructed of durable, lightweight, corrosion-free aluminum pipe and tube. The two-piece (optional 4-piece) design means quick on-site setup and breakdown and is easily stored. On/Off control on hoop and uses standard <sup>3</sup>/<sub>4</sub>" hose connection. Comes with two 43" handles extendible to 66". Ship. wt. 4 lbs.

- Quick on-site setup & breakdown
- Uses standard hose connection
- Minimizes overspray
- **Uses:**
- Self wash-off
- Two-person
- Three-person Equipment
- Overpacks Backboard patients Bunker gear

55 gallon barrels



AB958	Decon Hoop, 2-piece with Outside Handles
AJ427	Decon Hoop, 4-piece Design Includes Inside and Outside Handles
AJ428	Decon Hoop Storage Bag (For AJ427 Only)

### Hi-Vis Dike Tubing

This rapidly deployed containment tubing can be used for containing hazardous materials. The Dike Tubing can also be used to stop or divert flowing water or fast moving spills from a liquid chemical release of product. Just fill with water and deploy to desired shape or length. Compact and stores easily.

- Dimensions: 11"Dx100'L
- 9 mil poly tubing
- Ship. wt. 8.5 lbs.

COLOR: Orange BL361

Hi-Vis Dike Tubing

#### Portable DeCon Waste Pools


- Quick setup for on-site use
- Reusable pool and disposable liner Compresses for stowage and requires
- no air or water to inflate Removable, durable protective ground
- pad with permanently attached belts and quick couplers quickly attach the pool's waste water retention ring Ship. wt. 18 lbs.



AW040	6' Portable DeCon Waste Pools
AW041	6' Pool Liner, 10mil, 10/pkg.

### **Decon Shower Elevation Grid**

Elevation grid prevents the build up of washed away contaminants by elevating the responder's feet 5<sup>1</sup>/<sub>2</sub>" above ground during decontamination. Features no sharp edges or slivers to harm people, sturdy molded sockets that permit levels to be positively locked at any height, lightweight construction and flow through grid design to let liquids and small scrap drain away. Made from rugged HDPE chemical-resistant resins. *Dimensions:* 24"x36", 5<sup>1</sup>/<sub>2</sub>" grid. Ship. wt. 23 lbs.



AF039

Decon Shower Elevation Grid

### **Decontamination Manifold**

- ▶ Warthog Decontamination Manifold reduces the flow of water from a 1<sup>1</sup>/<sub>2</sub>" fire hose to a series of three spigots
- Garden hoses can be attached directly to the manifold and run to a decon shower or used separately as needed



BG102 Decontamination Manifold

### Hazmat Fluid Transfer Pump

A chemically-resistant hand operated, selfpriming pump that is designed to transfer hazardous materials from a Hazmat Decon Pool into a recovery drum. Constructed of polypropylene body and nitrile diaphragm, the 10 gpm pump is mounted on a 6"x18" polyethylene pump plate and comes complete with 12' of chemically-resistant wire-reinforced hose. *Ship. wt. 8 lbs.* 

### Portable Decon Shower & Disposable Pool

The Hazmat Decon Shower is a portable, collapsible, 11/2" PVC shower that is designed for decontaminating emergency response personnel. The unit is color-coded for ease of assembly and sets up in only five minutes. A crisscross water flow pattern is provided from the upper support bars. Shower comes in a canvas carrying duffel bag measuring approximately 42"x26"x12". Ship. wt. 65 lbs. The Hazmat Decon Pool (sold 2 per case) is disposable and compact. It is easily stored in a space of only 60"x21"x3". The pool has a 12 mil. polyethylene liner, is durable and weighs only 15 lbs. The pool sets up in 30 seconds. Ship. wt. 30 lbs.

Crisscross water pattern
 Color-coded assembly
 60"x60"x12"



# AC164Decon ShowerAC165Decon Pool - 2 pools per case

### EMS Disposable Decon System

Decon system is portable, disposable, lightweight (10 lbs.) and fits standard EMS stretcher. Decon frame is made of cardboard and lined with yellow, chemical resistant PVC laminated nylon. Comes complete with PVC drain, hose and 5 gallon collapsible, polyethylene container. Can be set up in 60 seconds. Measures 84"Lx24"Wx 8"H fully assembled.

Comes in case of three decon systems. Ship. wt. 34 lbs.



AC451

EMS Disposable Decon System/Case of 3

### Multi Manifold

Quickly connecting standard <sup>3</sup>/<sub>4</sub>" hose to hydrants, fire hoses or fire apparatus. Constructed of corrosion-free aluminum pipe, fittings and 500 PSI certified brass <sup>1</sup>/<sub>4</sub> turn ball valves. Ideal for multiple hose connections. *Ship. wt. 5-8 lbs.* 



AW0421-11/2" NH Inlet / 6-1/4-Turn One-Way Ball ValvesAW0431-21/2" NH Inlet / 6-1/4-Turn One-Way Ball Valves

### Standard Decontamination Shower System



#### Features:

Unique quick-connects for fast assembly

- Fully collapsible design Six shower heads plus an independent hand-held
- Heavy-duty, chemical-
- resistant privacy enclosure Translucent roof panel
- to allow light into shower
- Stores and transports in two easy-to-carry vinyl bags

#### SYSTEM INCLUDES SHOWER, POOL, ELEVATION GRIDS AND CARRYING BAGS BA061 Standard Decontamination Shower System

### Quick Response <sup>™</sup> Shower System



Perfect for decon

and clean up

Designed for field response, the Quick Response™ Shower is durably constructed to withstand frequent training, and compact enough to fit in a portable carry bag. System includes Quick Response™ Shower, compact pool, elevation grid and vinyl carrying bag. Ship. wt. 96 lbs.

#### **Shower Features:**

- Unique quick-connects for fast assembly
- > 3 shower heads plus an independent hand-held sprayer
- Tough construction for frequent training and use
- Vinyl bag for storage and transport

#### **Shower Specifications:**

- Total Output: 7.5 gpm
- Dimensions: Assembled 43.2"x46.8"x88.8"; unassembled 49"x15.5x9.5"
- Single Water Inlet: Standard garden hose
- Approximate Set-up Time: 2-3 minutes

BA062 Quick Response<sup>™</sup> Shower System

### Electric Water Pump

Pumps water from collection pool to waste water container. Uses standard garden hose. 110V, 19 gpm. Ship. wt. 10 lbs.



BA065

Electric Water Pump

### Decon Shower Brush

#### **Features:**

Disposable, soft brush Features handle with hook hole Ship. wt. 2 lbs. BA064

Decon Shower Brush

### Econoflo Multipurpose Fire Hose

A versatile, multipurpose high-pressure fire hose made with 100% virgin polyester and lightweight, high strength Thermo Plastic lining. Coupled with brass ferrule type couplings, garden hose thread. Applications include decon, filling pump cans, protecting pump operating areas, supplying sprinklers, low volume handlines, remote fireline protection and mop up use. Easily carried and stored. 300 psi working pressure; <sup>5</sup>/<sub>8</sub>" hose size. Purchase includes 50' of hose, nozzle and pouch. Yellow only. Ship. wt. 2 lbs.

AJ512 Econoflo Multipurpose Fire Hose

### **Decon Wand**

The perfect accessory to easily expand your existing system, or use alone for small-scale decon procedures. Simply connect this hand-held device to a standard garden hose and you're ready to begin. Decon wand disassembles into two pieces for compact storage, and assembles with quick-connect coupling. Valve allows for shutoff and water flow adjustment. Ship. wt. 3 lbs.

#### **Specifications:**

BA066

- Total Output: 2.5 gpm Dimensions: Assembled
- 44<sup>1</sup>/<sub>2</sub>"x6"x2<sup>1</sup>/<sub>2</sub>"
- Approximate Set-up Time: 30 sec.
  - Decon Wand

180 1.800.323.0244 | www.edarley.com/hazmat