

**Honeywell** | First Responder



## **PRO Series Leather and Ranger™ Series Rubber**

The Toughest, Most Versatile Performance in Firefighting

# Honeywell Pro Series Leather Footwear

For virtually any need that calls you from the station, there's a Honeywell boot to fit.

And every one of our boots is backed by the most rigorous engineering – and a warranty to match.

## A HONEYWELL PRO BOOT

- Rugged, Durable Construction
- Premium Cowhide Leather
- Proven Components Engineered for Superior Fit and Wear
- Made in the USA with Dedicated, Quality Craftsmanship



# Honeywell PRO NightHawk 5555

Each call brings unpredictable challenges, which is why you need footwear you can depend on hour after hour, day after day, for protection – and comfort.

Introducing PRO Series NightHawk™ 5555 Boots from Honeywell: Rugged protection and durability. Remarkable comfort and agility to fuel your endurance.

**Agile Construction:** NightHawk boots are athletic footwear that fit right, moving with you to give you the performance you need without resistance or distraction.

NightHawk 5555 is fire boot comfort at its finest. Trusted to perform in even the toughest circumstances – just like you.

## CERTIFICATIONS

NFPA 1971  
Structural FF

NFPA 1992  
Liquid Splash

## SIZES

Widths: Medium, Wide,  
Extra-Wide  
Half sizes: 5½ to 15½  
Full sizes: 5 to 16

## Made in the USA



### FR Rubber Shin Guard

Ladder protection with cushioned backing for utility and comfort.

### Graded Calf Size

Shaft opening increases with foot size – eliminates need for expensive wide calf model.

### Heavyweight Kevlar®

Premium thread to maximize seam strength and durability.

### Premium Full-Grain Cowhide Leather

Flame-resistant, water-resistant, leather upper; flexible joint transitions for world-class comfort.

### PowerToe Protection

Our updated innovation for outstanding abrasion-resistant durability.

### Oblique Steel Toe Cap

A roomy fit without unnecessary bulk.

### Leather-Reinforced Nomex® Pull Straps

Easy grip, and kind to pants and legs.

### CROSSTECH® Footwear Fabric / Cambrelle® Lining

Full-height protection and comfort from underfoot to the boot-top line. Waterproof and blood borne pathogen resistant.

### Leather Top Binding

Always a smooth, finished interface for pants and legs.

### Individual Serialized Barcode

Departmental NFPA 1851 tracking.

### Heel and Ankle Grip System

Molded heel counter, contoured, lined, integrated cushion support for outstanding fit and comfort.

### Heel Kicker

High visibility doffing aid also reduces heel wear.

### 3M Scotchlite™ Reflective Trim

Located below the pant line for maximum benefit. Cleanable and heat resistant.

### Triple-ridge Steel Ladder Shank

Provides superb arch and ladder support.

### Puncture-resistant Steel Bottom Plate

Exceeds NFPA standard for puncture resistance and offers world-class penetration resistance to sharps

### Vibram® FIRE&ICE™ Polymer Technology

FIRE&ICE outsoles have superior traction on icy and oily surfaces. Chemical resistant and performance proven.

### Vibram® Racer Outsole

Beveled heel and notched perimeter lugs to move over uneven terrain with confidence. Omni-directional tread pattern with self-cleaning lugs for great traction.



### Deep Cup Outsole

Premium cement, insensitive to temperature, connects the upper to the outsole. The cup wall depth enhances support and durability of the leather upper while maintaining great flexibility.

### Ortholite® Premium X-40 Insert

Developed for athletes and all-day wear applications. High-rebound performance. 3D contoured support. Breathable, moisture-wicking, anti-microbial. Open cell for quicker drying. Machine washable.



DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.

# Honeywell PRO Series

A Great Look Built on Great Engineering



Model 5006 Illustrated

# Honeywell PRO 5007

Technology and comfort merge in a hard-working, sleek-looking, performance-driven boot.

Engineered for comfort, safety, and control, the full-height PRO Series Model 5007 is another step forward for welted fire boots.

Along with models 4132 and 5006, the 5007 is simply unrivaled in stability and durability. And these models

break-in faster than many non-welted brands. The Leather vamp and Advance™ textile shaft supply lightweight comfort and breathability.

The PRO Series 5007: made to keep on going, supporting, and protecting.

## CERTIFICATIONS

NFPA 1971 Structural FF  
NFPA 1992 Liquid Splash

## SIZES

Standard Widths: D, E, EEE  
Half sizes: 5 ½ to 15½  
Full sizes: 5 to 16

## Made in the USA



**Vibram® FIRE&ICE™ Polymer Technology**  
FIRE&ICE outsoles have superior traction on icy and oily surfaces. Chemical resistant and performance proven.



## Removable Insert

Molded 3D contour for comfort and support. Moisture wicking top layer.



DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.

# Honeywell PRO Series

MODEL 5006B



**FEATURES**



- 14" Pull-on bunker boot
- PowerBack driver's cut shaft
- Premium full-grain leather
- Advance™ (Kevlar®/Nomex®) ripstop fabric shaft
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Omaha liner
- Large Shin Guard
- FR rubber PowerToe and PowerHeel kicker
- Oblique steel toe, steel bottom plate and ladder shank

- Molded heel counter
- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- Berry compliant

Made in the USA

MODEL 4132



**FEATURES**



- 14" Pull-on bunker boot
- Premium full-grain leather
- Advance™ (Kevlar®/Nomex®) ripstop fabric shaft
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Cambrelle® liner
- Large Shin Guard
- Urethane-impregnated leather toe
- Oblique steel toe, steel bottom plate and ladder shank

- Molded heel counter
- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash

Made in the USA

MODEL 3009



**FEATURES**



- 14" Leather bunker boot
- Premium full-grain leather
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Cambrelle® liner
- Urethane-impregnated leather toe
- Oblique steel toe, steel bottom plate and ladder shank
- Molded heel counter
- Goodyear welt construction

- Vibram® lug soles
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash

Made in the USA

MODEL 5050B – Struximity



**FEATURES**



- 14" Leather bunker boot
- Reflective wrap-around welt
- High-performance waterproof leather
- Radiant barrier layers
- Full-height CROSSTECH® moisture barrier bootie with pure Kevlar® felt insulation and Omaha liner
- Urethane-impregnated leather toe
- Oblique steel toe cap, steel bottom plate and ladder shank
- Molded heel counter

- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1971 Proximity
- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- Berry Compliant

Made in the USA

All Structural Firefighting Models are Dual Certified for Liquid Splash Protection in HazMat Emergencies

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.

# Honeywell PRO Series

MODEL 6006



**FEATURES**



- 8" lace-up Quad Cert boot
- Premium full-grain leather
- Advance™ (Kevlar®/ Nomex®) ripstop fabric quarter panels
- Full CROSSTECH® moisture barrier bootie with Cambrelle liner
- Pull loop for easy donning
- FR rubber PowerToe
- Steel bottom plate and shank
- Composite toe cap
- Poron® XRD™ metatarsal guard
- Molded heel counter

- Goodyear welt construction
- Vibram® lug sole
- Removable cushioned insert
- Individually barcoded
- Widths: D, EE, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1951 Technical Rescue
- NFPA 1992 Liquid Splash
- NFPA 1999 EMS
- NFPA 1977 Wildland

Made in the USA

MODEL 3050B



**FEATURES**



- 8" wildland / station lace boot
- Premium full-grain leather
- Cambrelle® fabric boot liner
- 1.5" padded collar
- Pull tab for easy donning
- Speed-loop lace system
- Removable cushion insert
- Fiberglass shank
- Molded heel counter
- Goodyear welt construction

- Vibram® Olympia lug sole
- Individually barcoded
- Widths: Narrow, Med. Wide
- Half sizes: 5½ to 12½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1977 Wildland
- Berry Compliant

Made in the USA

MODEL 3003



**FEATURES**



- 8" lace wildland / station boot
- Premium full-grain leather
- Cambrelle® fabric boot liner
- Padded collar
- Pull loop for easy donning
- Optional-use Speed-zip zipper included
- Oblique steel toe cap
- Steel bottom plate and ladder shank
- Molded heel counter
- Goodyear welt construction

- Vibram® lug sole
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 12½
- Full sizes: 5 to 16

**CERTIFICATIONS**

- NFPA 1977 Wildland

Made in the USA

# Honeywell Ranger™ Series Rubber Boots

The lightest weight rubber boots in fire service are engineered to maximize agility and durability: Honeywell boots last. Ranger™ is the only Rubber Boot brand made in North America.

Only Ranger model products include industry-unique features (models 1000 and 6220), category best sellers (models 1500 and 2700), and traditional value (models 1600 and 2600).

- The widest choice of liner materials: Dri-Lex® AeroSpacer® mesh, Kevlar® / Nomex®, or wool felt.
- Insulated and non-insulated models.
- Natural rubber or combination of natural and butyl rubber compounds.

## Honeywell Ranger™ Series

Honeywell Ranger Series rubber boots offer the most complete protection available in virtually any hazardous first responder environment. Roomy steel toe, steel bottom plate, and ladder shank designs protect against impacts, compression, punctures, and penetration.



### Model 1000 *Comfort Driven Popularity*

12" Pull-on bunker boot. This is the standard. The only rubber boot utilizing athletic AeroSpacer® mesh lining for superior cushioning underfoot, with unmatched temperature regulation and moisture management throughout. Lightweight so your legs stay fresher.

#### SIZES

- Widths: Narrow, Medium, Wide
- Half sizes: 5½ to 15½
- Full sizes: 3 to 16

#### CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- CSA Z195 Protective Footwear
- Mustard HD - 24 hrs Protocol TOP-8-2-501



### Model 1500 *Best Seller*

DuPont™  
**Nomex** | DuPont™  
**Kevlar**®

15" Pull-on bunker boot. Insulated lightweight model features Kevlar®/Nomex® lining with Shin Guard for additional ladder-rung protection.

#### SIZES

- Widths: Narrow, Medium, Wide
- Half sizes: 5½ to 15½
- Full sizes: 3 to 16

#### CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- CSA Z195 Protective Footwear
- Mustard HD - 1 hr Protocol TOP-8-2-501



### Model 1600 *Functional Excellence*

15" Pull-on bunker boot model with classic wool felt lining. Insulated.

#### SIZES

- Widths: Narrow, Medium, Wide
- Half sizes: 5½ to 15½
- Full sizes: 3 to 16

#### CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- CSA Z195 Protective Footwear





**Model 2600**  
*Durability on a Budget*

15" Pull-on bunker boot. Economical, non-insulated model featuring classic wool felt lining.

**SIZES**

- Widths: Narrow, Medium, Wide
- Half sizes: 5½ to 15½
- Full sizes: 3 to 16

**CERTIFICATIONS**

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- CSA Z195 Protective Footwear



**Model 2700**  
**Hip Wader**

30" insulated hip boot with wool felt lining. Same great compounds and construction.

**SIZES**

- Widths: Wide
- Full sizes: 6 to 15

**CERTIFICATIONS**

- CSA Z195 Protective Footwear



**Model 6220**  
**Proximity/ARFF**

15" Pull-on boot. Only rubber boot on the market with proximity firefighting/aircraft rescue fire fighting (ARFF) capability.

**SIZES**

- Widths: Narrow, Medium, Wide
- Half sizes: 5½ to 15½
- Full sizes: 3 to 16

**CERTIFICATIONS**

- NFPA 1971 Proximity
- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- CSA Z195 Protective Footwear

**Honeywell Ranger Series Rubber Boots are crafted in North America.**



## SOLE CONSTRUCTION

### MOLDED SOLE

All models are built on the same last with the same molded sole for consistent sizing throughout the entire line.

# Quick Comparison Chart

Model	1000	1500	1600	2600	2700	6220
Height (measured inside - heel to top line)	12"	15"	15"	15"	30"	15"
Weight in lbs (approx.)	6.3	7	7.1	6.7	9.7	8.3
Rubber Compound	Natural + Butyl	Natural	Natural	Natural	Natural	Natural + Prox
Insulated	Yes	Yes	Yes	=	Yes	Yes
Lining	Spacer Mesh	Kevlar®/Nomex®	Wool Felt	Wool Felt	Wool Felt	Wool Blend
Steel Toe, Plate & Ladder Shank	Yes	Yes	Yes	Yes	Yes	Yes
Molded Outsole	Yes	Yes	Yes	Yes	Yes	Yes
Removable Insert	BreatheOPrene®	EVA Foam	EVA Foam	EVA Foam	EVA Foam	BreatheOPrene®
Individual Serialized Barcode	Yes	Yes	Yes	Yes	=	Yes
Made in North America	Yes	Yes	Yes	Yes	Yes	Yes
NFPA 1971 Structural	Yes	Yes	Yes	Yes	=	Yes
NFPA 1971 Proximity	=	=	=	=	=	Yes
NFPA 1992 Liquid Splash	Yes	Yes	Yes	Yes	=	Yes
CSA Z195 Protective Footwear	Yes	Yes	Yes	Yes	Yes	Yes
Chemical Warfare Agent Tested	Mustard HD 24 Hrs	Mustard HD 1 hr	=	=	=	=

\*Chemical warfare agent protection against Mustard HD agent. Protocol TOP-8-2-501 "Penetration and permeation testing of air-permeable and impermeable materials with chemical agents or simulants." Swatch test. Models 1000 and 1500 only.



**ULTRA-LIGHT  
PROTECTION  
AND COMFORT**



# Boot Accessories

## Zippers



### Accessory/Replacement – Boot Model 3003

- #3014 fits up to size 9.5
- #3015 fits size 10 and up

### Replacement Zippers – Boot Model 6006

- #3018 – small fits sizes 4-5 men's, 5-7 women's
- #3019 – medium fits sizes 5.5-10 men's, 7.5-12 women's
- #3020 – large fits sizes 10.5-16 men's

## Inserts



### Cushioned Insoles for Leather Boots

- #904 DRYZ™ 3D contour for models 6006, 5007, 5006B and 3050B
- #903 DRYZ™ flat for models 5050B, 4132, 3009, and 3003

## Laces



### Replacement Laces for Leather Boots

- #2024 – 63" Kevlar® for models 6006, 3050, and 3003
- #2021 – 72" Kevlar® for model 6006

DuPont™  
**Kevlar.**

## Lace Adjusters



### Cord-Lok® Lace Adjusters

- #2014 – package of 2

## Sizing Devices



### Brannock Sizing Devices

- #900 – men's
- #00098 – women's

**Exclusive Corporate Sponsor**



Honeywell is proud to be the exclusive corporate sponsor of the United States Fire Administration/National Fallen Firefighter Foundation's National Fire Service Vulnerability Assessment Project

**Proudly Supporting**



**IAFC**  
International Association of Fire Chiefs



**The IAFF**  
Fire Fighters Burn Foundation



**Firefighter**  
Cancer Support Network



**International**  
Association of Black Professional Fire Fighters



**International**  
Association of Women in Fire & Emergency Services



**NFFF**  
National Fallen Firefighters Foundation



**NVFC**  
National Volunteer Fire Council



**FDSOA**  
Fire Department Safety Officers Association



**Congressional**  
Fire Services Institute



**ISFSI**  
International Society of Fire Service Instructors



**NFPA**  
National Fire Protection Association



**FEMSA**  
Fire Equipment Manufacturers & Suppliers Association

**Honeywell Industrial Safety**

Honeywell First Responder Products  
#1 Innovation Court  
Dayton, Ohio 45414  
Tel: 800-688-6148  
www.HoneywellFirstResponder.com

HFR.101  
© 2016 Honeywell International Inc.

